QUA 6204 -QUA 6204


HARVARD UNIVERSITY



LIBRARY

OF THE

MUSEUM OF COMPARATIVE ZOÖLOGY









INDEX

TO THE

QUARTERLY JOURNAL

OF

MICROSCOPICAL SCIENCE

1853—1888

TO THE

TRANSACTIONS

OF THE

MICROSCOPICAL SOCIETY

1844—1852, 1853—1868

AND TO THE

PROCEEDINGS

OF THE

DUBLIN MICROSCOPICAL CLUB 1865—1880.



LONDON
J. & A. CHURCHILL

11, NEW BURLINGTON STREET

1889.

MAY

100 to 10

756 1

PREFACE.

THE various headings under which the contents of the earlier volumes of the 'Quarterly Journal of Microscopical Science' are grouped, render necessary some explanation of the system on which the present Index has been arranged. Its chief features, to which I have as far as possible adhered, are the following:

The names of **Authors** of original communications, whether published only in the Journal or 'Transactions,' or reported on as translations or abstracts, are indexed in thick capitals; the successive papers of a particular author are arranged and numbered in chronological sequence; and the full title, and reference to the volume and page, are given in each case.

The names of **Subjects** are printed in the same alphabetical series with those of the authors, but in ordinary type; reference is made to the author's name, and to the number assigned to that one of his papers which deals with the subject. Thus, on finding under "Teleostei"

Teleostei, so-called pronephros, Balfour (18).

reference is made to Balfour's eighteenth paper,

BALFOUR, F. M. (18). On the nature of the organ in adult Teleosteans and Ganoids, which is usually regarded as the head kidney or pronephros. xxii, 12-16.

iv PREFACE

Exceptions are made in the case of unsigned notes, for example,

Oidium, xii, 158.

and in that of systematic papers in several parts, or in more than one volume; here the author, the number of the paper, and the actual reference in the Journal are all given under the name of the subject, thus,

Actinophrys, Archer (25) xvi, 297.

In the case of *reviews*, the name of the author of the book is printed in ordinary type, and no subject-references are made.

Carpenter; Introduction to the study of the Foraminifera (review). ii, 297-301.

For convenience of reference the subjects have been generally grouped under large heads, such as the names of classes and orders. Thus complete references will be found under the heads—Oligochæta, Polychæta, Polyzoa, Nemertina, &c.

To the Proceedings of various Societies recorded in the Journal no reference is made, except in the case of the Dublin Microscopical Club, a separate Index to which will be found at the end of the volume.

With respect to the QUARTERLY CHRONICLE OF MICROSCOPICAL SCIENCE, subject-references are given only in the case of the longer and more important abstracts.

While genera are almost invariably indexed, a partial exception is made in the case of Diatomaceæ, a complete catalogue of which is in preparation from another source. Reference is rarely made to species.

The connection between the 'Quarterly Journal of Microscopical Science' and the Microscopical Society of

London was originally so intimate, that it was thought advisable to index those volumes of the Society's 'Transactions' which were issued with, and have generally been bound with, the Journal; further, a short Index to the three volumes of 'Transactions' which were published before the appearance of the Journal has been separately compiled, and will be found at the end of the larger one. The complete series of publications is thus composed:

Example of reference.

Transactions of the Microscopical Society of London. Vols. i-iii, 1844–1852.

1852.

Transactions of the Microscopical Society of London. New Series, vols. i-xvi, 1853-1868.

Quarterly Journal of Microscopical Science. [Old Series.] Vols. iviii, 1853-1860.

Quarterly Journal of Microscopical Science. New Series, vols. ixxviii, 1861-1888. $[{\bf Indexed\ separately.}]$

(Transactions) vi, 34-39.

vi (o. s.), 14-17.

x, 367-380.

The old series of the Journal is indicated by the letters (o. s.); where a volume is not indicated by any qualifying letters, the new series is intended.

In 1868 the connection between the Journal and the Society ceased. The 'Transactions,' vols. ix-xvi, are generally bound with the Journal, vols. i-viii of the new series; hence, in order to shorten the labour of finding a particular reference, the Table on the next page has been appended.

The untiring assistance of my wife has greatly lightened the labour of preparing this Index, which deals with thirtysix volumes, or nearly thirteen thousand pages.

G. HERBERT FOWLER.

1861. 'Transactions R. M. S.,' vol. ix issued with 'Quart. Journ. Micr. Sci.,' vol. i (n. s.).

33	5	66	2	3		:: :: ::
:11	iii "	iv	٨	νi	iiy	iiv
	66					
	. 66					
	66					
	xi					
	99					
	66					
1862.	1863.	1864.	1865.	1866.	1867.	1868.

INDEX

TO THE

QUARTERLY JOURNAL

OF

MICROSCOPICAL SCIENCE

1853—1888

AND TO THE

TRANSACTIONS

OF THE

MICROSCOPICAL SOCIETY

1853-1868.



INDEX.

A.

ABBEY, W. (1). Notes on organic structure as illustrated by means of dyes. iv, 269-278.

ABBOTT, J. (1). Scalariform ducts in the Prothalli of Ferns. xiv, 401, 402.

Abrothallus, Lindsay (1).

Acanthocephali, see Echinorhynchus. Acanthocystis, Archer (15) ix, 252 and

x, 26; (16); (25) xvi, 361.

— development, xviii, 205-208.

Aconthodrilles a pophridia Raddow

Acaridæ; mandibles, Hepworth (4). Acari in AgNO₃, Maddox (1).

- in Columba, Robertson (1).

- "parthenogenetic" reproduction, Beck (13).

Acharadria; gen. n., T. S. Wright (4). Achlya; zoospores, Hartog (4). Achyla, Archer (12).

Acinetaria, H. Cienkowski (1).

 Ophryodendron, T. S. Wright (1), Hincks (6).

- various, T. S. Wright (2).

 Acineta, reproduction, H. Cienkowski (1).

Actinia; fissiparity, Hogg (3).

Actiniaria; colouring matters, Moseley (7, 9).

- Panceria, Andres (1).

Actinolophus, Archer (25) xvii, 72.

Actinophænia, Shadbolt (4).

Actinophrys, Archer (25) xvi, 297; Kölliker (1), Boswell (1). Weston (1).

Actinosphærium, Archer (25) xvi, 301. Actinotrocha, sea Phoronis.

ADDISON, W. (1). On changes of form in the red corpuscles of human blood, i, 81-86; and (Transactions) ix, 20-24, pl. iii.

(2). On changes in the properties of the red corpuscles of human blood in relation to fever. i, 166-175.

Adenopleura; gen. n., Macalister (3). Adulteration; detection, Sorby (2). Ælodiceros [?] larva, Moseley (10).

Aeolis, &c., see Eolis.

Æquorea, T. S. Wright (4).

Aecidia; of Ranunculus, Plowright (1). Agama; pineal eye, W. B. Spencer (3).

Agardh; Epicrisis Systematis Floridearum (review). xvi, 407-411.

Agaricus; reproduction, Oersted (1). Agelena; development, Balfour (15). Aggregation, Darwin (3).

Alcyonaria, see Octactiniæ.

ALDER, J. (1). On a new species of Bugula. v (o. s.), 174, 175, (Zoophytology) pl. xvii, figs. 1-4.

 (2). Descriptions of new British Polyzoa, with remarks on some imperfectly known species. iv, 95 -109, pls. ii-v.

Algæ; antherozoa, Itzigsohn (1).

- Gotland and Öland, Wittrock (1).

Valdieri, Moggridge (1).

— in Californian hot spring, Wood (1).

reproduction, Druce (2), Lindsay
 (4), xii, 73-77, Pringsheim (1, 2),
 Cohn (1), xiv, 290.

— — &c., Stephanosphæra, Archer (9). — — Chlorosphæra, Henfrey (4).

— and classification, Braun (2).

- Palmellaceæ, Hicks (7, 8).

- various, Archer (11, 20, 24).

stellate bodies, W. Smith (1).
see also under Fungi, Lichens, &c.
Alimentary canal; histology, Watney

Alimentary canal; histology, Watne (1).
Alkaloid sublimates, Guy (3).

ALLEN, T. F. (1). Microscopy. viii, 280.

Allman; A Monograph of the Freshwater Polyzoa (review). vi (o. s.), 36-43.

 A Monograph of the Gymnoblastic or Tubularian Hydroids, part i (review). xii, 63-67. ALLMAN, G. J. (1). Remarks on the involution theory of the starch granule, and on the probable structure of this body. ii (o. s.), 163-172, pl. vi.

- — (2). Observations on Aphanizomenon flosaquæ, and a species of Peridinea. iii (o. s.), 21-25, pl. iii.

- (3). On the occurrence among the Infusoria of peculiar organs resembling thread-cells. iii (o.s.), 177-179, pl. x, figs. 11-18.

- (4). On the peculiar appendage of Appendicularia styled "Haus" by Mertens. vii (o. s.), 86-89, pl.

vi, fig. 18.

- (5). On the Structure of Carduella cyathiformis, a contribution to our knowledge of the Lucerna-(Transactions) viii, 125riadæ. 128, pl. v.

- — (6). On Rhabdopleura, a new form of Polyzoa, from deep-sea dredging in Shetland. ix, 57-63,

pl. viii.

(7). On a mode of reproduction by spontaneous fission in the Hydroida. xi, 18-21, pl. ii.

- - (8). Remarks on Prof. Schultze's memoir on Cordylophora lacustris. xii, 35-40.

- (9). Notes on Noctiluca. xii,

326-332, pl. xviii.

- (10). On the homology of the gonangium in the genus Halecium. xiii, 55-58.

- (11). Some account of Kleinenberg's researches on the anatomy and development of Hydra. xiv, 1-18.

Allomorphina, Brady (3) xix, 281.

Allurus, Beddard (1).

d'ALQUEN, F. (1). A few remarks on a paper read before the Royal Society by Dr. J. W. Griffith, on the Angular Aperture of Objectglasses. iii (o. s.), 43-49; cf. 246. — (2). Notes on the structure of

Oscillatoriæ, with a description of a new species, possessing a most remarkable locomotive power, not cilia. iv (o. s.), 245-260, pl. xiv, figs. 1-15.

Alysidota, iv (o. s.), 310.

Amanita; protrusion of protoplasm, Darwin (5).

Ameina; pineal eye, W. B. Spencer (3). Ammodiscus, Brady (3) xxi, 51.

Amnion of Peripatus, Sclater (1). Amœba terricola, Gagliardi (1).

- blattæ; sp. n., Bütschli (1).

- relation to antherozooids and bacteria, Currey (4).

- in human intestine, D. D. Cunningham (2).

Amæbidium, iii, 73, 74.

Amphibia; cutaneous glands, Rainey

- circulation in Tadpole, Whitney (1). - metamorphosis in Tadpole, Whit-

ney (2). - nerve terminations, xvii, 455.

- olfactory organ, A. M. Marshall,

- development of Triton, W. B. Scott (1), Iwakawa (1), Johnson (2, 3).

- spermatozoon, Gibbes (1), Dowdeswell (4).

- hermaphroditism, A. G. Bourne (5).

Amphidotus, D. Robertson (1). Amphibelia, Fowler (1), part iv.

Amphineura; morphology, Hubrecht

Amphioxus; spinal nerves, Balfour

structure, E. R. Lankester (28).

— laminar tissue, Pouchet (2).

Amphipleura; markings, Hendry (3, 5), Sullivan (1).

Amphipoda; urinary organs, W. B. Spencer (1).

Amphiporus; vascular and nephridial systems, Oudemans (1).

- general anatomy, M'Intosh (5).

Amphiprora, Walker-Arnott (5), Don-kin (3), Barkas (5).

- 5 sp. n., O'Meara (4).

Amphitrema; gen. n., Archer (15) x, 20; and x, 122.

Amphiura; apical plates, P. H. Carpenter (10).

Amphizonella, Archer (16).

Amphora, Walker-Arnott (4, 5). Amyloid degeneration, Virchow (5).

AMY0T, T. E. (1). The finder. (o. s.), 302, 303.

- (2). Finders and indicators. iv (o. s.), 151-153; cf. iv (o. s.), 243.

Anabas; labyrinthine apparatus, Zograff (1).

Anacharis; cyclosis, Lawson (1, 2) Wenham (10).

formation of cells, Wenham (12).

- silica in cells, Branson (1).

Anal respiration, Hartog (2, 3).

ANDRES, A. (1). On a new genus and species of Zoanthina malacodermata (Panceria spongiosa, sp. n.). xvii, 221-226, pl. xvi.

Angiopteris; apex of root, Bower (7). Angiosperms; development of, McNab

(1).

pollen-bodies, Elfving (1). Angiostomum, Mecznikow (2).

Anguilla; orifices in head, Houghton

Anguis; pineal eye, W. B. Spencer (3). Anisonema, Bütschli (1).

Ankistrodesmus, Archer (6).
Annelida and Platyhelminthes; nephridia, Beddard (1).

- and Vertebrata, see Vertebrata, ancestry.

Anodon; gills, Peck (1).

Anodonta; Glochidium, Houghton (4). Anolis; pineal eye, W. B. Spencer (3). Antedon, see Comatula.

Anthea; chromatology, MacMunn (2). Antherozooids; in general, Schacht (2).

- relation to bacteria, Amœba, &c.,

Currey (4).
Anthocaris, Wonfor (1) part ii.
Anthomyia, Houghton (3).

Anthozoa, see Actiniaria, Octactiniæ. Madreporaria.

Anthrax, T. R. Lewis (4).

Anticosti, deep-water fauna, xiii, 84-

Antophysa, Bütschli (1).

Aphanizomenon, Allman (2).

Aphides; colouring matters, Sorby (5); development, vi, 253; vii, 213. Aphrocallistes, Wright (2).

Apiocystis, Henfrey (4).

Aplysia, Martini (1).

Appendicularidæ; metamerism, E. R. Lankester (54).

- anatomical notes, Huxley (8), Kent (3).

- house, Allman (4).

- heart and muscles, E. R. Lankester (23).

Apus; appendages and nervous system, E. R. Lankester (50).

- nervous system, Pelseneer (1). Aquaria, marine; iii (o. s.), 315, 316.

Arachnida; coxal gland as nephridium, Gulland (1).

- circulatory system, Blanchard (1).

 Acari in AgNO₃, Maddox (1). - sp. n., C. Robertson (1), Macalister (2, 3).

Arachnida—

parthenogenesis, Beck (13).

 general relations, E. R. Lankester (51), Kingsley (1).

– eye, E. R. Lankester (55).

- skeletotrophic tissues and coxal glands, E. R. Lankester (57). - Pentastomum, Leuckart (2).

- see also Limulus, Scorpio, Araneida.

Arachnoidiscus, Hutton (1), Suffolk (2), Walker-Arnott (3, 5).

Aranchula, Archer (25) xvii, 347. Araneida; web, Beck (6).

development, Balfour (15).

Arca; gills, Peck (1). eyes, Carrière (1).

Arcella, Archer (25) xvii, 79. Archebiosis, see Heterogenesis.

ARCHER, W. (1) & N. V. DIXON.
Description of two new species of Staurastrum, a new genus and species of Desmidiaceæ, and some cases of abnormal growth of

Desmidiaceæ. viii (o. s.), 75-93, pl. vii.

-(2).On the occurrence of zoospores in the family Desmidiacex. viii (o. s.), 215-239, pl. xi.

(3). On Closterium aciculare.

ii, 31-35.

 (4). Description of a new species of Micrasterias, with remarks on the distinctions between Micrasterias rotata and M. denticulata. ii, 236-247, pl. xii, figs. 1-10.

- (5). Description of a new species of Cosmarium, of Staurastrum, of two new species of Closterium and of Spirotænia. ii, 247-255, pl. xii,

figs. 11-43.

(6). On a new (?) species of Askistrodesmus, with remarks in connection therewith as regards Closterium Griffithii and C. subtile. ii, 255-261, pl. xii, figs. 44-62.

(7). An endeavour to identify Palmoglea macrococca, with description of the plant believed to be meant, and of a new species, both, however, referable rather to the genus Mesotænium. iv, 109-132, pl. vi, figs. 1-31.

(8). Description of two new species of Cosmarium, of Penium, and of Arthrodesmus. iv, 174-182,

pl. vi, figs. 32-55.

ARCHER, W .--

— (9). Record of the occurrence, new to Ireland, with note of a peculiar condition of the Volvocinaceous Alga, Stephanosphæra pluvialis, and observations thereon. v, 116-132, and v, 185-200.

(10). Observations on Micrasterias mahabuleshwarensis and Docidium pristidæ. v, 255-262.

— (11). Observations on the genera Cylindrocystis, Mesotænium, and Spirotænia, mainly induced by a paper by Dr. J. Braxton Hicks on the lower forms of Algæ. vi, 203-224.

— (12). On two new species in Saprolegnieæ, referable respectively to the genus Saprolegnia and Achyla. vii, 121–127, pl. vi.

— (13). Note on "Asteridia" occurring in Penium digitus. vii,

183–186, pl. viii.

 — (14). On the conjugation of Spirotænia condensata and of Spirotænia truncata. vii, 186–193, pl. viii.

— (15). On some freshwater Rhizopoda, new or little known. ix, 250-271, pls. xvi, xvii; ix, 386-397, pl. xx; x, 17-34 and 101-124.

(16). On some freshwater Rhizopoda, new or little known.—Fasciculus ii, on Amphizonella vestita (sp. nov.), Acanthocystis spinifera, and Plagiophrys sphærica. xi, 107-151, pls. vi, vii.

 — (17). Notice of the genus Tetrapedia, and of two kindred new forms. xii, 351-366, pl. xxi.

 (18). On a minute Nostoc with spores, with brief notice of recently published observations on Collema, &c. xii, 367-374.

- (19). A résumé of recent views respecting the nature of Lichens. xiii, 217-235, pls. ix, x.

 — (20). A résumé of recent observations on parasitic Algæ. xiii, 366-377.

— (21). A further résumé of recent observations on the "Gonidia question." xiv, 115-139.

— (22). On Apothecia occurring in some Scytonematous and Sirosiphonaceous Algæ, in addition to those previously known. xv, 27-37, pl. iii.

ARCHER, W .--

— (23). On Chlamydomyxa labyrinthuloides, nov. gen. et sp., a new freshwater sarcodic organism. xv, 107-130, pls. vi, vii.

 — (24). Reinsch's Contributiones ad Algologiam et Fungologiam.

xvi, 96-102.

— (25). Résumé of recent contributions to our knowledge of "Freshwater Rhizopoda."—Parts I-II, Heliozoa; xvi, 283-309, pls. xxi, xxii; and xvi, 347-376.—Part III, Heliozoa and Monothalamia; xvii, 67-80.—Part IV, Monothalamia; xvii, 107-124, pl. viii; 197-204, pl. xiii; and 330-353, pl. xxi.

 — (26). Recent observations on Botrydium granulatum. xviii, 446

-453.

Archerina; gen.n., E. R. Lankester (60).
Archives de Zoologie Expérimentale et Générale, Nos. 1 and 2, 1872 (review). xii, 290-295.

Arenicola, J. T. Cunningham (8).
Argynnis, Wonfor (1) part ii.
Arrectores pili, Lister (2), Webb (2).
Arsenious acid; crystals, Guy (1).
Arthroderma; gen. n., Currey (1),
Archer (8).

Arthropoda, phylogeny, E. R. Lan-

kester (51).

— see Crustacea, Insecta, &c.

Ascaris; in Carcinus, M'Intosh (1).

— nigrovenosa, Mecznikow (2), cf. vi,
100-104.

— dactyluris, Macalister (1). Ascaroides, Barthélemy (1).

Aschemonella; gen. n., Brady (3) xix,

Ascidiacea; affinities to Vertebrata, x, 59-69.

- preservation, xii, 162.

- ciliated pit, Sheldon (1).

- test, Huxley (2), Schacht (1).

- Doliolum, Moss (1).

- circulation, Pavesi (1).

— phosphorescence, Panceri (3).
Ascomycetes; sexuality of, Vines (5).
Astacus; development, T. J. Parker

acus; development, T. J. Parke (1).

Astasia, Bütschli (1).

Asteracanthion, Wyville Thomson (1). Asteridia; in Penium, Archer (13).

Asterina (Pyrenomycetes) [?], H. M. Ward (3).

Asteroidea, embryology, W. Thomson (1).

Asterolampra, Greville (7). - Barbadoes, Greville (9).

Asterosporium, Currey (3).

Astrococcus, Archer (25) xvi, 351. Astrodisculus, Archer (15) x, 113 and

(25) xvi, 348.

Astrorhiza, Brady (3) xix, 42 and xxi, 47; W. B. Carpenter (5).

Atmospheric dust, Pouchet (1, 2, 3), Samuelson (1).

Atractis, Macalister (1).

Atractylis, T. S. Wright (4).

Attheya, West (3).

Atyephira; development, Ishikawa (1).

Auditory ossicles, Dollo (1).

Auerbach's plexus, Klein (5).

Auliscus, Greville (10).

Aulostoma, A. G. Bourne (6), Whitman (3).

Aves; development of spinal nerves, Paterson (1).

- reputed, from Stonesfield, Dennis (2).

- relations of pelvic girdle, Johnson (1).

see also Chick.

Avicularia (Polyzoa), Busk (4).

AYERS, H. (1). On the structure and function of the Sphæridia of the Echinoidea. xxvi, 39-52, pl. v.

AYRES, P. B. (1). On certain peculiar structures in the placenta of the bitch. i (o. s.), 299, 300.

(2).Vibriones. i (o. s.), 300, 30ì.

B.

BABER, E. C. (1). Note on "Picrocarminate of Ammonia." xiv, 251-253.

- — (2). On the lymphatics and parenchyma of the thyroid gland of the dog. xvii, 204-212, pl. xiv.

Bacillaria, Douglas (1), Barkas (1).

Bacilli, &c., see Bacteria.

Bacteria; anthrax, xiv, 288-289; xx, 374-376; Klein (25, 26), Ewart (1).

— cholera, xxvi, 303-316.

classification, Bell (1).

- relation to Torula and Penicillium, Huxley (14)

- cultivation, xxi, 650-654.

- in decomposing urine, W. R. Smith (1).

- in water, Sanderson (1).

- leprosy, Hansen (1).

Bacteria-

- on beet-root, E. R. Lankester (38).

- general, Cohn (6), Lister (7), W. Roberts (2), Dowdeswell (1), Klein (14, 25), E. R. Lankester (37), Waldstein (1); also xvii, 80-92, xx, 106-109, viii, 33.

pleomorphism, E. R. Lankester (63).

- relation to antherozooids Amœba, Currey (4).

- rubescens, E. R. Lankester (20, 29, 31); also xiv, 399-400, xvi, 102-103, xxiii, 265-267.

septicæmia, Dowdeswell (3).

sheep-pox, Klein (7); xvi, 412, 413.

staining, Hankin (1).

 see also Hæmatozoa, Fermentation, Fungi.

Bacteriastrum, Lauder (1).

Bacteriopurpurin, E. R. Lankester (20, 29).

BADDÉLEY, W. H. C. (1). On some Diatomaceæ that are found in Noctiluca miliaris, and the best means of obtaining them. (Transactions) vi, 79, 80.

BAILEY, J. W. (1). On a new animalcule. i (o. s.), 295-299.

- (2). Microscopical examination of deep soundings from the Atlantic Ocean. iii (o. s), 89-91.

 (3). On some new localities of fossil Diatomaceæ. iii (o. s.), 91,

- (4). On a universal indicator for microscopes. iv (o. s.), 55–62, pl. v.

- (5). Remarks on Mr. Wenham's paper, "On Aperture of Objectglasses." iv (o. s.), 160-162.

- (6). New method of disintegrating masses of fossil Diatomaceæ. iv (o. s.), 302, 303.

On the non-existence of **—** (7). polarizing Silica in the organic kingdoms. iv (o. s.), 303-305.

 — (8). On some specimens of deep sea bottom, from the Sea of Kamtschatka. iv (o. s.), 305, 306.

- - (9). On the origin of Greensand, and its formation in the oceans of the present epoch. (o. s.), 83–87.

- see W. H. HARVEY (1).

Balanoglossus; development, Bateson (1, 2, 3), Balfour (17).

- affinities, Bateson (2, 4), Hubrecht (7), J. T. Cunningham (8).

Balbiani; On True Sexual Reproduction in the Infusoria (review). ii, 176-196, and ii, 285-292.

BALFOUR, F. M. (1). The development and growth of the layers of the blastoderm. xiii, 266-276, pls. xi, xii, figs. 4-7.

- (2). On the disappearance of the primitive groove in the embryo Chick. xiii, 276-280, pls. xii (figs.

1-3) and xiii.

— (3). The development of the blood-vessels of the Chick. xiii,

280-290, pls. xiv, xv.

- (4). A preliminary account of the development of the Elasmobranch fishes. xiv, 323-364, pls. xiii-xv.
- (5). A comparison of the early stages in the development of Vertebrates. xv, 207-226, pl. x.
- (6). On the phenomena accompanying the maturation and impregnation of the ovum. xviii, 109-131.
- (7). Recent researches on the nervous system of the Medusæ. xviii, 340-344.
- (8). On the structure and development of the Vertebrate ovary. xviii, 383-438, pls. xvii-xix.

- (9). The early developmental changes in the Reptilian ovum.

xviii, 454, 455.

 (10) & A. SEDGWICK. On the existence of a head-kidney in the embryo chick, and on certain points in the development of the Müllerian duct. xix, 1-20, pls. i, ii.

- (11). On the morphology and systematic position of the Spon-

gida. xix, 103-109.

(12). On the early development of the Lacertilia, together with some observations on the nature and relations of the primitive streak. xix, 421-430, pl. xix.

- (13). On certain points in the anatomy of Peripatus capensis.

xix, 431-433.

On the spinal nerves of - (14). Amphioxus. xx, 90, 91.

— (15). Notes on the development of the Araneina. xx, 167–189, pls. xix-xxi.

-(16).On the structure and homologies of the germinal layers of the embryo. xx, 247-272.

BALFOUR, F. M .-

- (17). Larval forms: their nature, origin, and affinities. 381 - 407.

- (18). On the nature of the organ in adult Teleosteans and Ganoids, which is usually regarded as the head-kidney or pronephros. xxii, 12-16.
- — (19) & F. DEIGHTON. newed study of the germinal layers of the chick. xxii, 176-188, pls. xiii-xv.
- (20). The anatomy and development of Peripatus capensis. xxiii, 213-259, pls. xiii-xx.

Balfour, F. M.; obituary, xxii, 339.

- BARKAS, T. P. (1). Notes on Bacillaria cursoria. v, 252-254.
- (2). Maltwood's finder. v, 286, 287.
- (3). Count Francisco Castracane's new method of illumination. vi, 48, 49.
- (4). The Stanhoscope. vi, 263, 264.
- (5). On Pleurosigma, Donkinia, Toxonidea, and Amphiprora. 8-13.
- Barkas; Illustrated Guide to the Fish, Amphibian, Reptilian, and Supposed Mammalian Remains of the Northumberland Carboniferous Strata (review). xiii, 426.
- BARKER, J. (1). A new microscopic growing stage. vii, 11-13.
- (2). On an open compressorium. xi, 23-25.
- BARRETT, J. W. (1). The preparation of the eye for histological examination. xxvi, 607-621.
- Barry; On the Structure of the Muscular Fibril, and the Muscularity of Cilia (review). ii (o. s.), 116-118.
- BARTHÉLEMY, M. A. (1). Notice of the occurrence of a Nematoid parasite in the ovum of Limax griseus (transl.). vii (o. s.), 239.
- de BARY, A. (1). The Mycetozoa, a contribution towards the knowledge of the lowest animals (transl.). viii (o. s.), 97-101.
- BASTIAN, H. C. (1). On the so-called Pacchionian bodies. (Transactions) xiv, 86-99, pl. x.

- Bastian; The Beginnings of Life, being some Account of the Nature, Modes of Origin, and Transformations of Lower Organisms (review). xiii, 59-74.
- Bate and Westwood; A History of British Sessile-eyed Crustacea (review). ii, 114, 115.
- BATESON, W. (1). The early stages in the development of Balanoglossus (sp. incert.). xxiv, 208-236, pls. xviii-xxi.
- (2). The later stages in the development of Balanoglossus kowalevskii, with a suggestion as to the affinities of the Enteropneusta. xxv (supplement), 81-122, pls. ivix.
- (3), Continued account of the later stages in the development of Balanoglossus kowalevskii, and of the morphology of the Enteropneusta. xxvi, 511-533, pls. xxviii-xxxiii.
- (4). The ancestry of the Chordata. xxvi, 535-571.
- Bathybius, Huxley (13); x, 291; xi, 61, 62; xiv, 97; xv, 390-392.
- BAUR, A. (1). On the ossification of the primordial cartilage (transl.). vi (o. s.), 26-31.
- — (2). On Chitine (transl.): viii (o. s.), 264–268.
- BAUR, G. (1). On the quadrate in the Mammalia (transl.). xxviii, 169–180.
- Bdellostoma, head-kidney, Weldon (2).
- BEALE, L. S. (1). New methods of constructing the thin glass and built cells for preserving objects in fluid. i (0. s.), 54-56.
- (2). On the importance of recognising substances of extraneous origin when they occur in urine, and of distinguishing them from those bodies which enter into the composition of urinary sediments. i (o. s.), 92-97.
- (3). Method of applying chemical re-agents to minute quantities of matter. ii (o. s.), 58, 59.
- (4). A simple form of portable microscope, with lever adjustment, which may be adapted to several different purposes. (Transactions) iv, 13, 14, pls. ii, iii.

BEALE, L. S.-

- (5). Lectures on the Structure and Growth of the Tissues of the Human Body (abstract). i, 183-195; i, 235-264; ii, 1-26; and ii, 75-96.
- — (6). On a portable field- or clinical microscope. (Transactions) ix, 3, 4.
- (7). On the formation of the so-called intercellular substance of cartilage, and of its relation to the so-called cells; with observations upon the process of ossification. (Transactions) xi, 95-104, pls. viii, ix.
- (8). On the ultimate distribution and function of very fine nerve-fibres, iv. 11-17.
- nerve-fibres. iv, 11-17.

 (9). On "Contractility" as distinguished from purely vital movements. iv, 182-188.
- (10). Observations upon the nature of the red blood-corpuscle. (Transactions) xii, 32-43, pls. vi, vii.
- (11). On the germinal matter of the blood, with remarks upon the formation of fibrin. (Transactions) xii, 47-63, pl. ix.
- (12). On the structure and formation of the sarcolemma of striped muscle, and of the exact relation of the nerves, vessels, and air-tubes (in the case of insects) to the contractile tissue of muscle. (Transactions) xii, 94-108, pls. xiv, xv.
- — (13). Microscopical researches on the cattle-plague. vi, 141-148.
- (14). On nutrition from a microscopical point of view. (Transactions) xv, 75-85.
- (15). On the germinal matter of the ovarian ova of the Stickleback. (Transactions) xv. 85, 86, pl. vii.
- (16). New observations upon the minute anatomy of the papillæ of the frog's tongue. ix, 1-18, pls. i-iv.
- (17). Facts bearing on the structure and arrangement of a nervous mechanism demonstrated in the auricle of the frog's heart. ix, 152-154, pl. xiii.

BEALE, L. S .-

- (18). Bioplasm and its degradation; with observations on the origin of contagious disease. x, 209-229, pls. xi-xiv.

Beale; Archives of Medicine (review).

- vi (o. s.), 114-116.

 How to Work with the Microscope (review). vi (o. s.), 43-49; (review of 3rd edition) v, 263-268.
- Illustrations of the Constituents of Urine, Urinary Deposits, and Calculi (review). vi (o. s.) 256.
- The Microscope, and its Application to Clinical Medicine (review). ii (o.s.) 267-272; (review of 2nd edition) vii (o. s.), 110, 111.

- see CIACCIO (1).

- BEARD, J. (1). The system of branchial sense organs and their associated ganglia in Ichthyopsida, a contribution to the ancestral history of Vertebrates. xxvi, 95-156, pls. viii-x.
- BEARDSLEY, A. (1). On a Diatomaceous deposit in Leven Water, near Coniston. v (o. s.), 146, 147.

BECK, R. (1). Remarks on the Universal Screw." vii (o. s.), 92-97; cf. viii (o. s.), 103, 104.

- (2). On the metamorphoses of a Coccus found upon oranges.

(Transactions) ix, 47-49, pl. v. - (3). On the scales of some species of Thysanura, and more especially the value as test-objects of those scales hitherto considered as belonging to Podura plumbea. ii, 122-125.

- (4). A description of the Universal Achromatic Microscope. (Transactions) x, 11-16, pls. v, vi.

- (5). On a Coccus upon a rosebush. (Transactions) x, 16, 17, pl.

- (6). On the viscid lines in a spider's web. (Transactions) x, 17,

- - (7). On the scales of Lepidocyrtus hitherto termed Podura scales, and their value as tests (Transacfor the microscope. tions) x, 83-88, pl. x.

- (8). A revolving disc-holder for opaque objects. (Transactions)

x, 101-103.

BECK, R .-

(9). On the illusive appearances produced by some transparent objects. iv, 2-5.

(10). Description of a new stand for a single microscope, with an arrangement for using the magnifiers with both eyes. (Transactions) xii,

- (11). Description of two new forms of reversible compressors.

(Transactions) xii, 4-6.

(12). Description of a new form of live-trap and parabolic reflector. (Transactions) xiii, 113-118.

(13). A short description of an Acarus and its agamic reproduction. (Transactions) xiv, 30-34, pl. vi.

- (14). An improved growing cell. (Transactions) xiv, 34, 35.

(15). The object-glass its own condenser; or, a new kind of illumination for opaque objects under high powers. (Transactions) xiv, 36 - 39.

(16). Beck's concentric rotat-

ing stage. ix, 159-161.

Beck; A Treatise on the Construction, Proper Use, and Capabilities of Smith Beck and Beck's Achromatic Microscope (review). 273 - 275.

BEDDARD, F. E. (1). On the anatomy of Allurus teträedrus. xxviii, 365-

371, pl. xxv.

(2). On the occurrence of numerous nephridia in the same segment in certain Earthworms, and on the relation between the excretory system in the Annelida and in the Platyhelminths. xxviii, 397-411, pls. xxx, xxxi.

BELL, F. J. (1). An account of the recent researches into the history of the Bacteria, made by, and under the direction of, Professor Cohn. xvi, 259-278, pl. xx. BENEDEN, E. VAN (1). On a new

species of Gregarina, to be called Gregarina gigantea. x, 51-59, pl. vi; see x, 290.

- (2). On the embryonic form of Nematobothrium filarina (transl.).

x, 136–143, pl. viii.

(3). Researches on the development of the Gregarinæ. xi, 242-260, pl. xii.

BENEDEN, E. VAN---

- (4). Remarks on the structure of the Gregarinæ. xii, 211-218,

pl. xi.

Contributions to the his--(5).tory of the germinal vesicle, and of the first embryonic nucleus. xvi, 135-182, pl. xiii.

- (6). Researches on the Dicyemidæ. xvii, 132-145, pl. x.

- (7). A contribution to the history of the embryonic development of the Teleosteans. xviii, 41-57,

Beneden, E. van; Researches on the Composition and the Significance of the Egg, based on the Study of its Mode of Formation, and of the first Embryonic Phenomena (Mammifers, Birds, Crustacea, Worms) (review). x, 406-413.

BENHAM, W. B. (1). Studies on Earthworms. No. I, xxvi, 213-301, pls. xv, xvi, and xvi bis. No. II, xxvii, 77-106, pls. viii, ix. No. III. (Criodrilus lacuum), xxvii, 561-572, pl. xxxviii, figs. 9-19.

BENNETT, A. W. (1). The movements of the glands of Drosera. xiii, 428,

429.

Some account of modern (2). researches into the nature of yeast. xv, 142-158.

- (3). On the classification of Cryptogams. xx, 408-412.

- (4) & MURRAY, G. A reformed system of terminology of the reproductive organs of the Cryptogamia. xx, 413-420.

BENNET, J. H. (1). An investigation into the structure of the Torbanehill mineral, and of various kinds of coal. iii (o. s.), 185-198.

- - (2). On the molecular theory of organisation. ii, 43-53.

Bennet; An Introduction to Clinical Medicine (review). i (o. s.), 223-

- Clinical Lectures on the Principles and Practice of Medicine (review).

vi (o. s.), 254-256.

- Leucocythemia, or White-cell Blood, in Relation to the Physiology and Pathology of the Lymphatic Glandular System (review). i (o. s.), 130-133.

Bentley; A Manual of Botany (review). i, 313, 314.

BERGH, R. (1). On the existence of urticating filaments in the Mollusca (transl.). ii, 274-277.

Bergh; Der Organismus der Cilioflagellaten, eine phylogenetische Studie (review by T. J. Parker). xxii, 416-420.

BERKELEY, M. J. (1). Presidential address at the Biological Section of the British Association, 1868. viii, 233-239.

- (2). Atmospheric micrography.

xiv, 165-171.

- (3). On the etiology of Madurafoot. xiv, 263-266.

- - (4). On the thread blight of tea. xv, 130-133.

Berkeley; Introduction to Cryptogamic

Botany (review). vi (o. s.), 176-

- Outline of British Fungology (review). i, 306-310.

BETZ, W. (1). Methods of investigating the central nervous system in man (transl.). xiii, 343-350.

Bicellaria, A. M. Norman (1).

Bicosoeca, Bütschli (1).

Biddulphia, Roper (4).

Bigenerina, Brady (3) xxi. 53.

Biloculina, Brady (3) xxi, 67.

BINZ, E. (1). Protoplasmic movement and quinine. xxiv, 682-684. Bioplasm, Beale (18).

Bipalium, Moseley (11).

BIRD, G. (1). Remarks on the preparation of the Polypidoms of Zoophytes for microscopical examination, with a notice of the phenomena they exhibit with polarised light. i (o. s.), 85-90.

BIRD, C. H. G. (1). Embedding in elder pith, for cutting sections.

xv, 23-27.

 (2). A differential warm stage. xv. 372-375.

BLANCHARD, E. (1). Observations on the circulation of the blood in the Arachnida (transl.). i (o. s.), 279.

BLANCHET, R. (1). Le maladie du vigne dans le Canton de Vaud en 1881 (transl.). ii (o. s.), 44.

Blastopore, significance and fate of, Balfour (16), Johnson (2, 3), Cald. well (2), Sedgwick (4), W. B. Spencer (2), Durham (1).

Blatta; circulation, Moseley (4).

— brain, Newton (4).

development, Patten (1).

BLEAKLEY, E. (1). Powell and Lealand's new condenser. iii (o. s.), 92, 93,

BLENKINS, G. E. (1). On an early human ovum. (Transactions) vi,

5–9, pl. ii.

BLOMFIELD, J. E. (1). On the development of the Spermatozoa. Part I. Lumbricus, xx, 79-89, pl. vi. Part II. Helix and Rana, xxi, 415-431, pls. xxiv, xxv.

- - (2) & A. G. BOURNE. On the occurrence of corpuscles in the red vascular fluid of Chætopods. xxi,

500, 501.

 (3). The thread-cells and epidermis of Myxine. xxii, 355-361, pl.

XXX.

 (4). Review of recent researches on spermatogenesis. xxiii, 320-335.

Blood: chromatology in invertebrata, MacMunn (1).

- Rodents, Halliburton (3).

coagulation, Beale (11).

 crystals, Hendry (10). detection of, viii, 282-285.

- See also Colouring Matters and Hæmoglobin.

Blood-corpuscles, red-

- action of reagents, Kölliker (4), Roberts (1), E. R. Lankester (15), xvi, 332.

- cause of yellow colour, Johnston (2).

- in snakebite, Suffolk (1), viii, 276. - general account, Beale (10), Boettcher (1).

- in extravasations, xvii, 297. - changes of form, Addison (1). - development, xi, 43-51, E. R. Lan-

kester (43), Pouchet (2). - estimation, Ferrier (1), Hart (1).

– granulated, Pollock (1).

- in disease, J. B. Hicks (10), Addi-

son (2).

- nucleated in Mammalia, Busk (3), Boettcher (1).

- of Cholæpus, Rolleston (1).

— of Plagiostomi, Gulliver (5). - of Vertebrata, Dowdeswell (2).

Blood-corpuscles, white, see Leucocytes. Blood; in syphilis, xii, 169-171, Klein (6).

Blood-vessels; histology, Woodward (4).

formation, Thin (2), xii, 181. Bolivina, Brady (3) xxi, 56.

BOLL, F. (1). On the structure of the lachrymal glands (transl.). viii, 262 - 267.

- (2). A contribution to the anatomy and physiology of the retina

(transl.). xvii, 152-159.

- (3). Contributions to the physiology of vision and of the sensation of colour (transl.). xvii, 226-232.

Bone; development, xviii, 198, 199; Schäfer (3), Beale (7); xiii, 89,

xiv, 187. - lymphatics of, xviii, 102.

medulla, xi, 292.

histology, Heitzmann (1).

- structure of fossil, Dennis (1, 2, 3). Bonellia: colouring matter, Sorby (7). Borlasia; Gregarinida, M'Intosh (2).

BOSWELL, R. S. (1). Remarks on Actinophrys sol. (Transactions) ii, 25, 26.

Botanical and Physiological Memoirs; Ray Society (review). ii (o. s.), 279.

Botellina, Brady (3) xxi, 48. Botrydium, Archer (26). Botryosporium, Currey (5).

BÖTTCHER, A. (1). On the minute structural relations of the red blood-corpuscles (transl.). 377-392, pl. xxiii.

BOURNE, A. G. (1). On the structure of the nephridia of the medicinal leech. xx, 283-302, pls. xxiv, xxv.

(2). On certain methods of cutting and mounting microscopical sections. xxii, 334-337.

(3). The central duct of the leech's nephridium. xxii, 337, 338.

- (4). On Haplobranchus, a new genus of capitobranchiate Annelids. xxiii, 168-176, pl. ix.

 (5). On certain abnormalities in the common frog (Rana temporaria).-1. The occurrence of an Ovotestis.-2. Abnormalities of the vertebral column. xxiv, 83-88, pl. iv.

- (6). Contributions to the anatomy of the Hirudinea. xxiv, 419-

506, pls. xxiv-xxxiv.

- (7). On the supposed communication of the vascular system with the exterior in Pleurobranchus. xxv, 429-432 pl. xxix.

- see BLOMFIELD (2) and E. R. LANKESTER (55, 56).

BOURNE G. C. (1). The anatomy of the Madreporarian coral Fungia. xxvii, 293-324, pls. xxiii-xxv.

 (2). On the anatomy of Mussa and Euphyllia, and the morphology of the Madreporarian skeleton. xxviii, 21-51, pls. iii, iv.

- (3). Kleinenberg on the development of Lopadorhynchus, xxviii,

531-546.

BOWDITCH, H. P. (1). The lymphspaces in fasciæ; a new method of injection. xiv, 91, 92.

BOWER, F. O. (1). On the development of the conceptacle in the Fucaceæ.

xx, 36-49, pl. v.

- (2). On the germination and histology of the seedling of Welwitschia mirabilis. xxi, 15-30, pls. iii, iv.

- (3). On the further development of Welwitschia mirabilis. 571-594, pls. xxxii, xxxiii.

- (4). The germination and embryogeny of Gnetum gnemon. xxii, 278-298, pl. xxv.

On Plasmolysis and its bearing upon the relations between cell wall and protoplasm. xxiii, 151-167, pl. viii.

- (6). On recent researches into the origin and morphology of chlorophyll corpuscles and allied bodies. xxiv, 237-254, pl. xxii.

- (7). On the apex of the root in Osmunda and Todea. xxv, 75-103,

pls. viii, ix.

- (8). Correction of an error as to the morphology of Welwitschia mirabilis. xxv, 105, 106.

BOWERBANK, J. S. (1). On the organisation of Grantia ciliata. (Transactions) vii, 79-84, pl. v.

Brachionus; figured, &c., Huxley (1). Brachiopoda, relations to Polyzoa, Harmer (1).

BRADY, G. S. (1). Description of an Entomostracan inhabiting a coal mine. ix, 23, 24, pl. vi.

BRADY, H. B. (1). On the seed of Dictyoloma peruviana. (Transactions) ix, 65-67, pl. vii.

(2). On some Foraminifera from the Loo Choo Islands. xvi, 404-406.

- (3). Notes on some of the Reticularian Rhizopoda of the "Challenger" expedition. xix, 20-63, pls. iii-v; and xix, 261-299, pl. viii; and xxi, 31-71.

Brain; histology, Cleland (2) Branchellion, A. G. Bourne (6). Branchial clefts, see Visceral clefts. sense organs, Beard (1).

BRANSON, F. (1). Structure of Anacharis alsinastrum. ii (o. s.), 131

132.

— (2). Prevention of glare from artificial light. iii (o. s.), 173.

- (3). On ciliary action as the cause of the circulation in the cells of plants. iii (o. s.), 274-277.

BRAUN, A.(1). On some new or littleknown diseases of plants caused by Fungi (transl.). ii (o. s.), 250-254.

Algarum unicellularium - — (2). genera nova et minus cognita, præmissis observationibus de Algis unicellularibus in genere (transl.). v (o. s.), 13-16, 90-96, 143-149.

BREFELD, 0. (1). The life-history of Penicillium (transl.). xv, 342-359,

pls. xvii, xviii.

Brettia; gen. n., Dyster (1).

BRIDGMAN, W. K. (1). The finder. i (o. s.), 303, 304.

(2). Another finder. iii (o.s.), 237-239.

 (3). An adjustable Index point for the scale to be used as a marker. v (o. s.), 206–211.

- (4). A cheap and portable "Turntray." iv, 293, 294.

 (5). Improvement in the Lieberkühn. v, 148, 149.

Bright's disease, J. G. Richardson (2). BRIGHTWELL, T. (1). On the genus Triceratium, with descriptions and figures of the species. i (o. s.), 245-252, pl. iv.

(2).On the filamentous longhorned Diatomaceæ, with a description of two new species. iv (o. s.),

105-109, pl. vii.

- (3). Further observations on the genus Triceratium, with descriptions and figures of new species. iv (o. s.), 272-276, pl. xvii.

 (4). On self-division in Noctiluca. v (o. s.), 185-191, pl. xii.

Remarks on the genus - (5). "Rhizosolenia" of Ehrenberg. vi (o. s.), 93–95, pl. v.

- (6). Further observations on the genera Triceratium and Chætoceras. vi (o. s.), 153-155, pl. viii.

BRIGHTWELL, T .-

- (7). On some of the rarer or undescribed species of Diatomaceæ. vii (o. s.), 179-181, pl. ix. Part II. viii (o. s.), 93-96, pls. v, vi; cf. viii (o. s.), 139.

BROOK, G. (1). On the origin of the hypoblast in pelagic Teleostean ova. xxv, 29-36, pl. iii. BROOKE, C. (1). Presidential address,

1864. (Transactions) xii, 66-74. — (2). Presidential address, 1865.

(Transactions) xiii, 19-23.

BROWN, HERBERT H. (1). On Spermatogenesis in the rat. xxv, 343-369, pls. xxii, xxiii.

BROWN, H. HORT (1). Upon microscopic manipulation. viii (o. s.),

152 - 156.

BROWN, J. H. (1). Iris diaphragm proving the circular form whether expanding or contracting. (Transactions) xv, 74.

BROWN, R. (1). On the nature of the discolouration of the Arctic Seas.

viii, 240–247.

BROWNING, J. (1). On the applica-tion of the Spectroscope to the Microscope. (Transactions) xiii, 107 - 113.

- - (2). Notes on the spectra of the dichroic fluid described in the above paper. (Transactions) xv,

71, 72.

BRUCE, J. M. (1). On the structure of tendon. xii, 129-138, pl. x. Bryonia: formation of cells, Davey (1).

Bryozoa, see Polyzoa.

Bufo; nerves of intestine, Klein (5). - cutaneous follicles, Rainey (5).

Bugula; A. M. Norman, (1). see also Kinetoskias.

Bulimina, Brady (3) xxi, 55. BURTON, J. (1). On a nose-piece. ii, 63-65.

- (2). On a portable revolving table. (Transactions) x, 9-11. BUSCH, W. (1). Observations on Noc-

tiluca (miliaris?) (transl.). iii (o. s.), 199-202, pl. x, figs. 1-10. BUSK, G. (1). Some observations on

the structure and development of Volvox globator, and its relations to other unicellular plants. (Transactions) i, 31-45, pl. v.

— (2). Some observations on the structure of the starch granule. (Transactions) i, 58-68, pl. viii.

BUSK, G .-

(3). On the occurrence of nucleolated red corpuscles in human

blood. i (o. s.), 145.

- (4). Remarks on the structure and function of the avicularian and vibracular organs of the Polyzoa, and on their diagnostic characters in the classification of those creatures. (Transactions) ii, 26-33, pl. ii.

- (5). Description of a magnetic stage to the microscope. ii (o. s.),

280, 281.

- (6). An account of the structure and relations of Sagitta bipunctata. iv (o. s), 14-27, pl. ii. – (7). On a new hydroid Polype

belonging to the genus Cordy-lophora, Allm. i, 283, 284, pl. ix, figs. 12-14.

— (8). Note on Dr. Wallich's microscopic jaw. iii, 37-41.

- (9). On Clavopora hystricis, a new Polyzoon belonging to the family Halcyonelleæ. 262, pl. ix.

— (10). Cement for mounting ob-

jects in cells containing fluid. xiv,

281.

- (11). Notes on a peculiar form of Polyzoa closely allied to Bugula. xxi, 1-14, pls. i, ii.

— see VIRCHOW (1). Busk; A Catalogue of Marine Polyzoa in the Collection of the British Museum (review). i (o. s.), 136-137; (review of part ii) ii (o. s.), 277.

Buskia, v (o. s.), 24.

BÜTSCHLI, O. (1). Researches on the Flagellate Infusoria and allied organisms. xix, 63-103, pl. vi.

C.

Cabarea; vibracula, Hincks (8). Cactus; raphides, Quekett (1).

Cænomorpha, Tatem (2).

Calcareous concretion, &c.; artificial, Rainey (6, 9), Harting (3); see Molecular Theory of Organisation.

CALDWELL, H. (1). On the arrangement of the embryonic membranes in Marsupial animals. xxiv, 655-658, pl. xliii.

CALDWELL, H.—

Blastopore, mesoderm, and **-** (2). metameric segmentation. xxv, 15-28, pl. ii.

Callidina, Giglioli (1).

Calotes; pineal eye, W. B. Spencer,

Calwellia; gen. n., vii (o. s.), 153.

Campanularia, Schultze (2).

Camplyodiscus, Walker-Arnott (1), Greville (6).
Cancer-cells, Hepworth (5).
Candeina, H. B. Brady (3) xix, 291.

Canis, placenta, Ayres (1).

- thyroid gland, Baber (2).

Cannel, see Coal.

Canthocamptus; sp. n., in coal mine, G. S. Brady (1).

CANTON, E. (1). An account of some parasitic ova found attached to the conjunctivæ of the turtle's eyes. i, 40-43.

Capillary, formation, Thin (2).

Capitellidæ, xix, 115, 116.

Carcinus; internal parasites, M'Intosh (1).

Carduella, gen. n., Allman (5).

Carinella: vascular and nephridial systems, Oudemans (1).

Carinoma; gen. n., Oudemans (1).

- CARPENTER, P. H. (1). On the oral and apical systems of the Echinoderms. xviii, 351-383. Part II, xix. 176-206.
- (2). Some disputed points in Echinoderm morphology. xx, 322-
- The minute anatomy of (3).the brachiate Echinoderms. 169-193, pls. xi, xii.
- Notes on Echinoderm Morphology; V .- On the homologies of the apical system, with some remarks upon the bloodvessels. xxii, 371-386.

Notes on Echinoderm - (5). Morphology; VI.—On the anatomical relations of the vascular

system. xxiii, 597-616.

Notes Echinoderm - (6). on Morphology; VII .- On the apical system of the Ophiurids. xxiv, 1-23, pl. i.

- (7). Notes on Echinoderm VIII. - On some Morphology; points in the anatomy of larval Comatulæ. xxiv, 319-327.

CARPENTER, P. H .-

- (8). Notes on Echinoderm Morphology; IX .- On the vascular system of the Urchins. xxv

(supplement), 139-155.

(9). Notes on Echinoderm Morphology; X .- On the supposed presence of symbiotic Algæ in Antedon rosacea. xxvii, 379-391, pl. xxx, fig. 3.

Notes on Echinoderm - (10). Morphology; XI .- On the development of the apical plates in Amphiura squamata. xxviii, 303-

317.

CARPENTER, W. B. (1). On the development of the embryo of Purpura lapillus. (Transactions) iii, 17-30, pls. iii, iv.

(2). Presidential address, 1855.

(Transactions) iii, 37-54.

(3). Presidential address, 1856.

(Transactions) iv, 17-33.

- (4). On Nachet's stereo-pseudoscopic binocular microscope, and on Nachet's stereoscopic magnifier; with remarks on the angle of aperture best adapted to stereoscopic vision. (Transactions) xv. 105-113.
- (5). On the genus Astrorhiza of Sandahl, lately described as Haeckelina by Dr. Bessels. xvi, 221-224, pl. xix.

Carpenter, W. B., Principles of Comparative Physiology (review). iii

(o.s.), 215-219.

The Microscope and its Revelations (review). iv (o. s.), 231-237; (review of 3rd edition) iii, 72.

Introduction to the Study of the Foraminifera (review). ii, 297-301.

- Principles of Human Physiology (review of the 6th edit.), iv, 282-292.
- CARRIERE, J. (1). On the eves of some Invertebrata. xxiv, 673-681, pl. xlv.
- CARTER, H. J. (1). Note on the colouring matter of the Red Sea. iii, 179-185.

Cartilage, matrix, Beale (7).

- histology, Heitzmann (1), Thin (1), xi, 198.
- iodine reaction, xviii, 196.
- lymphatics, xviii, 196, 197. - pathological, Webb (3).
- Cassidulina, Brady (3) xxi, 59.

CASTRACANE, F. (1). On a new method of illumination. v, 249-252.

 — (2). On the multiplication and reproduction of the Diatomaceæ (transl.). viii, 255-262.

CATÓN, R. (1). On the best methods of studying transparent vascular tissues in living animals. x, 236-241.

Cattle-plague; micropathology, Beale (1).

CAVAFY, J. (1). A note on endothelium. xiv, 391-394.

Cel; Carnoy's researches, Lee (1).
migrations, E. R. Lankester (11).

- structure, &c., Priestley (1), Klein (15, 16).

- theory, Remak (1), Gedge (2), Cleland (3), vi, 161.

- formation; vegetable, Wenham (12), Davey (1), Osborne (3); animal, vii, 144.

wall; under sulphuric acid, Hartig (2); West (2).

See also Karyokinesis, Ovum, Protoplasm.

Cellepora, Alder (2).

Celleporella, A. M. Norman (1).

Cellulose; Ascidiacea, Huxley (2), Schacht (1).

- human nervous tissue, Virchow (1).

in Mammalia, Virchow (4).Ophrydium, Halliburton (2).

Cenangium, Currey (8).

Cephalopoda; development, E. R

Lankester (26).

— Procalistes, E. R. Lankester (58).

— chitin of Sepia, Halliburton (1).

Cephalosporium, Oersted (1).

Cephalotrix; vascular system, Oudemans (1).

Ceratophora; pineal eye, W. B. Spencer (3).

Cerebellum, histology, Sankey (2). Cerebratulus; vascular and nephridial

systems, Oudemans (1). Cereopsis; gen. n., Kent (2).

Cestoda; migrations of, A. Pouchet (1).

— calcareous corpuscles, Cobbold (4).

- see Tænia.

Chætoceros, Brightwell (2, 6). Chætocladium, van Tieghem (1).

Chætogaster; reproduction, E. R. Lankester (7).

Chætognatha, see Sagitta.

Chætonotus, Mecznikow (3), Tatem (1).

Chætopoda; vascular fluid, Blomfield (2); embryology, ix, 414.

 see Oligochæta, Lumbricus, Polychæta.

Chætospira, T. S. Wright (2). Chætostylum, van Tieghem (1).

Chalarothoraca, Archer (25) xvi, 361.

Chambers; Three Lectures on the Formation of Mucus and Pus, being the Lumleian Lectures of the Royal College of Physicians (review). iii, 294-298.

Chameleo; pineal eye, W. B. Spencer (3). Chara; asexual reproduction, Montagne (1).

Charter of R. M. S. (Transactions). xv, 7—11.

Chaunosia; gen. n., vii, 241.

Chelidonium, laticiferous vessels, D. H. Scott (1).

Chelone; Distomum in, Canton (1), Leared (1).

Chelonia; early development, Mitsukuri (3).

Chick; cranial perves, Marshall (1).

— blastoderm, Balfour (1).

- primitive groove, Balfour (2).

blood-vessels, Balfour (3), xii, 181.
spinal nerves, &c., Paterson (1).

- cilia in nerve-tube, Klein (18).
- development, Kidd (5), Balfour

(19), Whitman (2).

— nephros and associated structures,
Balfour (10), Sedgwick (1, 2, 3).

olfactory organ, Marshall (2).
pelvic girdle, &c., Johnson (1).

Chilomonas, Bütschli (1).

Chilostomella, Brady (3) xix, 280.

Chionyphe, Berkeley (3). Chiroptera, wing, xi, 206.

Chitin, tendons of Arthropoda, A. Baur (2).

— in Limulus and Sepia, Halliburton (1).

Chitonidæ; eyes, Moseley (15).
— morphology, Hubrecht (4).

Chlamydomyxa; gen., n., Archer (23); Geddes (1).

Chlamidophrys, Archer (25) xvii, 198. Chlorochytrium; gen. n., Archer (20). Chlorophyll, animal—

- Archerina, E. R. Lankester (60).

- Hydra, Allman (11).

— Infusoria, Sallitt (1).

— in general, M. Schultze (1), E. R. Lankester (53).

- Turbellaria, E. R. Lankester (39).

- see also Colouring Matters, animal.

Chlorophyll, vegetable, Pringsheim (3). - origin of corpuscles, Bower (6).

- relation to starch, iv (o. s.), 162,

- see also Colouring Matters, vege-

Chlorosphæra; gen. n., Henfrey (4). Choiromyces, Currey (5).

Cholera; inoculation, &c., Stirling

- Koch's theory refuted, xxvi, 303-

Choloepus; blood-corpuscles, Rolleston

Chondropus, Archer (25) xvi, 358.

Chordata, see Vertebrata.

Chromatophores; frog, Virchow (3). Chromulina, Bütschli (1).

Chroolepus; zoospores, viii (o. s.), 159-163, pl. ix.

Chrysalidina, Brady (3) xxi, 54.

Chrysopa; embryology, Packard (2). CIACCIO, G. V. (1). Abstract and remarks on three demonstrations delivered by Professor Lionel S. Beale " On the Anatomy of Nervefibres and Cells, and the Ultimate Distribution of Nerve-fibres." iii, 97-105.

— (2). On the nerves of the cornea, and of their distribution in the corneal tissue of man and animals. (Transactions) xi, 77-93, pls. vi, vii.

On the distribution of (3).nerves to the skin of the Frog, with physiological remarks on the ganglia connected with the cerebrospinal nerve. (Transactions) xii, 15-31, pls. iv, v.

Cidaris, Stewart (2

CIENKOWSKI, H. (1). Remarks on Dr. Stein's doctrine respecting the Acineta forms (transl.). v (o. s.), 96-103, pl. vii, figs. 1-12.

CIENKOWSKI, L. (1). On the production of spores in the Radiolaria (transl.). xi, 396-403, pl. xviii.

Cilia; stimulation, Virchow (2).

- of œsophagus, Klein (18). - of nerve-tube, Klein (18).

- of kidney, Klein (18) xxi, 251; Gibbes (6).

movement, xi, 308.

Ciliata-

- various, T. S. Wright (2), Tatem
- stalk, Mecznikow (1).

Ciliatacontractile vacuole, Zenker Samuelson (3).

Vaginicola, C. J. Müller (1).

Opalina, E. R. Lankester (10).

- Undulina, E. R. Lankester (16). - stentorin, E. R. Lankester (19).

- Torquatella, E. R. Lankester (22). - Cyclochæta, W. H. Jackson (2).

- "muscle," Kidd (4).

- trichocysts, Allman (3).

- Dysteria, Huxley (10), Gosse (2).

- Nassula, Cohn (3).

- " sexual reproduction," Balbiani (review); xiv, 95.

- see also Ínfusoria.

Ciliophrys, Archer (25) xvi, 300; Bütschli (1).

Circulation; demonstration, Caton (1), Stricker (4.

Cirrhatulus, J. T. Cunningham (8).

Cirrhifer; cephalic appendages, Pelseneer (2).

Cirrhipedia larva, sp. ign., Willemoes-Suhm (1).

CLAPAREDE, E. (1). On the calcareous corpuscles of the Trematoda, and on the genus Tetracotyle. vii (o. s.), 92-96.

Claparède; Les Annelides Chétopodes du Golfe de Naples (review).

ix, 306-308.

Clarke; A Descriptive Catalogue of the most Instructive and Beautiful Objects for the Microscope (review). vii (o. s.), 107, 108. CLARK, J. L. (1). Observations on

the structure of nerve-fibre. viii

(o. s.), 65-75, pl. iv.

- (2). On the development of striped muscular fibre in Man, Mammalia, and Birds. ii, 222-231, pl. xi; and iii, 1-9, pl. i.

Classification and Phylogeny, Sedgwick (4), Balfour (17), Häckel (2), Huxley (15), E. R. Lankester (34). see also Embryology.

Clathrocystis, Henfrey (4), Currey (7), E. R. Lankester (31).

Clathrulina, Archer (15)x, 117; Archer (25) xvii, 68; viii, 31.

Clava, T. S. Wright (4).

Claviceps, Currey (5).

Clavopora; gen. n., Busk (9). Clavulina, Brady (3) xxi, 54.

CLAUS, C. (1). On the morphology of

the Copepoda (transl.). i, 285-300, pl. x.

CLELAND, J. (1). On the epithelium of the cornea of the Ox. ix, 44-

— (2). The grey matter of the

cerebral convolutions. x, 126-136, - (3). On cell theories. xiii,

255-266.

Clepsine; embryology, Whitman (1). anatomy, A. G. Bourne (6).

CLEVE, P. T. (1). Jakttagelser öfver den hvilande Oedogonium-sporens utveckling (transl.), vi, 149-152.

Clione; cephalic appendages,

seneer (2).

Clionopsis; cephalic appendages, Pelseneer (2).

Closteria, Osborne (1, 2), F. G. Wright (1), Archer (3); 2 sp. n., Archer (5). Clupea; development, J. T. Cunning-

ham (3).

Cuidoblasts, see Nematocysts.

Coal; cannel, from Torbanehill, Quekett (3), Redfern (2), Bennet (1), Normandy (1), Gregory (5).

- sections, Slade (1). - nature of, Highley (4).

COBBOLD, T. S. (1). On the embryogeny of Orchis mascula. i (o. s.), 90-92, pl. ii, figs. 1-11.

- — (2). On a probably new species or form of Actinotrocha, from the Frith of Forth. vi (o. s.), 50-52,

pl. iv.

- (3). Description of a new form of naked-eye Medusa (Thaumantias achroa), with histological de-

tails. vi (o. s.), 1-5, pl. i. - (4). Notes on the calcareous corpuscles of Tricuspidaria. vii (o. s.), 115, 116; cf. vii (o. s.), 202, 203.

- (5). Note on Gyrodactylus ele-

gans. ii, 35–39.

— (6). Description of a species of Trematode from the Indian elephant, with remarks on its affinities. ix, 48, 49.

Cobbold; Entozoa: an Introduction to the Study of Helminthology, with reference more particularly to the Internal Parasites of Man (review). v, 43-45.

Cobra; poison, Halford (1).

Coccoliths, Huxley (13), Wallich (8); x, 291; xv, 70, 71.

Cocconema; reproduction, Schmitz (1).

Coccus, Quekett (4), Beck (5); metamorphoses, Beck (2).

Cochlea; microscopic preparations, Moseley (5), Pritchard (1). Cochliopodium, Archer (25) xvii, 334.

Codosiga, Bütschli (1).

Cœciliæ, histology, ix, 412.

Cœlentera; origin of genitalia, xx, 104-106.

muscle-fibre, xx, 106.

- as ancestors of Metazoa, Sedgwick

Cœnoplana; gen. n., Moseley (11). Cœnurus, iii (o. s.), 74.

Coffee-leaf disease, Dyer (6), H. M. Ward (2).

COHN, F. (1). Untersuchungen über die Entwickelungsgeschichte der mikroskopischen Algen und Pilzen (transl.). iii (o. s.), 202-214. - (2). Volvox globator. v (o. s.),

149-151.

(3). On the reproduction of Nassula elegans. vii (o. s.), 96-101.

- (4). On the contractile filaments of the Cynareæ (transl.). iii, 186–192.

- (5). The laws of the movements in microscopical plants and animals whilst under the influence of light (transl.). vii, 256-260.

(6). Researches on Bacteria (transl.). xiii, 156-163, pl. v.

(7). On a new Alga, Crenothrix polyspora, from the well-water of Breslau (transl.). xiii, 163-1

Cohn; Empusa Muscæ, and the Disease of the Common House-fly: a Contribution towards the Knowledge of Epidemics, characterised by the presence of Parasitic Fungi (review). v (o. s.), 154-160.

Cohn; Further Researches into the History of the Bacteria (review). xvii, 80-92.

Collemaceæ, Archer (18).

COLES, H. (1). On the use of the camera lucida as a micrometer.

ii (o. s.), 291, 292.

COLLINGWOOD, C. (1). Observations on the microscopic Alga which causes the discolouration of the Sea in various parts of the world. (Transactions) xvi, 85-92, pl. vii.

Collomia coccinia, hairs, Oudemans (1).

Collosphæra, Macdonald (1).

Colouring matters, animal-

- Actiniaria, Moseley (7), MacMunn (2).

- Aphides, Sorby (5).

- blood, E. R. Lankester (8, 12), Sorby (3).

- Bonellia, Sorby (7).

- general, Moseley (9), E. R. Lankester (39), MacMunn (1).

- Spongilla, Sorby (6), E. R. Lankester (25).

- Stentor and others, E. R. Lankester (19).

- see also Chlorophyll, animal; Hæmoglobin.

Colouring matters, vegetable-

- Algæ, E. R. Lankester (4, 20, 29), Sheppard (1), Browning (2), vii, 209.

- commercial substances, Sorby (2).

- decayed wood, Sorby (1).

- flowers, iii, 78.

- leaves, Sorby (4).

- see also Chlorophyll, vegetable. Colour-sensation, Boll (3). Colpocephalum, Macalister (2).

Comatula; habitats in Britain, Hincks

- larva, P. H. Carpenter (7).

- nervous system, A. M. Marshall

- nature of sacculi, P. H. Carpenter (9).

COMBER, T. (1). On the Diatomaceæ of the neighbourhood of Liverpool. viii (o. s.), 111-122

Comma bacillus and cholera, xxvi, 303-

Confervoideæ, Druce (2).

Conger; orifices in head, Houghton (5). Connective tissue, Kölliker (3), Krause (1), Ranvier (1), xii, 174.

Contagium vivum, W. Roberts (2), Klein (14).

Contractility, Beale (9).

- and double refraction, Kidd (4).

- muscular, theory of, C. F. Marshall

Convoluta, chlorophyll, E. R. Lankester (39).

Cooke; One Thousand Objects for the Microscope (review), ix, 80.

- Rust, Smut, Mildew, and Mould: an Introduction to the Study of Microscopic Fungi (review).

COOPER, W. F. (1), Fossil Diatomacea. ii, 65, 66.

Copepoda; anal respiration, Hartog (2, 3).

- morphology, Claus (1).

- parasitic on Nereis, M'Intosh (4).

- new species, G. S. Brady (1). Corallium, Moseley (13).

Cordylophora, Allmann (8), Price (1).

Cordylophora; sp. n., Busk (7). Corethra larva, Rymer Jones (1). Cornea; preparation of, Klein (11).

- nerve-supply, Ciaccio (2), Macdonald (4).

- nerve-terminations, Klein (7).

- histology, Cleland (1).

Cornulariadæ; fam. n., vii, 243. Corpuscula tactus, Huxley (4).

Corti, organ of; xii, 306-309. Corycia, Gagliardi (1).

Coscinodiscus, Cooper (1), Schultze (4). Cosmarium; Mrs. Thomas (1); sp. n., Archer (5); 2 sp. n., Archer (8).

Cothurnia, Tatem (1).

Cothurnicella; gen. n., vii (o. s.), 148. Coxal gland, Limulus, &c., Gulland (1). Craspedacustes; gen. n., (=Limnocodium), E. R. Lankester (46).

Crenothrix; gen. n., Cohn (7).

Crinoidea-

- colouring matter, Moseley (9).

- morphology of larva, P. H. Carpenter (7).

- nervous system, A. M. Marshall (5).

- regeneration, A. M. Marshall (5). Criodrilus; Oerley (1), Benham (1) pt.

Cristatella; habitats, Houghton (1). Cristellaria, Brady (3) xxi, 64.

CRÜGER, H. (1). On the development of starch (transl.). ii (o. s.), 173-178, pl. vii.

Crustacea; auditory organ, Hensen (1), -- histology of exoskeleton, William-

son (4); development, x, 81. - homologies of limbs, E. R. Lan-

kester (50). - nervous system, E. R. Lankester (50), Pelseneer (1).

- see Decapoda, Phyllopoda, &c.

Cryptogamia; classification, Bennett (3).- terminology of reproductive organs,

xxi, 165-167, Bennett (4). Cryptolaria; gen. n., v (o. s.), 173. Cryptosporium; relation to Sphæria,

Currey (3). Crystallization, Davies (3), Guy (3), Crystal prisms, Gulliver (4).

Crystals in plant-cells, Dyer (3). - in testa of Ulmus, Gulliver (6). Ctenidia, Lamellibranchiata, Peck (1).

Ctenodrilus, Scharff (2).

Ctenophora, relations to Medusoid gonophores, E. R. Lankester (49). Culex, Johnston (1).

CUNNINGHAM, D. D. (1). On certain effects of starvation on vegetable and animal tissues. xx, 50-78.

- (2). On the development of certain microscopic organisms occurring in the intestinal canal. xxi, 234-290, pl. xviii.

CUNNINGHAM J. T. (1). Review of recent researches on karyokinesis and cell division. xxii, 35-49, pl. vi.

 (2). The renal organs (nephridia) of Patella. xxiii, 369-375.

- (3). The significance of Kupfer's vesicle, with remarks on other questions of Vertebrate morphology. xxv, 1-14, pl. i.

- (4). E. van Beneden's researches on the maturation and fecundation of the ovum. xxv, 107-135, pl. x.

- (5). On the relations of the yolk to the gastrula in Teleosteaus and in other Vertebrate types. xxvi, 1-38, pls. i-iv.

- (6). On the structure and development of the reproductive elements in Myxine glutinosa. xxvii, 49-76, pls. vi, vii.

- (7). Dr. Dohrn's inquiries into the evolution of organs in the Chordata. xx, 265-284.

- (8). On some points in the anatomy of Polychæta. xxviii, 239-278, pls. xvii-xix.

- See VALLENTIN (1).

CURREY, F. (1). On two new Fungi. ii (o. s.), 240-242, pl. ix.

- (2). On the spiral threads of the genus Trichia. (Transactions) iii, 15-21, pl. ii; cf. iii, 176.

- (3). On the reproductive organs of certain Fungi. iii (o. s.), 263-273, pl. xii; iv (o. s.), 192-200, pl. xi.

of Antheridia. iv (o. s.), 51-54. Hartig on the Phytozoa

- (5). On some points in the structure and physiology of certain Fungi, with notices of the occurrence of some species new to this country. v (o. s.), 115-134, pl. viii.

CURREY, F .-

— (6). On Stephanosphæra pluvialis. vi (o. s.), 132–136, pl. vi.

- (7). On some British freshwater Alga. vi (o. s.), 207-216, pl. ix.

Mycological notes. - (8).

(o. s.), 225-235, pl. xi.
CURTIS, F. (1). On the improvement of the compound microscope. iii, 204; cf. vi, 264.

CURTEIS, T. (1). Slide-cell, or new live-box for aquatic objects. viii, 108, 109.

Cyatholithus, Huxley (13).

Cyclammina; gen. n., Brady (3) xix, 62 and xxi, 53.

Cyclas; shell-gland, E. R. Lankester

(32).Cyclochæta, gen. n., W. H. Jackson (2).

Cycloclypeus, Brady (3) xxi, 66. Cyclodus; pineal eye, W.B. Spencer (3). Cyclosis of vegetable protoplasm, Branson (3), Wenham (10, 14), Western (1), Lawson (1, 2), Hunt (1), Engelmann (1), vii, 138.

Cyclostomata, see Petromyzon, Myxine,

Bdellostoma.

Cyclotella, Walker-Arnott (8). Cylindrocapsa, xvii, 181-185. Cylindrocystis, Archer (11).

Cynareæ; contractile filaments, Cohn (4).

Cynthia, Sheldon (1).

Cyphoderia, Archer (25) xvii, 203. Cysticercus cellulosæ, W. Smith (3).

ovis, xiv, 179, 180.

pisiformis, v. Siebold (2).

Cystolites, Weddell (1). Cystophrys, Archer (15) ix, 259; and x, 110.

D.

Dactylopora, Brady (3) xix, 266. Dactylosphærium, Archer (25) xvii,

Daphnidæ; nauplius eye, and parthenogenesis, Zenker (1).

DARESTE, C. (1). Memoir on the colouration of the China Sea (transl.). iii (o. s.), 66-73.

DARWIN, F. (1). Contributions to the anatomy of the sympathetic ganglia of the bladder in their relation to the vascular system. xiv, 109-114, pls. v, vi.

DARWIN, F.—

— (2). On the structure of the proboscis of Ophideres fullonica, an orange-sucking moth. xv, 384-389.

 (3). The process of aggregation in the tentacles of Drosera. xvi,

309-319, pl. xxiii.

(4). On the protrusion of protoplasmic filaments from the glandular hairs of the common Teasel (Dipsacus sylvestris). xvii, 169–174; and xvii, 245–272, pl. xix.

 (5). The contractile filaments of Amanita (Agaricus) muscaria and Dipsacus sylvestris. xviii,

74-82

DAVEY, N. F. (1). Brief remarks upon cell-growth in the Bryonia dioica. (Transactions) v, 100-104.

Davies; On the Preparation and Mounting of Microscopic Objects (re-

view). iv, 141, 142.

DAVIES, T. (1). Polarized light as a recreation and study. ii, 26-31.

— (2). The photography of magnified objects by polarized light.
 iii, 201-203.

— (3). Crystallization and the microscope. iv, 247-253; and v, 205-212.

DAVIS, H. (1). On two new species of the genus Œcistes, class Rotifera. (Transactions) xv, 13-16, pl. i.

— (2). Mobility of spines on certain insects' eggs. xi, 288, 289.

DAVISON, J. (1). Kelner's orthoscopic

eye-piece. iii, 78, 79.

- (2). Cell for viewing Entomos-

tracá. iii, 137.

Day; Chemistry in its Relations to Physiology and Medicine (review). i, 58, 59.

DEANE, H. (1). On the history of Arachnoidiscus. vi (o.s.), 188, 189. Decapoda—

- auditory organ, Hensen (1).

- eye, Newton (3).

- development of Atyephira, Ishikawa (1).

Deep-sea deposits, Bailey (2, 8).

DEIGHTON, F. See BALFOUR (19). DELAFOND, O. See GRUBY (1).

DELVES, J. (1). On the application of photography to the representation of microscopic objects. (Transactions) i, 57, 58, pl. vii. Dendrochirotidan; (gen. sp. incert.) pharynx, Moseley (14).

DENDY, A. (1). Studies on the comparative anatomy of Sponges. I. On the genera Ridleia, n. gen., and Quasillina. xxviii, 513-529, pl. xlii.

DENNIS, J. B. P. (1). The existence of Mammifers anterior to the deposition of the Lias, demonstrated from the microscopic structure of a bone from the river-bed deposit, Lyme Regis. iv (o. s.), 261-269, pl. xvi.

- (2). The existence of birds during the deposition of the Stonesfield state, proved by a comparison of the microscopic structure of certain bones of that formation with that of recent bones. v (o.s.),

63–77, pl. vi.

— (3). On the microscopical characters of certain so-called Cetacean bones associated with Celolites in the detrital bed of the Red Crag at Felixstowe, Suffolk. v (o. s.), 191–200, pl. xiii.

Denticella, Schultze (4).

Dentine, Salter (1).

Desmidiaceæ; abnormal growths and gen. n., Archer (1).

- India, Hobson (1).

New Zealand, Lindsay (3).
zoospores, Archer (2).

— attached, Edwards (7). Desmoscolex, Mecznikow (3).

Desmothoraca; Archer (25) xvii, 67. Development; generalisations of, see Embryology.

Diachæta; gen. n., Benham (1) part ii.

Diaphoropodon, Archer (15) ix, 394, and x, 123.

Diaphragm; structure, Klein (4).

Diascope, Garham (3).

Diatomaceæ; Arctic Sea, R. Brown (1).

- attachment, Edwards (7).

- Bermuda, Tripoli, Walker-Arnott (7).

- British freshwater, Gregory (8).

British marine, 6 sp. n., Roper (3).
California and Oregon, Bailey (3).

California and Oregon, Bailey (3).
 Californian guano, Greville (4).

Johnston (4).

— Californian hot springs, Edwards (6).

- Charleston S. C., Edwards (5).

Diatomaceæ-

 cilia, Hogg (2), Wenham (16). - conjugation, Druce (1), v, 139.

- County of Antrim, Dickie (1). - Firth of Clyde and Loch Fyne, vii

(o. s.), 60-64. - freshwater versus marine, Walker-

Arnott (6), Eulenstein (2). Gambia O., H. L. Smith (1).

- general structure, O'Meara (5).

 Glenshira, Gregory (7). - Hong-Kong, Lauder (2).

- Hull, Norman (1). Iceland, Lindsay (4).

- identification, Kitton (1, 2, 4), O'Meara (3), iii (o. s.), 307-312; W. Smith (2).

- Index to those figured in Quart. Journ. Micr. Sci., 1853-1867, x,

179–187.

- in Noctiluca, Brightwell (4), Baddeley (1).

- in Salpæ, Wallich (4).

- internal movement, Schultze (4).

- Ireland, West Coast, O'Meara (1, 2). - Kamtschatka Sea, Bailey (8). — Lamlash Bay, Greville (2).

- Lapland and Lüneburg, Gregory (2).

- Leven Water, Beardsley (1).

Liverpool, Comber (1).

marking, T. G. Rylands (1), Sollitt

Menai Straits, vi (o. s.), 122, 123.

— Mull, Gregory (1, 3, 4). New York, Edwards (8).

- New Zealand, Lindsay (3). - Northumberland, Donkin (4, 5); 18

sp. n., Donkin (1, 2). - Port Natal, Shadbolt (3).

reproduction, Castracane (2).

- separation from matrix, Munro (1), Edwards (4), Bailey (6), Stokes (4), Okeden (2), Furlong (1), Tulk (1).

- South Wales, Okeden (4). - Spitzbergen, O'Meara (7).

-- Thames, Roper (1).

- Trinidad, Greville (1). - United States, Edwards (3), F. W.

Lewis (1).

- valve, structure and development Wallich (5), Schultze (5), Ralfs

- various, on one stipes, Edwards (9). - various rare and new species, Greville (8), Lauder (1), Norman (2), Stodder (1), Brightwell (7), West (3).

Diatomacex-

Wallington, Donkin (6).

- Wilkes Expl. Exp., Harvey (1); ii (o. s.), 288-290; Okeden (1).

DICKIE, G. (1). On a deposit of Diatomaceæ and Mollusca, in the County of Antrim. vii (o. s.), 9-

Dicotyledons; raphides, Gulliver (3). Dictyoloma; seed, Brady (1).

Dicyemidæ; van Beneden (6).

Didelphis; fœtal membranes, Osborn

Difflugia, Lang (2), Archer (15) ix, pl. xx, fig. 12; Archer (25) xvii, 114.

Digestion; intracellular, Mecznikow (4), E. R. Lankester (48), T. J. Parker (2).

Dinobryon, Bütschli (1).

Dinophilus, Weldon (4). Diplostomum, Claparède (1).

Dipsacus; protrusion of protoplasm, Darwin (4, 5).

Diptera-

- Anthomyia, Houghton (3).

 Scatophaga, egg, West (4). - Corethra larva, Rymer Jones (1).

- ear of Culex, Johnston (1).

- see also Musca.

Discolithus, Huxley (13).

Discopus, E. R. Lankester (6). Discorbina, Brady (3) xxi, 65.

Distoma; in Chelone, Leared (1), Canton (1); iii, 73.

in haddock, Maddox (6).

- see also Fasciola.

Ditrema, Archer (25) xvii, 336. DIXON, N. V. See ARCHER (1).

DOBSON, T. (1). On Laap, or Lerp, the cup-like coverings of Psyllidæ found on the leaves of certain Eucalypti. (Transactions) v, 123-130, pl. ii.

Docidium, Hobson (1), Archer (10).

Docophoroides, Giglioli (2). Docophorus, Giglioli (2).

Dolichoplana; gen. n , Moseley (11).

Doliolum, Moss (1).

DOLLO, M. L. (1). On the Malleus of the Lacertilia, and the malar and quadrate bones of Mammalia. xxiii, 579-596, pl. xli.

Donitz; On the so-called Chorda of the Ascidian larvæ and the Alleged Affinity of the Invertebrate and Vertebrate Animals (review). xi,

281-283.

Donkinia, Barkas (5).

DONKIN, A. S. (1). On a species of filamentous Diatom new to Britain.

(Transactions) vi, 11, 12.

- (2). On the Marine Diatomaceæ of Northumberland, with a description of eighteen new species. (Transactions) vi, 12-34, pl. iii.

- (3). Notes in reply to Dr. Walker-Arnott. vii (o. s.), 5-9;

cf. vii (o. s.), 89-91.

- (4). On the Marine Diatomaceæ of Northumberland, with a description of several new species. i, 1-15, pl. i.

- (5). On several new and rare species of Fresh-water Diatomaceæ discovered in Northumberland. ix,

287-296, pl. xviii.

- (6). Notes on certain Freshwater species of Diatomaceæ. ix, 397-400.

Donkin; Natural History of the British Diatomaceæ (review). xiv, 93, 94. Dotted tissue; formation of, Inman

(2).

DOUGLAS, R. C. (1). Bacillaria paradoxa in fresh water. v, 148.

DOWDESWELL, G. F. (1). Note on atmospheric Bacteria. xviii, 82,

(2). On some appearances of thered blood-corpuscles of man and other Vertebrata. xxi, 154-161.

- - (3). The micro-organisms which occur in septicæmia. xxii, 66-75, pl. vii.

Note on a minute point in - (4). the structure of the spermatozoon of the Newt. xxiii, 336-339.

Draco; pineal eye, W. B. Spencer (3). Draparnaldia, Currey (7), Hicks (9). Dredge, Wallich (3).

Dreissena; gills, Peck (1)

Drepanidium, E. R. Lankester (52). Drepanophorus; vascular and nephridial systems, Oudemans (1).

Drosera; aggregation, Darwin (3). glands, A. W. Bennett (1).

DRUCE, T. C. (1). Conjugation of Diatomaceæ. v (o. s.), 22.

- (2). On the reproductive process in the Confervoidea. (Transactions) viii, 71-80, pl. vi, figs. 1-11.

DUDGEON, R. E. (1). On a submersion microscope. xi, 239-241.

DUFFIN, A. B. (1). Some account of Protoplasm, and the part it plays in the actions of living beings. iii, 251-264.

DUNCAN, P. M. (1). The histology of the reproductive organs of the Irid, Tigridia conchiflora; with a description of the phenomena of its impregnation. vi, 12-24, pl. i.

- (2). On the motion accompanying assimilation and growth in the

Fucaceæ. xiv, 19-23.

DURHAM, H. E. (1). Note on the presence of a neurenteric canal in Rana. xxvi, 509, 510, pl. xxvii.

DYER, W. T. T. (1). On spontaneous generation and evolution. x, 333-354.

- — (2). On the structure of the stem of the screw pine. xii, 50-55, pl. v.

- (3). Note on the imbedding of crystals in the walls of plant-cells. xii, 288, 289, pl. xiv, figs. 1-4.

- (4). On the stem-structure of the Carboniferous Lycopodiaceæ. xiii, 152-156.

- (5). Sexual reproduction of Thallophytes. xv, 295-326; and xv, 396-401.

- (6). The coffee-leaf disease of Ceylon. xx, 119-129, pls. ix-xiv.

DYSTER, F. D. (1). Notes on two new British Polyzoa. vi (o. s.), 260, 261, pl. xxi.

Dysteria; Huxley (10), Gosse (2). Dytiscus; foot, Hepworth (1).

E.

Ear; histology, Pritchard (2). Earbones, Mammalia, Dollo (1).

EBERHARD, E. (1). On the sexual reproduction of the Infusoria (transl.). viii, 155-158.

EBERTH, C. J. (1). On Myoryktes weiss manni; a new parasite, inhabiting the muscles of the Frog (transl.). iv, 27–30.

ECKER, A. (1). On the structure and vital properties of the contractile substance of the lower animals (transl.). ii (o. s.), 111-115.

Echinoderes, Mecznikow (3).

Echinodermata; apical system, bloodvessels, P. H. Carpenter (4).

- brachiate, larval plates, Sladen (1)

Echinodermata-

- vascular system, P. H. Carpenter - homologies of plates, P. H. Car-

penter, (1, 2).

- anatomy of brachiate, P. H. Carpenter.(3).

- pedicellariæ, Herapath (4).

 fertilisation of ovum, van Beneden (5).

- affinities with Annelida, P. H. Carpenter (1).

- larva, Balfour (17).

- see also Asteroidea, Ophiuroidea, Echinoidea, Crinoidea, Holothuroidea.

Echinoidea; vascular system, P. H. Carpenter (8).

- sphæridia, Ayers (1).

- note on Amphidotus, D. Robertson (1).

skeleton of Cidaridæ, C. Stewart (2). Echinorhynchus; development, Leuckart (4), Kent (3).

Eczema, Hogg (4)

EDWARDS, A. M. (1). On microscopic apparatus. v (o. s.), 110-113.

- (2). On "finders" for microscopes. v (o. s.), 200-205.
- (3). On Diatomacew collected

in the United States. (Transactions) vii, 84-91.

- - (4). Method of cleaning Diatomaceæ. vii (o. s.), 167-169.

- - (5). On American Diatomaceæ viii (o. s.), 127–129.

- (6). On the occurrence of living forms in the Hot Waters of California. viii, 247-250.

— (7). Note on a point in the

habits of the Diatomaceæ and Desmidiaceæ. ix, 64-66.

- (8). Notes on Diatomaceæ. 270-280.

- (9). Different Diatoms on the same stipes. xv, 63, 64.

Ehrenbergina, Brady (3) xxi, 60.

Elasmobranchii; branchial sense organs, Beard (1).

- cranial nerves, &c., A. M. Marshall (3, 4).

- development, Balfour (4).

olfactory organ, A. M. Marshall (2).

- formation of ovary, Balfour (8).

- kidney, Sedgwick (1).

Electric spark, perforations by, R. T. Lewis (1).

Electrotypes of diatoms, Wenham (9).

ELFVING, F. (1). Studies on the pollen-bodies of the Angiosperms (transl.). xx, 19-35, pl. iv.

ELSBERG, L. (1). Plant-cells and living matter. xxiii, 87-98.

Elysia, development, Haddon (1). Embryology, generalisations of; Balfour (5, 16, 17), Haeckel (2), Huxley (15), E. R. Lankester (24, 27, 30, 34), Schäfer (4), Sedgwick (4, 5), xxvii, 518; Whitman (2), see also Ovum.

Endothelium, Foster (2), Cavafy (1). ENGELMANN, T. W. (1). Physiology of protoplasmic movement (transl.). xxiv, 370-418.

Enteropneusta; see Balanoglossus. Entomostraca, Rupert Jones (1). Eolis; trichocysts, T. S. Wright (5). Ephemera, West (5).

Epistylis, Tatem (2).

Equus; structure of foot, Hepworth (6).

ERCOLANI, G. B. (1) and VELLA, L. Nouvelles observations sur la developpement et la vie de Nematoides (transl.). iii (o. s.), 73-74. Eschara, Alder (2), A. M. Norman (1).

Esox; hinged teeth, Tomes (5). Euglena; chlorophyll in, Sallitt (1).

- propagation, Itzigsohn (2). Euglypha, Archer (25) xvii, 203 and

330. EULENBERG, H. (1). On a black fur on the tongue (transl.). ii (o. s.), 263-26**6**.

EULENSTEIN, TH. (1). On Home-cladia in fresh water. iv, 172,

- (2). Value of habitat as a distinctive species. v, 65, 66.

Eunotia, Walker-Arnott (5). Euphyllia, G. C. Bourne (2).

Eupleuria, gen. n., Walker-Arnott (2). Eurypterina, affinities with Limulus, Scorpio, &e., E. R. Lankester (51).

EWART, J. C. (1). On the life-history of Bacillus anthracis. xviii, 161-169, pl. xi, figs. 1-26.

Excretory organs, see Nephridia. Eye; histology and physiology, Macdonald (2), Boll (1-3).

Arachnida, E. R. Lankester (55).

- histology, Hulke (1), Moseley (3), Klein (2).

Insecta, Hickson (4), viii, 173.

- Invertebrata, Carrière (1) cf. Patten (review).

Eye-

- muscles, A. M. Marshall (3).

- preparation for sections, Barrett (1).

- Mollusca, Hickson (1, 2), vii, 131.

F.

- FARLOW, W. G. (1). An asexual growth from the prothallus of Pteris cretica. xiv, 266-272, pls. x, xi.
- FARRANTS, R. J. (1). An account of Mr. Peters's machine for microscopic writing. (Transactions) iii, 55-63.

 (2). A micrometer object-finder. (Transactions) v, 88-95.

(3). Presidential address, 1862. (Transactions) x, 59-76.

 (4). Presidential address, 1863. (Transactions) xi, 26-35.

Description of an **FARRE**, A. (1). early human embryo of about the fourth week of utero-gestation. (Transactions) v, 163-168, pl. vii, figs. 8-10.

Fasciola; in Indian elephant, Cobbold (6).

- hepatica, life-history, A. P. Thomas (1).Fat, xi, 295.

Faujasina; shell of, Williamson (2). Favus, Hogg (4).

Fermentation, Pasteur (1, 4), Lister (5),

Bennett (2), Lister (6). FERRIER, D. (1). The number of the red blood-corpuscles in Mammals,

Birds, and Fishes. xiii, 195. Fibrin; formation of, Mrs. Hart (2). Fibro-vascular bundles; histology, Vines (1).

Filaria canis, Gruby (1), T. R. Lewis (1).

- sanguinis-hominis, T. R. Lewis (3). Firola; buccal teeth, Macdonald (3). Fish-scales; borings in, Rose (1). Flabelligera; cardiac body, J. T. Cunningham (8).

Flabellina, Brady (3) xix, 271. Flabellum, Fowler (1) parts i and iii.

Flagellata-

Mastigamæba, Bütschli (1).

 Ciliophrys, Bütschli (1). Flint; relation to diatoms, Wallich (4). Floscularia; development, Weisse (1). Flowers: colouring matter. iii, 78. Flustra, gemmation, Haddon (2).

Flustrella, Redfern (3).

FOCKE, G. W. (1). On naked freshwater Radiolaria. ix, 67-75.

Foraminifera; method of collection, Legg (1).

- Atlantic Ocean, Bailey (2).

nuclei. xvii, 93–100.

- Miliolitidæ, W. K. Parker (1).

- from Loo-Choo Islands, H. B. Brady (2).

FORGAN, W. (1). Dr. Beale's glass reflector. vi, 105.

Foster; A Course of Elementary Practical Physiology (review). 188, 189.

FOSTER, M. (1). On imbedding substances for microscopic section. x, 124-126.

- (2). On the term Endothelium. xiv, 219-223.

FOULIS, J. (1). On the development of the ova and structure of the ovary in Man and other Mammalia. xvi, 190-221, pls. xvi-xviii.

FOWLER, G. H. (1). The anatomy of the Madreporaria. I. xxv, 577-597, pls. xl-xlii. II. xxvii, 1-16, pl. i. III. xxviii, 1-17, pls. i, ii. IV. xxviii, 413-428, pls. xxxii, xxxiii.

Fox: Skin Diseases of Parasitic Origin, their Nature and Treatment, including the Description and Relations of the Fungi found in Man (review). iv, 31-37.

Fresenius; Beiträge zur Mykologie (review). ii (o. s.), 118-122.

Freya; T. S. Wright (2).

Frey; Compendium of Histology (review). xvii, 188, 189.

Das Mikroskop, und die Mikroskopische Technik; ein Handbuch für Aerzte und Studirende (reiv, 39, 40; (review of view). translation) xiv, 172-174.

- The Histology and Histochemistry of Man (review). xvi, 90-94. Fritillaria, see Appendicularidæ.

Frog; see Rana.

Frondicularia, Brady (3) xix, 270. Fucaceæ; conceptacle, Bower (1),

Duncan (2).

Fungia, G. C. Bourne (1). Fungi; in drinking water, E. Lankester (1); xi, 286, 287.

- in eggs, xiv, 178, 179.

Fungi-

- in lozenges, Rimmington (1), Lindsay (6).

- structure and physiology, Currey

(5).- Reinsch's Contributiones, Archer (24).

- general, Braun (1).

— on tea plant, Berkeley (4).

- parasitic in man, Grove (1), Hepworth (4), Hogg (4, 5); xi, 286.
 reproduction, &c., Cohn (1), Currey (3, 8), Bennett (2), Tucker (1).

- sexuality, &c., Ward (6). - whooping-cough, xi, 197.

- see also Algæ, Lichens, Bacteria, Ascomycetes.

Fungoid cutaneous diseases, Gudden (1), Meissner (1).

Funke; Atlas der Physiologischen Chemie (review). i (o. s.), 137, 138.

FURLONG, T. (1). On preparing the shells of the Polycystinæ from Springfield, Barbadoes. i, 64-66.

FURZE, J. (1). On the illumination of objects by polarized light on a dark field. (Transactions) iii, 63, 64.

Fusisporium. xvi, 332, 333.

G.

Gadus, development, J. T. Cunningham (5).

GAGLIARDI, J. (1). Rhizopods in London. xi, 80-84.

Ganoidei; so-called pro-nephros, Balfour (18).

Ganot; Elementary Treatise on Physics, Experimental and Applied: parts i-iv (review). ii, 115.

Gammarus; urinary organs, W. B. Spencer (1).

GARDINER, W. (1). The development of the water-glands in the leaf of Saxifraga crustata. xxi, 407-414, pl. xxiii.

- (2). Note on open communication between the cells in the pulvinus of Mimosa pudica.

365, 366,

-(3).Some recent researches on the continuity of the protoplasm through the walls of vegetable cells. xxiii, 302-319.

Gasterosteus; ovum, Ransom (1).

Gasterotricha; Mecznikow (3), Tatem

Gastraea-theory, Balfour (16), Giard (1), Häckel (2), E. R. Lankester (30, 34), Sedgwick (4).

Gastropoda-

Generative organs, H. Lawson (1, 3), Sanders (3).

- Limax, anat., H. Lawson (2). - anatomy, Newton (1).

phosphorescence, Panceri (4).
development, E. R. Lankester (24, 27, 32), Haddon (1).

spermatozoa, Blomfield (1) Part II.

Amphineura, Hubrecht (4).
nephridia, J. T. Cunningham (2).
Chiton, eyes, Moseley (15).

- Limnæus, development, Hogg (1). - Purpura, development, W. B. Carpenter (1).

Gastrulation, Balfour (16), E. R. Lankester (27, 30, 34).

Gazzetta Medica Italiana, ser. ii, No. 43, for October 25th, 1853 (review). ii (o. s.), 199.

Gecko; pineal eye, W. B. Spencer (3).

GEDDES, P. (1). Observations on the resting state of Chlamydomyxa labyrinthuloides. xxii, 30-34, pl. v.

GEDGE, J. (1). Another interpretation of Dr. Moxon's discovery. vii, 193-197.

- (2). On the relation of assimilation and secretion to the functions of organic life. x, 159-168.

GEGENBAUR, C. (1). Remarks on the marginal bodies of the Medusæ (transl.). vi (o. s.), 103-106.

(2). On the development of Sagitta (transl.). vii (o. s.), 47-54.

Geoplana, Moseley (11).

Gephyrea-

- colouring matter, E. R. Lankester (19), Sorby (7).

- histology, Scharff (1).

Geranium; petal of, Inman (1), West (2).

Germinal layers; homology of, Häckel (2), Balfour (16), E. R. Lankerster (34).

– of chick, Balfour (19). inversion, Heape (1–3).

Germ-theory, Sorby (9).

Geryonia; development, E. R. Lankester (49).

GIARD, A. (1). The Orthonectida, a new class of the phylum of the Worms. xx, 225-240, pl. xxii.

GIBBES, H. (1). On the structure of the Vertebrate Spermatozoon. xix, 487-491, pl. xxiv.

- (2). On the use of the Wenham binocular with high powers. xx, 318, 319.

- (3). On the structure of the Spermatozoon. xx, 320, 321.

- (4). On some points in the minute structure of the pancreas. xxiv, 183-185, pl. xvi, figs. 1-3.

- (5). On some structures found in the connective tissue between the renal artery and vein in the human subject. xxiv, 186-190, pl. xvi, figs. 4, 5.

- (6). Histological notes.

191-193.

GIBBONS, S. (1). On a new method of (Transactions) vii, micrometry. 31 - 36.

GIGLIOLI, H. (1). On the genus Callidina, with the description and anatomy of a new species. iii, 237-242, pl. xi.

- (2). On some parasitical insects from China. iv, 18-26, pl. i, b.

Gill-slits, see Visceral clefts.

GLAISHER, J. (1). Snow crystals in 1855. iii (o. s.), 179–185, pls.

xiii, xiv.

- (2). Further observations on the similarity of forms observed between snow-crystals and those of camphor. iv (o. s.), 203-205, pl. xii.
- (3). Presidential address, 1866. (Transactions) xiv, 45-63.

(4). Presidential address, 1867. (Transactions) xv, 25-38.

(5). Presidential address, 1868. (Transactions) xvi, 61-85.

Glands, histology, Klein, (15).

Glass; fracture, Wenham (24), Norman (3).

refractive index, Royston-Pigott (8) and passim.

Glaucoma, Samuelson (2).

Globigerina ooze, Bailey (2); xv, 65-71. Globigerina, xv, 390-392; Brady (3) xix, 284.

Glochidium, Houghton (4). Gloidium, gen. n., xix, 437. Glossiphonidæ, Houghton (2). Glycerine; action on preparations, Ord

Gnetum; embryogeny, Bower (4).

GODDARD, D. E. (1). On an improved mounting table. (Transactions) xii, 45, 46.

Gold-dust, i (o. s.), 144.

Goodfellow: Lectures on the Diseases of the Kidney (review). i, 312, 313.

Goodsir, John; The Anatomical Memoirs of, edited by W. Turner, M.D., with a Biographical Memoir by Henry Lonsdale, M.D. (review). ix, 163-170.

GORHAM, J. (1). Remarks on the cornea of the eye in Insects, with reference to certain sources of fallacy in the ordinary mode of computing the microscopic hexagonal facets of this membrane; with an appendix containing a brief notice of a new method of taking transparent casts of the above and other objects for the microscope, in collodion. i (o.s.), 76 - 84.

-(2).Brass cementing-pencil.

ii (o. s.), 56, 57.

- (3). On the magnifying power of short spaces, illustrated by the transmission of light through minute apertures. ii (o. s.), 218-234, pl. viii; iii (o. s.), 1-15, pl. i; iv (o. s.), 27-44, pl. iv.

(4). The rotation of coloured discs applied to facilitate the study of the laws of harmonious colouring, and to the multiplication of images of objects into kaleidoscopic combinations. vii (o. s.), 69-78,

pls. iv, v.

(5). On a peculiar distribution of vein in leaves of the natural order Umbelliferæ. (Transactions) xvi, 14-25, pl. iii.

GOSSE, P. H. (1). On the structure, functions, habits, and development of Melicerta ringens. i (o. s.), 71-76, pl. ii, figs. 12-27.

- (2). On the zoological position of Dysteria. v (o. s.), 138-141.

Gosse; A Handbook to the Marine Aquarium (review). iv, 147-149.

- A Manual of Marine Zoology for the British Isles (review). (o. s.), 147–149.

Gosse-

- A Naturalist's Rambles on the Devonshire Coast (review). ii (o. s.), 47-50.

- Evenings at the Microscope; or, Researches among the Minuter Organs and Forms of Animal Life (review). vii (o. s.), 248-251.
- The Aquarium, an Unveiling of the Wonders of the Deep Sea (review). ii (o. s.), 278, 279.
- Graafian follicle, development, Foulis

Grantia, Bowerbank (1).

Grammatophora; pineal eye, W. B. Spencer (3).

Graphiola, Currey (8).

- GRAY, J. E. (1). On the teeth on the tongues of Mollusca. i (o. s.), 170-176.
- (2). Microscopic slide-dryer. v (o. s.), 239.
- GRAY, P. (1). Angular aperture. vii (o. s.), 256, 257; cf. viii (o. s.), 135.
- (2). Improvement of the camera lucida. viii (o. s.), 137-139.
- (3). On the form of a doublyreflecting prism, and its application to the microscope. i, 273-278.
- Greene; A Manual of the Sub-kingdom Protozoa (review). viii (o. s.),
- Green oysters, E. R. Lankester (62). Greensand, ancient and modern, Bailey (9).
- Gregarinida; general account, E. R. Lankester (1, 3).
- Drepanidium, E. R. Lankester (52).

- in Borlasia, M'Intosh (2).

- of lobster, van Beneden (1).
- reproduction, van Beneden (3); x, 290.
- structure and development, van Beneden (4), E. R. Lankester (18), Leydig (1), Kolliker (2), vi, 40, 96; see also vii, 153.
- GREGORY, W. (1). Notice of a Diatomaceous earth found in the Isle of (Transactions) i, 92-99.
- Observations on some deposits of fossil Diatomaceæ. (Transactions) ii, 104-106.
- (3). Additional observations on the Diatomaceous deposit of Mull. ii (o. s.), 24-28, pl. iv.

GREGORY, W .-

- (4). Notice of the new forms and varieties of known forms occurring in the Diatomaceous earth of Mull; with remarks on the classification of the Diatomaceæ. ii (o. s.), 90-100, pl. iv.

The Boghead coal. - (5).

(o. s.), 200, 201.

- (6). On a remarkable group of Diatomaceous forms, with remarks on shape or outline as a specific character in the Diatomaceæ. (Transactions) iii, 10-15, pl. ii.

(7). On a post-tertiary lacustrine sand, containing Diatomaceous exuviæ, from Glenshira, near Inverary. iii (o. s), 30-43, pl. iv. Part II. (Transactions) iv, 35-48, pl. v, and (Transactions) v, 67-88, pl. i.

(8). Notice of some new species of British freshwater Diatomaceæ.

iv (o. s.), 1–14, pl. i.

GREVILLE, R. K. (1). Description of some new Diatomaceous forms from the West Indies. v (o. s.), 7-12, pl. iii.

- (2). Descriptions of new species of British Diatomaceæ, chiefly observed by the late Professor Grevii (o. s.), 79-86, pl. vi, gory. figs. 1-17.

- (3). Note on a structure observed in Surirella. vii (o. s.),

116, 117,

- (4). Descriptions of Diatomaceæ observed in Californian guano. vii (o. s.), 155-166, pls. vii, viii.

- (5). On Plagiogramma, a new genus of Diatomaceæ. vii (o. s.), 207-211, pl. x.

- (6). On Camplyodiscus, &c. (Transactions) viii, 29-32, pl. i.

(7). A monograph of the genus Asterolampra, including Asteromphalus and Spatangidum. (Transactions) viii, 102-124, pls. iii, iv.

Descriptions of new and (8). rare Diatoms. (Transactions) ix, 39-45, pl. iv, and 67-87, pls. viii-x; ii, 231-236, pl. x; (Transactions) x, 18-29, pls. ii, iii, and 89-96, pl. ix; (Transactions) xi, 13-21, pl. i, and 63-76, pls. iv, v; iii, 227-237, pls. ix, x; (Transactions) xii, 8-14, pls. i, ii, and 81-86, pls. x, xi, and 87-94, pls. xii, xiii; (Transactions) GREVILLE, R. K .--

xiii, 1–10, pls. i–x, and 24–34, pls. iii, iv, and 43–75, pls. v, vi, and 97–105, pls. viii, ix; (Transactions) xiv, 1–9, pls. i, ii, and 77–86, pls. viii, ix, and 121–130, pls. xi, xii.

— (9). On the Asterolampræ of the Barbadoes deposit. (Transactions) x, 41-55, pls. vii, viii.

- (10). A monograph of the genus Auliscus. (Transactions)

xi, 36-53, pls. ii, iii.

Greville, R. K., obituary, vi, 199, 200. Griffiths and Henfrey; The Micrographic Dictionary, parts i and ii (review). ii (o. s.), 278; (review of complete work), iv (o. s.), 227-230.

Griffith; An Elementary Text-book of the Microscope, including a Description of the Methods of Preparing and Mounting Objects, &c. (review). iv, 201-203.

GRIFFITHS, W. H. (1). The theory of circulation in the Vorticellidæ.

iv, 295, 296.

- Grönland, Cornu, et Rivet; Des Preparations Microscopiques tireés du Règne Végétal, et des différents procédés à employer pour en assurer le conservation (review). xiii, 82, 83.
- Gromia, Archer (15) ix, 390 and x, 124; Archer (25) xvii, 201.

GROVE, J. (1). On a fungus parasitic in the human ear. (Transactions) v, 161, 162, pl. vii, figs. 1-7.

- GROVE, W. B. (1). Some account of Polystigma rubrum, based upon the recent investigations of Dr. A. B. Frank and C. Fisch. xxiv, 328-334.
- **GROVES**, J. W. (1). On arranging and cataloguing microscopic specimens. xiv, 248-250.
- GRUBY, M. (1) & O. DELAFOND. On a species of Filaria found in the blood of the domestic Dog (transl.). ii (o. s.), 33-35.

Guano; origin, xii, 71.

- GUDDEN, B. (1). On cutaneous diseases dependent upon parasitic growths (transl.). ii (o. s.), 29-33, 185-188.
- GULLAND, G. L. (1). Evidence in favour of the view that the coxal gland of Limulus and of other Arachnida is a modified nephridium. xxv, 511-520, pl. xxxvi.

GULLIVER, G. (1). On the importance of Raphides as natural characters in Botany. iv, 6-10.

— (2). Notes on Raphides. iv

205-209.

- (3). On Raphides as natural characters in the British Flora. vi, 1–10.
- (4). On Raphides, Sphæraphides, and Crystal Prisms; especially as to how and where they may be easiest found and discriminated. ix, 232-241.

 (5). Size of the red corpuscles of the blood of the Porbeagle or Beaumaris Shark (Lamna cornu-

bica). xii, 40-41.

— (6). On the crystals in the testa of the Elm, and the character of the epidermis of the Twayblade. xiii, 290-293.

GUY, W. A. (1). On the microscopic characters of the crystals of arsenious acid. (Transactions) ix, 50-59.

 — (2). On the preservation and mounting of microscopic objects in minute tubes. (Transactions) x, 77-82.

 — (3). On microscopic sublimates;
 and especially on the sublimates of the alkaloids. (Transactions) xvi,
 1-13, pls. i, ii.

GUYON, G. (1). Gutta-percha troughs. i, 132.

— (2). A simple trough for Zoo-

phytes, &c. iii, 201. Gymnadenia; development, H. M. Ward (1).

Gymnophrys, Archer (25) xvii, 348. Gymnosarca, gen. n., Kent (2).

Gymnosomatous larva, Moseley (10). Gymnosporium, Currey (5).

Gyrodactylus, Wagener (1), Cobbold (5).

Н.

Häckel; Biologische Studien (review). xi, 60-68, pl. v.

HÄCKEL, E. (1). Monograph of Monera (transl.). ix, 27-42, 113-134, 219-232, and 327-342, pls. ix, x.

— (2). The Gastræa-theory, the phylogenetic classification of the animal kingdom, and the homology of the germ lamellæ (transl.). xiv, 142-165, pl. vii; and xiv, 223-247.

Hæckelina, see Astrorhiza.

HADDON, A. C. (1). Notes on the development of Mollusca. xxii, 367-370, pl. xxxi.

- (2). On budding in Polyzoa.

xxiii, 516-555.

Hæmadipsa, A. G. Bourne (6), Whitman (3).

Hæmatids, see Blood-corpuscles, red. Hæmatozoa (unicellular), T. R. Lewis (2, 4, 5).

Nematoda, T. R. Lewis (3), Gruby (1).

Hæmocyanin, Macmunn (1).

Hæmoglobin, Sorby (8) — of Rodent's blood, Halliburton (3).

- altered, in placenta, Ayres (1).

- see also Blood, colouring matters, and Colouring matters, animal.

Hæmopis, A. G. Bourne (6), Whitman (3).

New " white-HAILES, H. F. (1). cloud" lamp shade. ix, 156-158. Halecium, Allman (10).

HALFORD, G. B. (1). Experiments on the poison of the Cobra-di-Capella. vii, 281, 282.

Halicryptus; skin and nervous system, Scharff (1).

Haliphysema, E. R. Lankester (40). Halisarca; development, Sollas (2).

– genitalia, xvii, 185–187.

Hall: Hints on the Pathology, Diagnosis, Prevention, and Treatment of Thoracic Consumption (review). v (o. s.), 162–166, pl. x.

HALL, J. C. (1). On an easy method of viewing certain of the Diatomaceæ. iv (o. s.), 205-208, pl. xiii.

HALL, W. H. (1). Paraffin oils; their relative value to the microscope. (Transactions) xiii, 87, 88.

(2). On a new form of condenser with a blue-tinted field lens. (Transactions) xvi, 108-110.

HALLIBURTON, W. D. (1). On the occurrence of Chitin as a constituent of the cartilages of Limulus and Sepia. xxv, 173-181.

- (2). Note on the chemical composition of the zoocytium of Ophrydium versatile. xxv, 445-

447.

- (3). On the hæmoglobin crysstals of Rodents' blood. xxviii, 181–199.

HALLIBURTON, W. D .-

 (4). An easy method of obtaining methæmoglobin crystals for microscopic examination. xxviii, 201-204.

HAMILTON, D. J. (1). On the injecting of objects for microscopical examination by means of airpressure. xiii, 252-255.

- (2). On myelitis, being an experimental inquiry into the pathological appearances of the same.

xv, 335-342, pl. xvi.

HANKIN, E. H. (1). Some new methods of using the aniline dyes for staining Bacteria. xxvii, 401 -

Hannover; On the Construction and Use of the Microscope (review). i (o. s.), 284-286.

- Ueber die Entwickelung und Bau des Säugethierzahns (review). v (o. s.), 166-171.

HANSEN, G. A. (1). The Bacillus of leprosy. xx, 92-102, pl. viii.

Haplobranchus; gen. n., A. G. Bourne

Haplophragmium, Brady (3) xxi, 50.

HARLEY, G. (1). On the organs of cutaneous respiration; principally on those of the Rana temporaria. (Transactions) v, 148–157, pl. vi.

Harley; Histological Demonstrations for the Use of the Medical and Veterinary Professions (review). viii, 85-86.

HARMER, S. F. (1). On the structure and development of Loxosoma. xxv, 261-337, pls. xix-xxi.

(2).On the life-history of Pedicellina. xxvii, 239-263, pls. xxi, xxii.

HARRIS, V. (1). Pacinian corpuscles in the pancreas and mesenteric glands of the Cat. xxi, 502, 503.

(2). Note on Pacinian corpuscles. xxii, 399, 400, pl. xxxii.

- (3). On double-staining nucleated blood-corpuscles with aniline dyes. xxiii, 292-301.

HART, MRS. E. (1). On the micrometric numeration of the bloodcorpuscles and the estimation of their hæmoglobin. xxi, 132-145.

- (2). Note on the formation of fibrine. xxii, 255-259, pl. xxi. Hartea; gen. n., E. P. Wright (1).

HARTIG, S. (1). On the cuticle of Ligneous Plants (transl.).

(o. s.), 43, 44.

- (2). On the influence of dilute sulphuric acid on the deposit layers of the cell wall in its earliest condition (transl.). iv (o. s.), 78-80. HARTING, P. (1). Mode of determin-

ing the optical power of a micro-

scope. i (o. s.), 292-295.

- (2). Modes of determining, by the use of the microscope, the refractive index of fluids (transl.). vi (o. s.), 107-113.

- (3). On the artificial production of some of the principal organic calcareous formations (transl.). xii, 118-123; ef. xii, 390, 391. Harting; Das Mikroskop: Theorie,

Gebrauch, Geschichte, und gegenwärtige Zustand desselben (review). vii (o.s.), 194, 195. HARTOG, M. M. (1). On the mode in

which Hydra swallows its prey.

xx, 243, 244.

- (2). On the anal respiration of the Copepoda. xx, 244, 245. - (3). On the respiration of the

Crustacea. xx, 485.

- (4). On the formation and liberation of the zoospores in the

Saprolegnieæ. xxvii, 427-438. HARVEY, R. T. (1). Note on Note on the organ of Jacobson. xxii, 50-52.

Harvey; The Sea-side Book, being an Introduction to the Natural History of the British Coasts (review). i (o. s.), 280-284.

HARVEY, W. H. (1), & J. W. BAILEY. New species of Diatomaceæ. iii

(o. s.), 93, 94.

Hassall; Adulterations Detected, or Plain Instructions for the Discovery of Frauds in Food and Medicine (review). v (o. s.), 229-232.

Hastigerina, Brady (3) xix, 291.

HASWELL, W. A. (1). On the structure of the so-called glandular ventricle (Drüsenmagen) of Syllis. xxvi, 471–480, pl. xxv. — (2). On Temnocephala, an

— — (2). aberrant monogenetic Trematode. xxviii, 279-302, pls. xx-xxii.

Hatteria; pineal eye, W. B. Spencer

Hauerina, Brady (3) xix, 267, and xxi, 46.

HAWKESLEY, T. (1). New section machine. x, 190, 191.

HAYCRAFT, J. B. (1). Upon the cause of the striation of voluntary muscular tissue. xxi, 307-329.

HAYS, W. H. (1). Some remarks on mounting microscopical preparations in Canada balsam and chloroform. v, 19-21. Head-cavities, Marshall (3).

Head-kidney, see Pronephros.

HEAPE, W. (1). The development of the Mole (Talpa europea). The formation of the germinal lavers, and early development of the medullary groove and notochord. xxiii, 412-452, pls. xxviii-xxxi.

- (2). The development of the Mole (Talpa europea), the ovarian ovum, and segmentation of the ovum. xxvi, 157-174, pl. xi. — (3). The development of the

Mole (Talpa europea). xxvii, 123-

163, pls. xi-xiii.

HEATHCOTE, F. G. (1). On a peculiar sense organ in Scutigera coleoptrata, one of the Myriapoda. xxv. 235-260, pl. xviii.

- (2). The early development of Julus terrestris. xxvi, 449-470,

pls. xxiii, xxiv.

Hedriocystis, Archer (25) xvii, 67.

Heiberg; Conspectus Criticus Diatomacearum Danicarum (review). iv, 198 - 200.

HEISCH, C. (1). On the improvement of Nachet's stereo-pseudoscopic binocular microscope. (Transactions) xvi, 111-113.

HEITZMANN, C. (1). Researches on bone and cartilage (transl.). xiii, 169-186, pls. vii, viii.

Heliopora, colour, Moseley (9).

Heliozoa-

various, Archer (15, 16, 25). reproduction, xviii (205).

- Actinophrys, Kölliker (1), Weston (1), Boswell (1).

Helix, anatomy, Newton (1).

- reproductive organs, H. Lawson (1), Sanders (1, 2, 3).

 spermatozoa, Blomfield (1) part ii. Helminthosporium, Currey (5).

Hemeschara, A. M. Norman (1). Hemichordata, see Balanoglossus.

Hemileia; gen. n., xiii, 80-82; Dver (6), H. M. Ward (2).

HENDRY, W. (1). The diagonal scale. vii (o. s.), 255, 256.

- (2). Angle of aperture. viii (o. s.), 61, 62.

- (3). Amphipleura pellucida. viii (o. s.), 208, 209.

- (4). The Saccharo-polariscope. viii (o. s.), 248-250.

- (5). On Amphipleura pellucida. i, 87-89.

On Hyalodiscus subtilis **-** (6). (syn. Craspedodiscus franklini). i, 179-183.

- (7). On Navicula rhomboides. i, 231-234.

- (8). On the Hull Pleurosigma fasciola. ii, 152-155.

 — (9). On the nerve-cells of the spinal cord in the Ox. iii, 41-45.

- (10). On Teichmann's bloodcrystals. iv, 168-171.

HENFREY, A. (1). On a peculiarity in the thickening layers of vegetable cells. i (o. s.), 233, 234.

- (2). On the history of the vinegar plant. i (o. s.), 235.

- (3). Notes on some freshwater Confervoid Algæ new to Britain. (Transactions) iv, 49-54, pl. iv.

- - (4). On Chlorosphæra, a new genus of unicellular freshwater Algæ. (Transactions) vii, 25-29, pl. iii.

HENLE, J. (1) & C. PFEUFER. On sarcina in the lungs (transl.). ii (o. s.), 41, 42.

HENSEN, V. (1). On the auditory organ in the Decapod Crustaceans (transl.). v, 31-35.

HEPWORTH, J. (1). On the structure of the foot of the Fly. ii (o. s.), 158–163, pl. v.

- (2). Memoranda on Flies' feet. iii (o. s.), 312-314.

- (3). Further remarks on the Fly's foot. iv (o. s.), 88, 89.

- (4). Observations on the practical application of the microscope. iv (o. s.), 109-111, pl. viii; v (o. s.), 1-3, pl. i.

 (5). On compound nucleated cells. v (o. s.), 141, 142, pl. ix.

 (6). Some remarks on the structure of the Horse's foot. v, 243-249, pls. x, xi.

Hepworth, J.; obituary, viii, 130.

HERAPATH, W. B. (1). Paper on the discovery of quinine and quinidine (β. quinine) in the urine of patients under medical treatment with the salts of these mixed alkaloids. ii (o. s.), 13-18, pl. ii.

- (2). On the manufacture of large available crystals of sulphate of iodo-quinine (herapathite) for optical purposes as artificial tourmalines. ii (o. s.), 83-90; cf. i (o. s.), 57, 58.

- (3). On the genus Synapta, with some new British species.

v, 1-7, pl. i.

- (4) On the pedicellariæ of the Echinodermata. v, 175-184, pls. iv. v.

Hermaphroditism; Rana, A. G. Bourne (5); Myxine, J. T. Cunningham (6).

HERBST, M. (1). Experiments on the transmission of intestinal worms (transl.). i (o. s.), 209-211.

Heterogenesis and Archebiosis, Dyer (1); xi, 195-197; xii, 166-169, Huxley (14), Joly (1), Pasteur (2), Wyman (1); xii, 302-306, H. L. Smith (2), Bastian (review); v, 51.

- discussion at French Academy, iv, 143-146.

Heterophrys, Archer (15) ix, 267 and

x, 107; (25) xvi, 351. Heteropoda, buccal teeth, Macdonald, (3).

Hevea; laticiferous vessels, D. H. Scott (3).

Hexagonal facets; number in circles, vi (o. s.), 83-86.

Hexamitus, Bütschli (1).

Hexapoda; see Insecta.

Hibberd; Rustic Adornments for Homes of Taste (review). iv, 298.

HICKS, F. J. (1). A finder for Hartnack's microscopes. xiv, 175, 176.

HICKS, J. B. (1). On the amceboid condition of Volvox globator. (Transactions) viii, 99-102, pl. vi, figs. 12-14.

(2). Contributions to the knowledge of the development of the gonidia of Lichens, in relation to the unicellular Algæ, &c. viii (o. s.), 239-244, pl. x, figs. 1, 2. Part II, i, 15-22, pl. ii. Part III, i, 90-97, pl. v.

HICKS, J. B .-

- (3). On the diamorphosis of Lyngbya, Schizogonium, and Prasiola, and their connection with the so-called Palmellaceæ. i, 157-166, pl. viii.

(4). On the motionless spores (statospores) of Volvox globator. i, 281-283, pl. ix, figs. 1, 2.

- (5). Observations on vegetable amœboid bodies. ii, 96-103, pl. iv.

(6). Vegetable amœboid bodies.
iii, 137, 138.
(7). Remarks on Mr. Archer's paper on Algæ. iv, 253-258.

- (8). On freshwater Algæ. vii, 4-8.

- (9). On Draparnaldia cruciata. ix, 383-385, pl. xix.

— (10). Observations on pathological changes in the red bloodcorpuscles. xii, 114-117, pl. viii.

HICKSON, S. J. (1). The eye of Pecten. xx, 443-455.

- (2). The eye of Spondylus. xxii, 362-364.

- (3). The structure and relations of Tubipora. xxiii, 556-578, pls. xxxix, xl.

- (4). The eye and optic tract of insects. xxv, 215-251, pls. xv-

HIGGINS, J. F. (1). On microscopic x, 150-158. illumination.

HIGHLEY, S. (1). Achromatic gaslamp for the microscope. i, (o. s.), 142-144.

(2). On the practical application of photography to the illustration of works on microscopy, natural history, anatomy, &c. i (o. s.), 178–194.

— (3). Microscope camera. i (o.

s.), 305, 306.

- (4). Is coal a mineralogical species? ii (o. s.), 140, 141.

- (5). Contributions to micromineralogy. iv (o. s.), 220-224 and 277-286.

- - (6). Highley's new compressorium. ii, 307, 308.

Hincks; A History of the British Hydroid Zoophytes (review). x, 70-73.

Hincks; A History of the British Marine Polyzoa (review). xx, 481, 482.

HINCKS, T. (1). Comatula rosaceaencrinitic state. v (o. s.), 18.

- (2). On some new British Polyzoa. v (o. s.), 175, 176, pl. xvii of zoophytology, figs. 5-8; v (o. s.), 249, 250.

(3). Descriptions of new Polyzoa from Ireland. viii (o. s.), 275-280, pl. xxx of zoophytology.

- (4). Note on the ovicells of the cheilostomatous Polyzoa. i.

278-281.

(5). Note on Dr. Heinrich Nitsche's paper on "Some Interesting Points concerning the Mode of Reproduction of the Bryozoa." xi, 235–238.

— (6). On the Protozoon Ophryodendron abietinum. xiii, 1-9, pl. i.

- (7). Contributions to the history of the Polyzoa. xiii, 16-36, pl. ii.

(8). Note on the movements of the vibracula in Caberea Boryi, and on the supposed common nervous system in the Polyzoa. xviii, 7—9.

Hipparchia; scales, Wonfor (1). Hippothoa, A. M. Norman (1).

Hirudinea; anatomy and affinities, A. G. Bourne (6).

- of Japan, Whitman (3).

 Glossiphonidæ, Houghton (2). - Clepsine, development, Whitman (1).

- ova of Nephelis, Iijima (1).

see also Hirudo.

Hirudo, A. G. Bourne (6), Whitman (3).

- nephridia, A. G. Bourne (1, 3). - capillaries of integument, E. R. Lankester (44).

- connective and vasifactive tissues, E. R. Lankester (45).

His; Beiträge zur normalen und pathologischen Histologie der Cornea (review). vi (o. s.), 49-58.

HISLOP, W. (1). Description of an object-compressor for preparing and mounting objects. (Transactions) v, 159, 160.

- (2). Description of a new "secondary stage." (Transactions) vi, 94-96.

Histology; lectures on, Beale (5).

- notes on various tissues, Klein (15, 18), Gibbes (6).

- practical instruction, Rutherford, (1).

HOBSON, J. (1). Notes on Indian Desmideæ. iii, 168—170.

HODGSON, W. (1). Binocular and stereoscopic microscope. ii (o. s.), 57, 58.

- (2). On an easy method of wiping thin glass covers. iii (o. s.),

243, 244.

- (3). On defining the position, and measuring the magnitude of microscopic objects. iv (o. s.), 209-212.

 (4). Application of collodion to the production of stage and eye-piece micrometers for the

microscope. iv (o. s.), 240. **HOFFMANN, H.** (1). On contractile tissues in the Hymenomycetes (transl.). ii (o. s.), 243-250.

Hoffmeister; On the Germination, Development, and Fructification of the Higher Cryptogamia, and on the Fructification of the Coniferæ (review). iii, 66-72.

Hogg; A Manual of Ophthalmoscopic

Surgery (review). iv, 38.

Hogg; The Microscope, its History,
Construction, and Applications (review). ii (o. s.), 277, 278; 3rd edition, vi (o. s.), 117; 6th edition, viii, 84, 85.

HOGG, J. (1). Observations on the development and growth of the Water-snail (Limnæus stagnalis). (Transactions) ii, 91-103, pl. vii.

(2). Cilia in Diatomaceæ. (o. s.), 235, 236.

(3). Facts on the propagation

of Actinia. v (o. s.), 238, 239. — (4). A microscopical inquiry into the vegetable parasites infesting the human skin. (Transactions) vii, 39-57, pl. iv.

- (5). Further observations on the vegetable parasites, particularly those infesting the human skin. (Transactions) xiv, 10-23, pls. iii, iv.

- (6). The lingual membrane of Mollusca, and its value in classification. (Transactions) xvi, 93-104, pls. viii-xi, and pl. xiii.

HOLLAND, T. S. (1). Excess of the colourless corpuscles of the blood (leucocythemia) occurring in cases of goître. i (o. s.), 176–178.

Holothuroidea-

- embryology, W. Thomson (2).

Holothuroidea-

- Philippines, viii, 161.

Synapta, Herapath (3).

- Channel Is., E. R. Lankester (6). - pharynx of sp. ign., Moseley (14).

Homarus; eye, Newton (3).

Homo; development of ova and ovary, Foulis (1).

fœtus, Farre (1), Blenkins (1).

Homœocladia; in fresh water, Eulenstein (1, 2).

Hormosina, Brady (3) xix, 60 and xxi, 51.

Hornera, Alder (2).

HORST, R. (1). On the development of the European Oyster. xxii, 341-346, pl. xxvii.

HOUGHTON, W. (1). Cristatella mucedo. Where to look for and how to find this Polyzoon. viii (o. s.), 59-61.

- (2). Remarks on the Glossiphonidæ, a family of discophorous Annulata. i, 33-39, pl. iii.

- (3). Observations on the fly affecting the mangold wurzel crops in the year 1861. iii, 39-43, pl. i; cf. ii, 230.

- (4). On the parasitic nature of the fry of Anodonta cygnea. ii,

162–168, pl. vii.

- (5). Note on the existence of a pair of subcutaneous orifices in the head of the Eel and Conger. iv, 1, 2, pl. i, a.

HUBRECHT, A. A. W. (1). Some remarks about the minute anatomy of Mediterranean Nemerteans. xv, 249-256, pl. xiii, figs. 6-8.

- (2). Researches on the nervous systems of Nemertines (transl.).

xx, 274–282.

- (3). The peripheral nervous system in Palæo- and Schizo-nemertini, one of the layers of the body wall. xx, 431-442, pls. xxxii, xxxiii.

- (4). A contribution to the morphology of the Amphineura.

xxii, 212-228.

- (5). On the ancestral form of the Chordata. xxiii, 349-368, pl. xxiii.

- (6). Contributions to the embryology of the Nemertea. xxvi, 417-448, pl. xxii.
— (7). The relation of the Ne-

mertea to the Vertebrata. xxvii, 605-644, pl. xlii.

Hudson and Gosse; The Rotifera or Wheel Animalcules (review). xxvi, 508.

HUDSON, C. T. (1). On Pedalion mira. xii, 333-338, pl. xix.

 (2). An attempt to re-classify the Rotifers. xxiv, 335-356.

HUGGINS, W. (1). Note on the prismatic examination of microscopic objects. (Transactions) xiii, 85–87.

HULKE, J. W. (1). Observations on the histology of the eye. x, 317-333, pl. xix.

HUNT, G. (1). Rotation in the Vallisneria spiralis. ii (0. s.), 55, 56.

- (2). The spiral vessel of rhubarb, as seen under the influence of polarized light. ii (0, s.), 288.

 — (3). Curious effect of moisture on the markings of the Pleurosigma.
 iii (o. s.), 174-176; ef. iii (o. s.), 232, 233.

— — (4). Nobert's tests. v (o. s.), 233-236.

- (5). The proboscis of the Blowfly. iv (o. s.), 238, 239.

HUTTON, F. W. (1). On the discovery of Arachnoidiscus ornatus and A. Ehrenbergii, at Malahide, co. Dublin. v, 132, 133.

Huxleya; gen. n., Dyster (1).

Huxley; Lectures on the Elements of Comparative Anatomy (review). iv, 63-81.

 Royal College of Surgeons, Hunterian Lectures on the Invertebrata (abstract). viii, 126-129 and 191-202.

HUXLEY, T. H. (1). Lacinularia socialis. A contribution to the anatomy and physiology of the Rotifera. (Transactions) i, 1-19, pls. i, ii, and half of iii.

- (2). Observations on the existence of cellulose in the tunic of Ascidians, i (0, s.), 22-24.

— (3). On the development of the teeth, and on the nature and import of Nasmyth's "persistent capsule." i (o. s.), 149-164, pl. iii.

— (4). On the structure and relation of the corpuscula tactus (tactile corpuscles or axile corpuscles), and of the Pacinian bodies. ii (0. s), 1-7, pl. i; 139, 140.

HUXLEY, T. H .--

 (5). On the ultimate structure and relations of the Mulpighian bodies of the spleen and of the tonsillar follicles. ii (o. s.), 74-82, pl. iii.

- (6). On the structure of Noctiluca miliaris. iii (0. s.), 49-54,

pl. v.

- (7). On the enamel and dentine of the teeth. iii (o. s.), 127-130.

 (8). Further observations on the structure of Appendicularia flabellum (Chamisso). iv (o. s.), 181-191, pl. x.

- (9). Note on the reproductive organs of the Cheilostome Polyzoa.

iv (o. s.), 191, 192.

 (10). On Dysteria; a new genus of Infusoria. v (o. s.), 78-82, pl. vii, figs. 13-15.

- (11). Observations on the development of some parts of the skeleton of Fishes, vii (o. s.), 33-46, pl. iii.

— (12). On the structure of the mouth and pharynx of the Scorpion. viii (o. s.), 250-254, pl. xii.

 — (13). On some organisms living at great depths in the North Atlantic Ocean. viii, 203-212, pl. iv.

 — (14). On the relations of Penicillium, Torula, and Bacterium. x, 355-362.

— — (15). On the classification of the animal kingdom. xv, 52-56.

— — (16). On Saprolegnia in relation to the salmon disease. xxii, 311-333.

Hyalodiscus, Archer (25) xvii, 342; Hendry (6).

Hyalosphenia, Archer (25) xvii, 110.

Hydra; anatomy and development, Allman (11).

a unicellular organism, Ecker (1).
chlorophyll, E. R. Lankester (53).

- histology, digestion, &c., T. J. Parker (2), Hartog (1).

Hydrachna in Anodon, Houghton (4). Hydractiniæ; Pyenogon larvæ in, T. S. Wright (4).

Hydrodictyon, Pringsheim (2). Hydromedusæ; nervous system, Balfour (7).

- Thaumantias, T. S. Wright (3), Cobbold (3).

Hydromedusæ-

- embryology and sp. n., T. S. Wright

Lucernaria, Keferstein (2). - Schizocladium, Allman (7).

- Cordylophora, Allman (8), Price (1).

- Halecium, Allman (10).

- Velella, colouring matter, E. R. Lankester (19).

— muscle, Kidd (4).

- Limnocodium, E. R. Lankester (46, 48, 49).

- skeletons under polariscope, G. Bird

- Tubularia, development, Mummery (1).

- Campanularia, Schultze (2).

— Carduella, Allman (5).

— see also Hydra.

Hydroptila; larva, C. S. Tomes (1). Hydrosera, Wallich (2).

Hydrozoa; action of fresh water, E. R. Lankester (47), Romanes (1).

- for spp. nn. see Zoophytology. - nervous system, Balfour (7).

- origin of sexual cells, Weisman (review).

- marginal sense organs, Gegenbaur (1).

see also Hydromedusæ.

Hyla; papillæ of tongue, Beale (16). Hymenomycetes; contractile tissue, Hoffmann (1).

Hypophysis cerebri, homologies, Hubrecht (5), Sheldon (1).

Hyperammina, Brady (3) xix, 32.

I.

Ianthina, development, Haddon (1). Icthydina, Mecznikow (3).

Icthyopsida; branchial sense organs, Beard (1).

Iguana; pineal eye, W. B. Spencer (3). IIJIMA, I. (1). On the origin and growth of the eggs and egg-strings in Nephelis, with some observations on the "spiral asters." xxii, 189-211, pls. xvii-xix.

Inflammation, x, 242-264, Mecznikow

Infusoria; chlorophyll in, Sallitt (1). in cancerous discharge, i (o. s.),

- "stomachs," Samuelson (1, 3).

Infusoria-

- supposed sexuality, ii, 176-196, ii, 285-292, Eberhard (1).

trichocysts, Allman (3).

- see also Ciliata.

Injection; by air-pressure, Hamilton (1).

- fluid, Richardson (1).

— of hexapoda, xiii, 85.

of lymph spaces, Bowditch (1).

syringe, Robertson (3).

INMAN, T. (1). Structure of the epidermis of the petal of the Geranium. i (o. s.), 56, 57.

 (2). On the formation of dotted tissue. i (o. s.), 57.

- (3). Desquamation of pulmonary air-cells. i (o. s.), 58-60.

— (4). Ear-wax. i (0. s.), 146. — (5). Powell's condenser. ii (0. s.), 60.

- (6). Use of the microscope. v (o. s.), 20, 21.

Insecta; circulation, Mitchell (1), viii, 272.

- eye and optic tract, Hickson (4), Gorham (1).

- eye, preparations of, Moseley (6).

— feet and wings, Tyrrel (2). — feet, Hepworth (1, 2, 3).

micropyle, Leuckart (1).

muscle, &c., Beale (12).

- spines on eggs, Davis (2). Intoshia, Giard (1).

Intracellular digestion, Mecznikow (4). Invertebrata; chromatology of blood, MacMunn (1).

- eyes, Carrière (1).

Iris; contractile tissue, Lister (1).

ISHIKAWA, C. (1). On the development of a freshwater Macrurous Crustacean, Atyephira compressa. xxv, 391-428, pls. xxv-xxviii.

- See MITSUKURI (3).

Isolation of minute objects, Redfern

ITZIGSOHN, H. (1). On the existence of spermatozooids in certain freshwater Algæ (transl.). ii (o. s.), 35, 36.

(2).On the propagation of the Oscillariæ (transl.). ii (o. s.),

188-191.

IWAKAWA, T. (1). The genesis of the egg in Triton. xxii, 260-277, pls. xxii-xxiv.

Ixodes, Macalister (2).

J.

JACKSON, G. (1). Presidential address, 1853. (Transactions) i, 79-85.

- (2). On thin glass covers.

(o. s.), 141, 142.

- (3). Presidential address, 1854. (Transactions) ii, 85-89.

- (4). On the best form of micrometer for the microscope. ii (o. s.), 129-131.

- (5). On micrometers and micrometry. iv (o. s.), 241-243.

Jacobson's organ; guinea-pig, Klein (19, 20)

rabbit, Klein (22).

— dog, Klein (24).

- various, R. T. Harvey (1).

JACKSON, W. H. (1). On staining sections with magenta. xiv, 139-141.

 \cdot (2). On a new Peritrichous Infusorian (Cyclochæta spongillæ).

xv, 243-249, pl. xii.

JACUBOWITSCH, N. (1). On the terminations of the nerves at the periphery and in the different organs, or the terminations of the nervous system in general (transl.). i, 124-127.

Jaculella, gen. n., Brady (3) xix, 35.

JANSON, H. U. (1). Another objectfinder. viii (o. s.), 198-201. - (2). The nose-piece finder.

viii (o. s.), 269-271.

- (3). Further notes on finders. i, 66-68, cf. i, 133.

- (4). The binocular microscope. i, 134-136.

JOHNSON, A. (1). On the development of the pelvic girdle and skeleton of the hind limb in the Chick. xxiii, 399-411, pls. xxvi, xxvii.

- (2). On the fate of the blastopore and the presence of a primitive streak in the Newt (Triton cristatus). xxiv, 659-672, pl. xliv.

- (3) & SHELDON, L. Notes on the development of the Newt (Triton cristatus). xxvi, 573-589, pls. xxxiv-xxxvi.

JOHNSTON, C. (1). Auditory apparatus of the Culex mosquito. iii (o. s.), 97-102, pl. vi, figs. 1-5.

(2). Colour of blood-corpuscles. v (o. s.), 19, 20.

JOHNSTON, C .--

(3). On a method of preparing and mounting hard tissues for the microscope. vii (o. s.), 258-261.

 (4). Descriptions of Diatomaceæ, chiefly of those found in "Elide" (Lower California) Guano. viii (o. s.), 11-21, pl. i, figs. 10-14.

Johnson, C.; obituary, vii, 96.

Johnstone and Croall; The Natureprinted British Sea-weeds, a History accompanied by Figures and Dissections of the Alga of the British Isles. (review of vol. i), viii (o. s.), 56-58; (review of vols. ii-iv), viii (o. s), 193.

JOLY, N. (1) & C. MUSSET. experiments on Heterogenesis, by means of the air contained in the closed cavities of plants (transl.).

i, 47-49.

Jones and Sieveking; A Manual of Pathological Anatomy (review). iii (o. s.), 155, 156.

JONES, T. RUPERT (1). Bivalved Entomostraca, recent and fossil. (Transactions) xvi, 39-55.

JONES, RYMER (1). On the structure and metamorphosis of the larva of Corethra plumicornis. (Transactions) xv, 99-104, pl. ix.

Jones, Rymer; General Outline of the Organisation of the Animal Kingdom, and Manual of Comparative Anatomy. (review of 2nd edition), iv (o. s.), 149, 150; (review of 3rd edition), ii, 113, 114.

The Aquarian Naturalist, Manual for the Seaside (review).

vii (o. s.), 111, 112.

Julus; development, Heathcote (2).

K.

Karyokinesis, Priestley (1), J. T. Cunningham (1), lijima (1), Klein (16), (Carnoy's researches) Lee (1); see also Cell, Ovum.

KEATES, J. (1). On a mode of illumination for high powers. (o. s.), 114, 115.

Keber; Mikroskopische Untersuchungen über die Porosität der Körper (review). iii (o. s.), 152-155.

KEFERSTEÍN, W. (1). On Sagitta (transl.). iii, 134–136.

KEFERSTEIN, W.—

- (2). On the genus Lucernaria

(transl.). iii, 265-285, pl. xii. Kent; Manual of the Infusoria (review). xxi, 377, 378.

- KENT, W. S. (1). On a new Polyzoon, "Victorella pavida," from the Victoria Docks. x, 34-39, pl. iv.
- (2). On two new genera of Alcyonoid Corals, taken in the recent expedition of the yacht "Norna" off the coast of Spain and Portugal. x, 397-399, pl. xxi.
- (3). Notes on Appendicularia and the larval condition of an Acanthocephaloid Scolecid from the coast of Portugal. xi, 267-270, pl. xiv.

KESTEVEN, W. (1). An aid to microscopical drawing. xiv, 178.

- KIDD, P. (1). Observations on spontaneous movement of nucleoli. xv, 133, 134.
- (2). Note on the lymphatics of mucous glands. xvi, 386-388, pl. xxvi.
- · (3). Schiefferdecker's microtome. xvii, 35, 36.
- (4). Engelmann on contractility and double refraction. xvii, 36-
- (5). On some points in the early development of the Hen's egg. xvii, 160-169, pl. xii.
- Kidney and associated structures, Vertebrata, Balfour (10), Sedgwick (1,2,3); see Pronephros, and Suprarenal Bodies.

- epithelium, xiv, 198.

KINCAID, S. B. (1). A new adjustable diaphragm. (Transactions) xiv, 75, 76.

Kinetoskias, Busk (11).

- KINGSLEY, G. H. (1). Cilia on the surface of Confervæ. iii (o. s.), 243.
- KINGSLEY, J. S. (1). Notes on the embryology of Limulus. xxv, 521-576, pls. xxxvii-xxxix.
- KITTON, F. (1). Remarks on the publication of new genera and species from insufficient material. vii, 118-121.
- (2). Remarks on some of the new species of Diatomaceæ recently published by the Rev. E. O'Meara. viii, 13-16.

KITTON, F .-

- (3). Description of a new genns of Diatomaceæ, and observations on the costæ of Pinnularia peregrina. viii, 16, 17. — (4). New species of Diatomaceæ.
- viii, 139-143.
- Klein; Atlas of Histology (review). xx, 480.
- The Anatomy of the Lymphatic System (review). xiv, 278-280; (review of part ii, The Lung), xvi, 86 - 90.
- KLEIN, E. (1) & H. KUNDRAT. On the conduct of the fixed cells of the tadpole's tail after mechanical irritation of this organ (transl.). x, 255-257.
- (2). On the peripheral distribution of non-medullated nervefibres. xi, 405-416, pls. xix, xx; and xii, 21-35, pls. i-iv.

 — (3). On Remak's ciliated vesicles and corneous filaments of the peritoneum of the Frog. xii, 43-50.

- - (4) & J. BURDON-SANDERSON. Preliminary notice of researches on the anatomy of the serous membranes in normal and pathological conditions. xii, 142-154.
- (5). Contributions to the anatomy of Auerbach's plexus in the intestine of the Frog and Toad. xiii, 377-380, pl. xviii.
 - (6). Lostorfer's syphilis-corpuscles. xiv, 180-182.
 - (7). On the pathology of sheeppox. xv, 229-243.
- (8). Observations on the structure of the spleen. xv, 363-372, pl. xxi.
 - (9). Note on a pink-coloured Spirillum. xv, 381-383.
- (10). Observations on the early development of the common trout (Salmo fario). xvi, 113-131, pl. vi.
- (11). Note on a method of preparing the cornea. xvii, 34, 35.
- -(12).Contributions to minute anatomy of the omentum. xvii, 235-244, pl. xviii.
- (13). Contribution to the minute anatomy of the epidermis in smallpox of sheep. xvii, 393-399, pl. xxiv.

KLEIN, E .-

(14). Experimental contribution to the etiology of infectious diseases, with special reference to the doctrine of contagium vivum. xviii, 170-177, pl. xi, figs. A-E.

 (15). Observations on the structure of cells and nuclei. xviii, 315-339, pls. xvi; xix, 125-175,

pl. vii.

- (16). Observations on the glandular epithelium and division of nuclei in the skin of newt. 404-420, pl. xviii.

- (17). On the termination of the nerves in the mammalian cornea, xx, 459-475, pl. xxxvii.

- — (18). Histological notes. XX. 476-479; xxi, 114-118, and 231-233.

- (19). Contributions to the minute anatomy of the nasal mucous membrane. xxi, 98-113, pl. vii.

- (20). A further contribution to the minute anatomy of the organ of Jacobson in the Guineapig. xxi, 219-230, pls. xvi, xvii.

- (21). On the lymphatic system of the skin and mucous membrane. xxi, 379-406, pls. xxi, xxii.

 (22). The organ of Jacobson in the Rabbit. xxi, 549-570, pls. xxx, xxxi.

 — (23). On the lymphatic system and the minute structure of the salivary glands and pancreas. xxii, 154-175, pls. xi, xii.

- (24). The organ of Jacobson in the Dog. xxii, 299-310, pl. xxvi.

- (25). On the relation of pathogenic to septic Bacteria, as illustrated by Anthrax cultivation. xxiii, 1-68.

- (26). On a morphological variety of Bacillus anthracis. xxiii, 260-264, pl. xxi. Note on the Foregoing, E. R. LANKESTER, pp. 265-267.

– (27). Note on a pink Torula.

xxiii, 268-271.

KLEINENBERG, N. (1). The development of the Earthworm, Lumbricus trapezoides. xix, 206-244, pls. ix-xi.

KÖLLIKER, A. (1). Description of Actinophrys sol (transl.). i (o. s.), 25-34 and 98-106, pl. i, figs.

1-6.

KÖLLIKER, A.-

- (2). Contributions towards a knowledge of the lower animals (transl.). i (o. s.), 211-213.

(3). On the development of the so-called "nuclear fibres," of the "elastic fibres," and of the "connective tissue" (transl.). ii (o. s.), 178-184.

- (4). On the action of a concentrated solution of urea upon the blood-cells (transl.). iii (o. s.),

289-291.

- (5). Notice respecting the occurrence of lymph-corpuscles in the commencement of the lymphatic vessels (transl.). iii (o. s.), 291-293.

- (6). On the influence of caustic alkalies upon the motions of the spermatic filaments (transl.). iii

(o. s.), 293, 294.

 (7). On the vitality and develoment of the spermatic filaments (transl.). iii (o. s.), 296-299.

- (8). On a peculiar structure in the columnar epithelial cells of the intestines, in connection with the absorption of fatty matters (transl.). v (o. s.), 152, 153.

- (9). On the structure of muscular fibre (transl.). vi (o. s.),

31 - 33.

- (10). Preliminary observations on the luminous organs of Lampyris (transl.). vi (o. s.), 166-173.

- (11). On the development of the transversely striated muscular fibre in man, from simple cells (transl.). vii (o. s.), 54-56.

- (12). On the frequent occurrence of vegetable parasites in the hard tissues of the lower animals (transl.). viii (o. s.), 171-188, pl. viii.

Kölliker; Handbuch der Gewebe-lehre des Menschen für Aerzte und Studirende (review). i (o. s.), 133-

135.

KÖSTER. K. (1). The minute structure of the human umbilical cord (transl.). x, 46-51.

KRAUSE, W. (1). The nature of connective tissue (transl.). xi, 275-280.

KUNDRAT, H., see KLEIN (1).

Kupfer's vesicle; significance, J. T. Cunningham (3).

L.

Labyrinthici; labyrinthine apparatus, Zograff (1).

Labyrinthuleæ, viii, 29.

Lacerta; development, Weldon (1). pineal eye, W. B. Spencer (3).

Lacertilia; development, Balfour (12).

- malleus, &c., Dollo (1).

- pineal eye, W. B. Spencer (3).

Lachrymal glands, Boll (1).

Lacinularia socialis; anatomy, Huxley (1).

Lagena, Brady (3) xxi, 60.

Lamellibranchiata; gills, Mitsukuri (1), Peck (1).

Glochidium, Houghton (4).

- trichocysts, Bergh (1), Wright (5).

- Pholas, phosphorescence, Panceri (2).

- development, E. R. Lankester (33, 42), Horst (1).

eye, Hickson, (1, 2).

Lampyris; luminous organs, Kölliker (10).

Landsborough; A Popular History of Marine Zoophytes (review).

(o.s.), 136, 137.

LANG, F. H. (1). Beck's Treatise on the Microscope. v, 228, 229, cf. v, 287.

- — (2). A new Difflugia. v, 285, 286. Langia; vascular and nephridial systems, Oudemans (1).

Lanice, J. T. Cunningham (8).

LANKESTER E. (1). On the presence of microscopic fungi in water deleterious to health. iv (o. s.), 270-272, pl. xiv, figs. 16-19.

 (2). Presidential address, 1859. (Transactions) vii, 64-78.

- (3). Description of a museum microscope. vii (o. s.), 235-238.

- (4). Presidential address, 1860. (Transactions) viii, 83-99.

- (5). Notes on Raphides. 243-251.

Lankester, Edwin; obituary, xv, 59-62. LANKESTER, E. R. (1). On our present knowledge of the Gregarinidæ, with descriptions of three new species belonging to that class. iii, 83-96, pl. vii.

- (2). The anatomy of the Earthworm. iv, 258-268, pl. vii; v, 7-18, pls. ii, iii; v, 99-116, pl. vi;

cf. v, 287.

LANKESTER, E. R.—

- (3). Notes on the Gregarinida, (Transactions) xiv, 23-28, pl. v.

(4). On the action of Monads in producing colouring matter. vii, 283, 284.

(5). On the structure of the tooth in Ziphius sowerbiensis (Micropteron sowerbiensis, Eschricht), and on some fossil Cetacean teeth. (Transactions) xv, 55-64, pls. v, vi.

(6). Note on the Synaptæ of Guernsey and Herm, and a new parasitic Rotifer. viii, 53-55.

- (7). The sexual form of Chætogaster limnæi. ix, 272-285, pls. xiv, xv.

- (8). Note on a new means of examining blood under the microscope, and on the blood-fluids of Invertebrates, and on a natural standard for registering absorption spectra. ix, 296-299.

(9). Professor Huxley and Dr. Beale on protoplasm. ix, 300-

304.

- (10). Remarks on Opalina and its contractile vesicles, on Pachydermon and Annelidan spermatophors. x, 143-158, pl. ix.

- (11). On some migrations of cells. x, 265-269, pl. xvii.

- (12). Note on methæmoglobin. x, 402-405.

- (13). On the structure and origin of the spermatophors or sperm-ropes, of two species of Tubifex. xi, 180-187, pls. x, xi.

- (14). Improvements in the lenses of microscopes. xi, 190-

192.

- (15). Observations and experiments on the red blood-corpuscle, chiefly with regard to the action of gases and vapour. xi, 361-387, pls. xv, xvi.

- (16). On Undulina, the type of a new group of Infusoria.

387-389.

Remarks on Pedalion. (17).xii, 338-342.

(18). Remarks on the structure of the Gregarinæ, and on the development of G. (Monocystis) sipunculi. xii, 342-351, pl. xx.

- (19). Blue stentorin, the colouring matter of Stentor coruleus.

xiii, 139-142.

LANKESTER, E. R.-

- — (20). On a peach-coloured Bacterium, Bacterium rubescens, n. s. xiii, 408-425, pls. xxii, xxiii.

 — (21). Remarks on the affinities of Rhabdopleura. xiv, 77-81.

- (22). Torquatella typica; a new type of Infusoria, allied to the Ciliata. xiv, 272-274, pl. xii, figs. 1–5.

- - (23). On the heart of Appendicularia furcata, and the development of its muscular fibres. xiv, 274-277, pl. xii, figs. 6-8.

- - (24). Observations on the development of the Pond-snail, and on the early stages of other Mollusca. xiv, 365-391, pls. xvi, xvii; cf. xv, 63, xx, 376.

- (25). The mode of occurrence of chlorophyll in Spongilla. xiv,

400, 401.

- (26). Observations on the development of the Cephalopoda. xv, 37–47, pls. iv, v.

-- (27). On the invaginate planula, or diploblastic phase of Paludina vivipara. xv, 159-166.

- (28). On some new points in the structure of Amphioxus, and their bearing on the morphology of Vertebrata. xv. 257-267.

- (29). Further observations on a peach- or red-coloured Bacterium, Bacterium rubescens. xvi, 27-40,

- (30). An account of Professor Haeckel's recent additions to the Gastræa theory. xvi, 51-66, pls.

 (31). Note on Bacterium rubescens and Clathrocystis roseopersicina. xvi, 278-283.

- (32). Remarks on the shellgland of Cyclas and the planula of Limnæus. xvi, 320-327, pl. xxiv.

- (33). On the coincidence of the blastopore and anus in Paludina vivipara. xvi, 377–385, pl. xxv. – (34). Notes on the embryology

and classification of the animal kingdom, comprising a revision of speculations relative to the origin and significance of the germ-

layers. xvii, 399–454, pl. xxv. — (35). The red vascular fluid of the Earthworm a corpusculated fluid. xviii, 68-73, pl. x, figs. 1-6. LANKESTER, E. R.-

- — (36). Mobility of the spermatozooids of Limulus. 453, 454.

- (37). Recent researches Bacteria. xviii, 455-457.

— (38). Bacteria as the cause of the ropy change of beetroot sugar. xix, 116-118.

- (39). Chlorophyll in Turbellarian worms and other animals.

xix, 434-437.

- (40). The structure of Haliphysema tumanowiczii. xix, 476-483, pl. xxii.

- (41). Lithamæba discus, nov. gen. and sp., one of the Gymnomyxa. xix, 484-487, pl. xxiii. - — (42). Development of Planor-

bis. xx, 103, 104; cf. xx, 376. - - (43). The origin of the red cor-

puscles of Mammalian blood. xx, 241-243.

- — (44). On intra-epithelial capillaries in the integument of the medicinal Leech. xx, 303-306.

- — (45). On the connective and vasifactive tissues of the medicinal Leech. xx, 307-317, pls. xxvii, xxviii.

- (46). On Limnocodium (Craspedacustes) sowerbii, a new Trachomedusa inhabiting fresh water. xx, 351–371, pls. xxx, xxxi.

— (47). Medusæ and hydroid Polyps living in fresh water. xx, 483-485.

— (48). On the intracellular digestion and endoderm of Limnocodium. xxi, 119-131, pls. viii-x; cf. xxi, 377.

 (49). On young stages of Limnocodium and Geryonia. xxi, 194-

201, pl. xiii.

- (50). Observations and reflections on the appendages and on the nervous system of Apus cancriformis. xxi, 343-376, pl. xx.

- - (51). Limulus an Arachnid. xxi, 504-548, pls. xxviii, xxix; and

xxi, 609-649.

- (52). On Drepanidium ranarum, the cell-parasite of the Frog's blood and spleen. xxii, 53-65.

- (53). On the chlorophyll corpuscles and amyloid deposits of Spongilla and Hydra. xxii, 229-254, pl. xx.

LANKESTER, E. R .-

- (54). The vertebration of the tail of Appendiculariæ. xxii, 387-390.

- (55) & A. G. BOURNE. The minute structure of the lateral and central eyes of Scorpio and Limulus. xxiii, 177-212, pls. xxii.

- (56) & A. G. BOURNE. On the existence of Spengel's olfactory organ and of paired genital ducts in the Pearly Nautilus. 340 - 348.

On the skeleto-trophic - -- (57). tissues and coxal glands of Limulus, Scorpio, and Mygale. xxiv,

129-162, pls. vi-xi.

- (58). On Procalistes, a young Cephalopod with pedunculate eyes, taken by the "Challenger" expedition. xxiv, 311-318.

A contribution to the - (59). knowledge of Rhabdopleura. xxiv, 622-647, pls. xxxvii bis-xli.

- (60). Archerina boltoni, nov. gen. et sp., a chlorophyllogenous Protozoon, allied to Vampyrella. xxv, 61-73, pl. vii.

- (61). A new hypothesis as to the relationship of the lung-book of Scorpio to the gill-book of Limulus. xxv, 339-342.

- (62). On green oysters. xxvi,

71-94, pl. vii.

- (63). The pleomorphism of the Schizophyta. xxvi, 499-505.

- see also KLEIN (26).

Laomedea, T. S. Wright (4). Lardner; The Microscope (review). iv (o. s.), 298.

Larval forms, Balfour (17), E. B. Wilson (1).

Laticiferous vessels; development, D. H. Scott (1).

— of Hevea, D. H. Scott (3). - of Manihot, D. H. Scott (2).

LAUDER, H. S. (1). On new Diatoms.

(Transactions) xii, 6-8, pl. iii. (2). Remarks on the marine Diatomaceæ found at Hong Kong, with descriptions of new species.

(Transactions) xii, 75-79, pl. viii. Laurent; Études Physiologiques sur les Animalcules des Infusiores Végétales (review). iii (o. s.), 156, 157.

LAWRANCE, J. W. (1). Glycerine jelly. vii (o. s.), 257, 258.

LAWRANCE, J. W .--

- (2). A new cement for mounting objects for the microscope, either in dry cells or in fluid. viii (o. s.), 135, 136.

Lawson; A Manual of Popular Physiology, being an attempt to explain the Science of Life in Intellectual Language (review). iii, 290-294.

LAWSON, G. (1). On rotation in the cells of plants. ii (o. s.), 54, 55.

-(2).Rotation in Anacharis. ii (o. s.), 132.

- (3). On the microscopical structure of the Victoria regia. (o. s.), 163-165.

LAWSON, H. (1). On the generative system of Helix aspersa and hortensis. i, 264-273.

- (2). On the general anatomy,

histology, and physiology of Limax maximus. iii, 10-37, pls. ii, iii.

- (3). Zoosperms in the ovaria of Pulmoniferous Gastropods. iv, 204.

LEARED, A. (1). Description of a new parasite found in the heart of the edible Turtle. ii, 168-170.

Leaves; colouring matters, Sorby (4). Lecanium? Beck (2).

Lecidea, Lindsay (2), (6) ix, 55. Lecythium, Archer (25) xvii, 197.

LEE, A. B. (1). Carnoy's cell researches. xxvi, 481-497, pl. xxvi.

Lee; The Microtomist's Vade-mecum: a Handbook of the Methods of Microscopic Anatomy (review). xxvi, 507.

LEGG, N. S. (1). Observations on the examination of sponge sand, with remarks on collecting, mounting, and viewing Foraminifera as microscopic objects. (Transactions) ii, 19-22.

Leidy; A Flora and Fauna within Living Animals (review). ii (o. s.), 192-195.

- Freshwater Rhizopods of North America (review). xx, 480, 481.

LEIGH, R. (1). How to make Diatoms stick. vi, 168.

Leiodera; pineal eye, W. B. Spencer(3). Leiolæmus; pineal eye, W. B. Spencer (3).

LEIPNER, A. (1). On the presence of silica in the Rubiaceæ and in Achillea ptarmica. v (o. s.), 134LE MONNIER, see VAN TIEGHEM (1).

LENDENFELD, R. VON (1). function of nettle-cells. xxvii. 393-399, pl. xxx, fig. 4.

Lens, The; A Quarterly Journal of Microscopy and the Allied Natural Sciences, with the Transactions of the State Microscopical Society of Illinois, Chicago, 1872 (review). xii, 155-157.

Lens, Vertebrate, Nunneley (1).

Lepidoptera-

- scales, Wonfor (1).

- proboscis of Ophideres, Darwin (2). Leprosy; bacillus of, Hansen (1).

Leptodera, Mecznikow (2).

Leptodora; eyes, Carrière (1). Leptophrys, Archer (25) xvii, 345.

Leptostoma; gen. n., Whitman (3). LEUCKART, R. (1). On the micropyle

and minute structure of the eggshell in Insects (transl.). iv (o.s.), 287 - 292.

Further observations on **—** (2). the development of Pentastomum tænioides (transl.). vii (o. s.), 182-193.

- - (3). On the mature condition of Trichina spiralis (transl.). viii (o. s.), 168–171.

- (4). On the development of Echinorhyneus (transl.). iii, 56-

Leuckart; Zur Kenntniss des Generationswechsels und der Parthenogenesis bei den Insekten (review). vii (o. s.), 102-104.

Leucocytes; leucocythæmia, Holland

(1).

- blood, Beale (11).

- development, xi, 43-51.

- general, J. G. Richardson (2). - in urine, J. G. Richardson (1).

- lymphatic, Kölliker (5).

- relation to hæmatids, Pouchet (2).

LEWIS, F. W. (1). Notes on new and rarer species of Diatomaceæ of the United States. ii, 155-161.

LEWIS, R. T. (1). On some of the microscopic effects of the electric spark. vii, 14-20, pl. ii.

LEWIS, T. R. (1). On Nematode Hæmatozoa in the dog. xv, 268-277, pl. xiii, figs. 1-5.

- (2). Flagellated organisms in the blood of healthy Rats. xix, 109-114.

LEWIS, T. R .-

- — (3). The Nematoid Hæmatozoa of Man. xix, 245-259, pl. xii.

- (4). The microphytes which have been found in the blood, and their relation to disease. xix. 356-404, pl. xvii.

- (5). Further observations on flagellated organisms in the blood of animals. xxiv, 357-369. LEWIS, W. B. (1). Preparation of

sections of cerebral and cerebellar cortex for microscopic examination. xvi, 69-76.

Leydig; Anatomisch - histologische Untersuchungen über Fische und Reptilien (review). ii (o. s.), 126-

128.

LEYDIG, D. F. (1). On the Psorospermia and Gregarinæ (transl.). i (o. s.), 206-209.

— — (2). Note on the muscular structure in Paludina vivipara, and other Gasteropoda (transl.). ii (o. s.), 36-37.

— (3). On the structure and systematic position of the Rotifera (transl.). iii (o. s.), 136-142.

Lichens; of human skin, Hogg (4). - nature and reproduction, J. B. Hicks (2, 3), Lindsay (5), ix, 162; Archer (19, 21, 22), Schwendener (1), Vines (4, 5), xiii, 79.

– systematic, Lindsay (5).

- microlichens parasitic on, Lindsay

- see also Algæ, Fungi, &c. Liemophora, Roper (6).

LIEBERKUHN, N. (1). Contributions to the history of the development of the Spongillæ (transl.). v (o. s.), 212-219.

(2). On motile phenomena in Sponges (transl.). iv, 189-193.

Lieberkühnia, Siddall (1).

Light, reflection, transmission, &c., Wenham (25), Proctor (2).

Ligneous plants; cuticle, Hartig (1). Limax, H. Lawson (2), Newton (1). Limnæus, Sanders (3).

- development, E. R. Lankester (24, 32), Hogg (1).

Limnocodium; development, E. R. Lankester (46, 49).

gen. n., anatomy, E. R. Lankester (46).

- digestion, &c., E. R. Lankester (48).

Limulus; anatomy and affinities, E. R. Lankester (51); xii, 159, 160.

- coxal gland, E. R. Lankester (57), Gulland (1).

- chitin in, Halliburton (1).

- development, J. S. Kingsley (1), Packard (1).

- eyes, E. R. Lankester (55).

- gill-books, E. R. Lankester (61).

- skeleto-trophic tissues, E. R. Lankester (57).

- spermatozoids, E. R. Lankester (36). - supposed larva, Willemoes-Suhm(1).

Lindsay; Memoir on the Spermogones and Pycnides of Filamentous, Fructiculose, and Foliaceous Lichens (review). viii (o. s.), 194-197.

LINDSAY, W. L. (1). Monograph of the genus Abrothallus. v (o. s.),

27-63, pls. iv, v.

- (2). On the structure of Lecidea lugubris. v (o. s.), 177-185, pl. xi.

 — (3). On the Protophyta of New Zealand. vii, 97–112.

(4). On the Protophyta of Iceland. vii. 197–203.

- (5). On polymorphism in the fructification of Lichens. 1-13.

Enumeration of micro-- — (6). lichens parasitic on other lichens. ix, 49-57, 135-146, 342-358.

 (7). Observations on lichenicolous micro-parasites. xi, 28-42. Lineus; vascular and nephridial systems, Oudemans (1).

development, Hubrecht (6).

Lipeurus, Giglioli (2), Macalister (2). Listera; epidermis, Gulliver (6).

LISTER, J. (1). Observations on the contractile tissue of the iris. i (o. s.), 8-17, pl. i, figs. 7-13.

- (2). Observations on the muscular tissue of the skin. i (o. s.), 262-268, pl. vi.

- (3). On the minute structure of involuntary muscular fibre. vi

(0. s.), 5-14.

— (4) & W. TURNER. Some observations on the structure of nerve-fibres. viii (o. s.), 29-34, pl. ii.

(5). A further contribution to the natural history of Bacteria and the germ theory of fermentative changes. xiii, 380-408, pls. xix-xxi.

LISTER, J .-

- (6). On the nature of fermentation. xviii, 177-194.

- (7). On the relation of microorganisms to disease. xxi, 330-342.

Lithamœba; gen. n., E. R. Lankester (41).

Lithocolla, Archer (25) xvii, 75.

Lituola, Brady (3) xix, 47.

Liver; capillaries, Rainey(1), cf. xi, 201. LOBB, E. G. (1). Description of a new microscope. i, 175-178.

On the self-division of (2).Micrasterias denticulata. (Transactions) ix, 1, 2, pl. i.

- (3). A few remarks on extracts from papers by Charles Brooke, and by the Editor of the 'Intellectual Observer.' Also on a paper by J. J. Plumer. v, 21-26; cf. v, 154, 155.

· (4). Note on illuminating objects with high powers. (Trans-

actions) xiv, 39-41.

- (5). On two new lamps for the microscope. (Transactions) xv, 72, 73.

Lobosa, Lang (2), Archer (15, 16), Gagliardi (1), E. R. Lankester (41), Bailey (1).

Lopadorhyncus; review of Kleinenberg's researches, G. C. Bourne

Lophohelia, Fowler (1) part iii. Lophomonas, Bütschli (1).

Loxosoma; shell-gland, E. R. Lankester (24).

 structure and development, Harmer (1), Vogt (1); xviii, 199-205.

gemmation, Haddon (2).

LUBBOCK, J. (1). Notes on the Thysanura. ix, 285, 286.

Lucanus, viii, 96, 97, pl. ii, figs. 4-6. Lucernaria, Keferstein (2).

Lumbricus; abnormality, Robertson

- development, Kleinenberg (1).

cœlomic epithelium, Power (1).

- general anatomy, E. R. Lankester

- nervous system, Rorie (1).

- spermatozoa, Blomfield (1) part i. - vascular fluid, E. R. Lankester

(35).Lupus of skin, Hogg (4).

Lycopodiaceæ; stem structure, Dyer (4).

Lymphatics of mucous glands, Kidd (2).
— of skin, &c., Klein (21).

of salivary glands, &c., Klein (23).
 gland near human kidney, Gibbes (5).

- of thyroid, Baber (2).

 of peritoneum, xvii, 298, and xviii, 100.

- of bone, xviii, 102.

— of mucous membranes, Klein (21).

Lyngbya, Hicks (3). Lyriocephalus; pineal eye, W. B. Spencer (3).

M.

MACALISTER, A. (1). On the anatomy of Ascaris dactyluris. vi, 79-86, pl. ii.

 (2). On some species of parasites hitherto undescribed. xi, 163-166.

 — (3). Description of a new genus of Ixodea. xii, 287, 288, pl. xiv, figs. 5-8.

MACALLUM, A. B. (1). The nerve terminations in the cutaneous epithelium of the Tadpole. xxvi, 53-70, pl. vi.

in the liver. xxvii, 439-466, pl.

xxxiii, figs. 1–6.

— (3). On the nuclei of the striated muscle-fibre in Necturus (Menobranchus) lateralis. xxvii, 461-466, pl. xxxiii, figs. A, B.

MACDONALD, J. D. (1). On the structure and relationships of the simple or nucleated, and the compound or punctate, forms of Thalassicollide. ix, 147-149, pl. xi.

 (2). On the minute anatomy of some of the parts concerned in the functions of accommodation to distance, with physiological notes.

x, 230-236, pls. xv, xvi.

— (3). Examination of two soundings obtained in 62 and 68 fathoms respectively, latitude 41° 52′, longitude 9° 8′; and the discovery of buccal teeth in the genus Firola. xi, 273–275.

— (4). On the anatomy of the border of the posterior elastic lamina of the cornea, in relation to the fibrous tissue of the ligamentum iridis pectinatum. xy, 226—

229, pl. xi.

MACMUNN, C. A. (1). On the chromatology of the blood of some Invertebrates. xxv, 469-490, pls. xxxiii, xxxiv.

 (2). Notes on the chromatology of Anthea cereus. xxvii, 573-590,

pls. xxxix, xl.

Macrobdella, Whitman (3).

Macropodus; labyrinthine apparatus, Zograff (1).

MADDOX, R. I. (1). On the generation of Acari in a nitrate of silver bath. (Transactions) x, 96-101.

- — (2). On coloured illumination.

iii, 300, 301.

 — (3). On the photographic delineation of microscopic objects. (Transactions) xi, 9-12.

- (4). Photomicrography, its application and results. (Transactions) will 24 41

tions) xiii, 34-41.

— (5). On a wire spring-clip. (Transactions). xiii, 84, 85.

(6). Notes on a brass slide-clip.
 (Transactions) xiv, 65-67.

(7). Some remarks on the parasites found in the nerves, &c., of the common Haddock, Morrhua æglefinus. (Transactions) xv, 87-99, pl. viii.

Madracis, Fowler (1) part iv. Madrepora, Fowler (1) part ii.

Magosphæra, x, 291, 292.

Madreporaria, anatomy, &c., Fowler (1), G. C. Bourne (1, 2).

Malar; homologies, Dollo (1).

Malpighian bodies; spleen, Huxley (5).
Malpighian tubes; Insecta, Schlossberger (1).

Crustacea, W. B. Spencer (1).
 MALTWOOD, T. (1). On a finder for registering the position of microscopic objects. (Transactions) vi.

59-62.

Mammalia; cornea, Klein (17).

- spinal nerves, &c., Paterson (1).

- development of ova and ovary, Foulis (1), Balfour (8).

— malar and quadrate bones, Dollo (1).

- pre-liassic, Dennis (1).

— fertilisation, &c., of ovum, van Beneden (5).

- evolution of placenta, Osborn (1).

spermatogenesis, H. H. Brown (1).
Talpa, development, Heape (1, 2,

- tongue, Tuckermann (1).

- Cetacean teeth, E. R. Lankester (5).

Mammalia-

- quadrate, G. Baur (1).

Manihot; laticiferous tissue, D. H. Scott (2).

MARSHALL, A. M. (1). The development of the cranial nerves in the Chick. xviii, 10-40, pls. ii, iii.

- (2). The morphology of the Vertebrate olfactory organ. xix, 300-333, pls. xiii, xiv.

- (3). On the head cavities and associated nerves of Elasmobranchs. xxi, 72-97, pls. v, vi.

- (4) & W. B. SPENCER. Observations on the cranial nerves of Scyllium. xxi, 469-499, pl. xxvii.

· — (5). On the nervous system of Antedon rosaceus. xxiv, 507-548,

pl. xxxv.

MARSHALL, C. F. (1). Observations on the structure and distribution of striped and unstriped muscle in the animal kingdom, and a theory of muscular contraction. xxviii, 75-107, pl. vi.

Marsilea, development, v, 50. Marsipella, Brady (3) xix, 36.

Marsupialia; fœtal membranes, Caldwell (1), Osborn (1).

ovary, Poulton (3).

- tongue, Poulton (1).

Mastigamœba, Archer (25) xvii, 350; Bütschli (1).

Martin, Benjamin; Life and Works of, Williams (2), see also Williams (1).

Martin; Microscopic Objects, figured and described (review). xi, 188,

MARTINI, A. de (1). On the anatomical constitution of the nerves of sense in the genus Aplysia (transl.). i,

MAYALL, J. (1). Immersion objectives and test objects. ix, 242-245.

MAYNARD. J. (1). Note on binocular

vision. vi, 50-52.

McCARTHY, J. (1). Some remarks on

spinal ganglia and nerve-fibres. xv, 377-381, pl. xxii. McMURRICH, J. P. (1). On the oste-

ology and development of Syngnathus peckianus. xxiii, 623-650,

pls. xlii, xliii. McNAB, W. R. (1). Notes on Hanstein's researches on the development of the embryo in Monocotyledons and Dicotyledons. xiii, 51-55, pl. iv.

Measled pork, W. Smith (3).

MECZNIKOW, E. (1). Researches on
the nature of the Vorticella stem (transl.). iii, 285-289.

-(2).On the development of Ascaris nigrovenosa (transi.). vi,

25 - 32.

— (3). Concerning some littleknown forms of animal (transl.). vi, 241-252, pl. v.

- (4). Researches on the intracellular digestion of Invertebrates (transl.). xxiv, 89-111.

- (5). The ancestral history of the inflammatory process. xxiv, 112-117.

Medusæ; marginal sense-organs, Gegenbaur (1); action of fresh water, Romanes (1), E. R. Lankester (47).

MEISSNER, C. (1). On a fungoid growth in the nails (transl.). (o. s.), 38–40.

Melicerta; general anatomy, Williamson (3), Huxley (1), Gosse (1).

MELLAND, B. (1). A simplified view of the histology of the striped muscle-fibre. xxv, 371-390, pl. xxiv.

Menipea, A. M. Norman (1).

Mephitis; tongue, &c., Tuckerman (1). Mesoblast; formation, Caldwell (2).

Mesoglea, G. C. Bourne (1). Mesotænium, Archer (7, 11).

Mesozoa, see Dicyemidæ, Orthonectidæ. Metamerism, see Segmentation.

Metazoa, derivation from Protozoa, Sedgwick (5) xxvii, 518; see also

Embryology. Methæmoglobin, Halliburton (4). METSCHNIKOFF. See MECZNIKOW.

Micrasterias; fission, Lobb (2); Archer (4, 10), Hobson (1).

Microchæta, Benham (1) parts i and ii. Micro-chemistry, Parker (1), Beale (3), Guy (3).

Micro-geology, Stoddart (1). Micrographic Dictionary, parts i-ix (review). xiii, 74-76.

Micrography, atmospheric, Pouchet (1, 2, 3), Samuelson (4), Berkeley (2). Microgromia, Archer (25) xvii, 115.

Micro-mineralogy, Highley (5). Micro-photography, Delves (1), Shad-

bolt (2), Highley (2, 3), Rood (1), ii (o. s.), 203, 204, Wenham (6, 22), Davies (2), Woodward (1), xii, 72, 73, Maddox (3, 4).

Micropteron, E. R. Lankester (5). Micropyle, Leuckart (1).

Microscope-

- general account, Plumer (1).

- binocular, Wheatstone (1), Riddell
 1, 3, 4), Wenham (1, 2, 19, 20, 21, 26), Hodgson (1), Janson (3, 4), Heisch, (1), Maynard (1), W. B. Carpenter (4), Stokes (5), Gibbes (2).
- description of new, Lobb (1), Beck
 (4), Curtis (1).
- eye-piece, Davison (1), Slack (3), Royston-Pigott (3); xiii, 84 and 194.
- formulæ, viii (o. s.), 21-25; P. Gray (3), Mitchell (4), Nichols (1), Royston-Pigott passim.
- for museum, E. Lankester (3).
- for submersion, Dudgeon (1); xii, 171, 172.
- for use with aquaria, Redfern (4), Wenham (17).
- illumination, Riddell (2), Rainey (2, 3, 4), Inman (5), Wenham (4, 7, 13, 23), Sollitt (2), Bleakley (1), Branson (2), F. G. Wright (2), Edwards (1), Keates (1), M. Nachet, jun. (3, 4), Guy (1), Maddox (2), Beck (9, 12), Bridgman (5), Castracane (1), W. H. Hall (1), W. B. Richardson (2), Lobb (4), vii, 60-62, Mouchet (1), Woodward (2), Reade (2), Piper (1), Barkas (3), vi, 52, Forgan (1), Beck (15), Kincaid (1), vii, 223, Lobb (5), J. H. Brown (1), W. Robertson (2), E. Smith (1), W. H. Hall (2), vii, 107, Hailes (1), Higgins (1).

- list of makers, &c., Payne (1).

Benj. Martin's, Williams (1).
objectives, Wenham (3, 5, 8, 15), d'Alquen (1), Sollitt (1), Robinson (1), Bailey(5), P. Gray (1), Hendry (2), Mitchell (2), Lobb (3), Mayall (1), Royston-Pigott (1, 2, 5, 6, 7), E. R. Lankester (14).

portable, Beale (4, 6), Warington (2), Tomkins (3).

- rack, Wenham (18).

- report on; exhibition of 1851, i (o. s.), 219-223; of 1862, iv, 83-95.
- stage, i, 62, 63; J. Smith (7), Beck (16).

Microscope—

— tests, Harting (1), iii (0. s.), 233, 300-302, and 312, Wenham (11), Hall (1), Hunt (6), Sullivant (1), Hendry (5, 7), Beck (3, 7), Mouchet (3, 5), Stodder (2), Woodward (3), Royston-Pigott (1).

- universal screw, report on, vi (o. s.),

39-41; Beck (1).

vertical measurement, Welcker (1, 2).

visual powers of, Rylands (1).

— see also under Microscope accessory apparatus, &c.

Microscope; accessory apparatus—

— amplifier, xv, 173, 174.

— cabinet, J. Smith (2).

- camera lucida, &c., Riddell (5),
 Coles (5), P. Gray (2), M. Nachet,
 jun. (1), Newton (2), Kesteven (1).
 cells, Beale (1).
- cementing pencil, Gorham (2).
 clip, Hislop (1), Maddox (5, 6).
- cover glasses, G. Jackson (2).
 erecting prism, M. Nachet, jun. (2).

erecting prism, M. Nachet, jun. (2).
lamp, Highley (1).

— live box, &c., Milner (1), Highley (6), Davison (2), Guyon (2), iv, 41, 42, Beck (11, 12, 14), Maddox (4), Barker (1, 2), Schulze (1), Curteis (1), Piper (2), xiv, 284, 285.

- magnetic stage, Busk (5), J. B. Spencer (1), Tomkins (1).

— micrometer, ii (o.s.), 51-54, G. Jackson (4, 5), Coles (1), W. Robertson (1), Hodgson (3, 4), Gibbons (1), Welcker (1), Hendry (1), i, 216, Mitchell (5).

- nose piece, Burton (1).

— object-finders, Maltwood (1), Taylor (1), Tomkins (2), Janson (1, 2), Wallich (6), Powell (1), v, 225–228, Barkas (2), F. J. Hicks (1), Tyrrell (1), Wright (1), Amyot (1, 2), Bridgman (1, 2, 3), Okeden (3), iii (o. s.) 314, 315, Bailey (4), Hodgson, (3) Farrants (2), (Transactions) v, 95–100, Edwards (2).

polariscope, Herapath (2), Hunt (2),
 Furze (1), Davies (1), J. Smith

(3, 7), xv, 64, 65.

- revolving table, Burton (2).
 secondary stage, Hislop (2).
- slide holder, ii (o. s.), 56.
 stage forceps, J. Smith (7).
- warm stage, Schäfer (1), C. H. G. Bird (2).

Microscope; dissecting, J. Smith (5), Beck (10); vi, 49, 50.

Microscopic mounting, various, Johnston (3), iv (o. s.), 299, J. E. Gray (2), Ralph (1), vi (o. s.), 118-121, J. Smith (1), H. H. Brown (1), Morris (1), Stokes (1), Guy (2), Beck (8), Proctor (1), Ralph (2), Stokes (3), Heys (1), Maddox (5), Goddard (1), Leigh (1), J. Smith (6), Allen (1), x, 292, 293, xi, 285, 286, 288, Lawrance (1, 2). See also Sections, Stains.

Microscopic writing, Farrants (1).

Micro - spectroscope, Huggins (1), Browning (1), xii, 68-71.

Microsporon, Hogg (4).

Microtome, J. Smith (1), xiv, 177, 178, xvii, 101, Busk (10). See also Section.

Miliola, Parker (1).

Miliolina, Brady (3) xix, 268 and xxi,

MILNER, W. R. (1). Description of a trough for exhibiting the circulation of the blood in a fish's tail. vii (o. s.), 113, 114.

Mimosa; pulvinus, Gardiner (2).

M'INTOSH, W. C. (1). The Trematode larva and Ascaris of the Carcinus mœnas. v, 201-204, pl. viii.

- (2). On the Gregariniform parasite of Borlasia. (Transactions)

xv, 38-41, pl. ii.

- - (3). Experiments on young Salmon. viii, 145-154, pl. iii.

- (4). On a Crustacean parasite of Nereis cultrifera. x, 39-41, pl. v.

 (5). On Amphiporus spectabilis, and other Nemerteans. xv, 277-293, pls. xiv, xv.

MITCHELL, J. (1). On a pulsatile muscular organ, auxiliary to the circulation, found in the legs of certain insects. (Transactions) vii, 36-38.

- (2). High powers. viii (o. s.), 273, 274.

— (3). Oscillatoriaceæ. i, 63, 64. Notes from Madras. ii, -- (4).

60-62, and ii, 303-307.

- (5). On the true reading of measurements with the cobweb (Transactions) xiv, micrometer. 71 - 73.

MITSUKURI, K. (1). On the structure and significance of some aberrant forms of Lamellibranchiate gills. xxi, 595-608, pl. xxxiv.

MITSUKURI, K .-

(2). On the development of the suprarenal bodies in Mammalia.

xxii, 17-29, pl. iv. - (3) & C. ISHIKAWA. On the formation of the germinal layers in Chelonia. xxvii, 17-48, pls. ii-v.

MOGGRIDGE, J. (1). On the muffa of the sulphur springs at Valdieri. viii, 223-225.

v. Mohl, H.; obituary, xv, 178-181.

v. Mohl; Principles of the Anatomy and Physiology of the Vegetable Cell (review). i (o. s.), 287-292.

Molecular theory of organisation, Bennet (2), Ord (2); see also Calcareous Concretion.

MOLESCHOTT, J. (1) & RICCHETTI. On the restoration of the motions of the spermatozooids of the Mammalia (transl.). iii (o. s.), 294, 295.

Mollusca; radulæ, J. E. Gray (1), Hogg (6).

- development, E. R. Lankester (24, 27, 32), Haddon (1).

- trichocysts, Bergh (1).

- affinities, E. R. Lankester (21, 24).

hæmoglobin, Sorby (8).

- colouring matter, Moseley (9). — gills, Peck (1), Mitsukuri (1).

- pores from blood-system to exterior, A. G. Bourne (7).

see also Cephalopoda, Gastropoda, Lamellibranchiata, Heteropoda, Pteropoda.

Moloch; pineal eye, W. B. Spencer (3). Monadina, criticized, E. R. Lankester (31).

- in human intestine, D. D. Cunningham (2),

Monera; monograph of, Häckel (1). Monocotyledons; raphides, Gulliver (3). Monocystis, E. R. Lankester (3, 18). Monostroma, Currey (7).

Monothalamia, Archer (25).

Monotremata; ovary, Poulton (3).

tongue, Poulton (2).

MONTAGNE, M. C. (1). On the multiplication of Chara by division (transl.). ii (o. s.), 40, 41.

Morel; Compendium of Human Histology (review). i, 128.

Morin; Note Relative aux Apparences Microscopiques des Cheveux Humains et des Poils d'Animaux (review). i (o. s.), 136.

Morrhua, parasites, Maddox (7).

MORRIS, J. W. (1). On mounting Polyzoa and Hydroid Zoophytes, so as to display the outstretched tentacles as in life. ii, 116, 117.

MOSELEY, H. N. (1). Notes on the method of application of nitrate of silver and chloride of gold in the preparation of certain tissues for microscopic investigation. xi, 55-59; ef. xi, 287, 288.

- (2). On certain methods which may be employed in the investigation of the development of the Frog's egg. xi, 151-155.

- (3). Some remarks on the nerves of the cornea of the Rabbit and

Frog. xi, 261, 262, pl. xiii.

(4). On the circulation in the wings of Blatta orientalis and other insects, and on a new method of injecting the vessels of insects. xi, 389-396, pl. xvii.

- (5). On methods for preparing the organ of Corti for microscopical investigation. xii, 375-378.

- · (6). A few notes on microscopic preparations of insects' eyes. xii, 379.
- · (7). On Actiniochrome, colouring matter of Actiniæ which gives an absorption spectrum. xiii, 143, 144.
- (8). Note on Mihakowics' new method of imbedding. xvi, 327-329.
- (9). On the colouring matters of various animals, and especially of deep-sea forms dredged by H.M.S. "Challenger." xvii, 1-23, pls. i, ii.

- (10). On Stylochus pelagicus, a new species of pelagic Planarian, with notes on other pelagic species, on the larval forms of Thysanozoon and of a Gymnosomatous Pteropod. xvii, 23-34, pl. iii.

· (11). Notes on the structure of several forms of land Planarians, with a description of two new genera and several new species, and a list of all species at present known. xvii, 273-292, pl. xx.

- (12). Dr. G. von Koch's method of preparing sections of corals.

xx, 245, 246.

- (13). Notes on the structure of Seriatopora, Pocillopora, Corallium, and Tubipora. xxii, 391-398. MOSELEY, H. N.-

- (14). On the pharynx of an unknown Holothurian of the family Dendrochirotæ, in which the calcareous skeleton is remarkably developed. xxiv, 255-261, pl. xxiii.

- (15). On the presence of eyes in the shells of certain Chitonidæ, and on the structure of these organs. xxv, 37-60, pls. iv-vi.

MOSS, E. L. (1). Notes on the genus Doliolum. xi, 403-405; cf. xii, 68. - (2). A method for the microscopic examination of sea-water.

xv, 392-394.

MOUCHET. — (1). Monochromatic illumination. vii, 154, 155.

-(2).Pleurosigma angulatum. vii, 221.

-(3).Test-diatoms. viii, 105, 106.

-(4).Heuriscopometer. 281, 282.

——— (5). New test-object. ix, 401. MOXON, W. (1). Description of the peripheral termination of a motor nerve. vi, 235-240, pl. iv.

Mucedineæ; nutrition, Pasteur (3).

Mucor, notes on, Currey (8).

— in silica solution, W. C. Roberts (1). Mucorini, general account, van Tieghem (1).

Mucous glands, lymphatics, Kidd (2). Muffa of Valdieri, Moggridge (1).

MULLER, C. J. (1). On Vaginicola valvata. ix, 25-27, pl. vii.

MULLER, F. (1). On the common nervous system of the Bryozoa,

exemplified in Serialaria continhii. i, 300-305, pl. xi.

MULLER, H. (1). Remarks on the structure and function of the retina (transl.). i (o. s.), 269-273.

MÜLLER J. (1). On Sphærozoum, Meyer (Thalassicolla, Huxley), Noctiluca, and the Polycystinæ (transl.). iv (o. s.), 72-76. Müller's larva, Moseley (10).

MUMMERY, J. B. (1). On the development of Tubularia indivisa. (Transactions) i, 28-30, pl. iv, figs. 2-18.

MUNRO, H. (1). On washing and concentrating Diatomaceæ. iii (o. s.), 241 - 243.

- (2). The microscope as a means of diagnosis. v (o. s.), 108-110. MURRAY, G. See BENNETT (4).

Musca; eyes, Carrière (1), Hickson (4).

- foot, Hepworth (1, 2, 3).

- proboscis, Hunt (5).

Muscle; contractility in lower animals, Ecker (1).

- contractility and double refraction, Kidd (4).

- heart, Klein (18) xxi, 233.

 striated, histology, Beale (12), Thin (3), xvii, 187, 188, Haycraft (1), C. F. Marshall (1), Melland (1). MacCallum (3), Kölliker (9, 11), vii, 55; xii, 185; xiv, 190.

— development of, Clark (2), Remak (1).

smooth, Lister (3).

Muscle-plate; fate of, Paterson (1).

Mussa, G. C. Bourne (2).

MUSSET, C. See JOLY (1). Mycedium as "ear-wax," Inman (4).

Mycetozoa, de Bary (1). Mycoderma, Slack (2, 4), Henfrey

Myelitis; pathology, Hamilton (2).

Mygale; skeleto-trophic tissues and coxal glands, E. R. Lankester (57). Myoryktes, Eberth (1).

Myriapoda-- Scutigera, sense organ, Heathcote (1).

- Julus, development, Heathcote (2). Mytilus; gills, Peck (1).

Myxastrum, Häckel (1) ix, 123. Myxine; epidermis, Blomfield (3).

- reproductive elements, J. T. Cunningham (6).

Myxobrachia, xi, 63-65. Myxodictyon, Häckel (1) ix, 131.

N.

NACHET, M. (1). On a microscope adapted for anatomical demonstrations; and on a binocular microscope. ii (o. s.), 72-74.

NACHET, M., jun. (1). On the camera lucida. viii (o. s.), 156-158.

- (2). On an erecting prism. viii (o. s.), 206, 207.

(3). On a dark-ground illuminator. viii (o. s.), 207, 208.

- (4). On an oblique-light illuminator. viii (o. s.), 208.

Nassula, Cohn (3).

Nautilus; olfactory organ and genital ducts, E. R. Lankester (56).

Nave; A Handy Book to the Collection of Algæ, Fungi, Lichens, Mosses, Diatoms, and Desmids (review). viii, 86.

Navicula, Gregory (6), Hendry (7), O'Meara (6).

ostrearia, E. R. Lankester (62). Necturus; nerve-terminations in liver, Macallum (2).

striated muscle, Macallum (3). Nematobothrium, van Beneden (2). Nematocysts; function of, v. Lendenfeld (1).

- poisonous action, McIntosh (3).

see also Trichocysts.

Nematoda; hæmatozoic, Gruby (1), T. R. Lewis (3); viii (o. s.), 272.

- development, &c., Ercolani (1). - Trichina, Virchow (6), Leuckart (3).

Myorhyktes, Eberth (1).

 in Carcinus, McIntosh (1). - Ollulanus in lung, Stirling (2).

 A. nigrovenosa, Mecznikow (2). A. dactyluris, Macalister (1).

- in Canis, T. R. Lewis (1). — in Limax ovum, Barthélemy (1). Nemertea; anatomy, Hubrecht (1).

- embryology, Hubrecht (6).

 nervous system, Hubrecht (2, 3). - relation to Vertebrata, Hubrecht (5, 7), Bateson (4).

 vascular and nephridial systems, Oudemans (1).

- Amphiporus, &c., McIntosh (5). Nemertes, vascular and nephridial systems, Oudemans (1).

Neophalax; development, Patten (1). Nephelis; growth of eggs, Iijima (1).

- anatomy, A. G. Bourne (6). Nephridia; origin of, Sedgwick (4), E. R. Lankester (34).

Vermes in general, Beddard (2).

 Vertebrata, see Kidney. Nereis; J. T. Cunningham (8). Nerine, J. T. Cunningham (8).

Nerve; bladder, Darwin (1). ear of Mus, xi, 289–291.

- histology, Lister (4), Clark (1), Turner (2), Pflüger (2), Ranvier (2), Hendry (9), Ciaccio (1), xviii, 95–100, Tyson (1).

- in cornea, Ciaccio (2), Moseley (3). Nerve-terminations; in larval Batrachians, xvii, 455-460.

- in skin of Rana, Macallum (1), Ciaccio (3).

— in liver, Macallum (2).

Nerve-terminations-

Jacubowitsch (1), Beale (8), Moxon
 (1), Gedge (1), Klein (2), Schäfer
 (2), Pritchard (2), Ranvier (3),
 Klein (17).

Nervous system; preparation for sections, Sankey (2), Betz (1), W. B. Lewis (1).

- histology, McCarthy (1), Sankey

(2).
— general homologies in Invertebrata,

E. R. Lankester (50). Neuroptera; phylogeny, Packard (2).

- larva, C. S. Tomes (1).

- Chrysopa, embryology, Packard (2).

- development, Patten (1).

NEWTON, E. T. (1). On the anatomical differences observed in some species of the Helices and Limaces. (Transactions) xvi, 26-31, pls. iv, v.

 ——— (2). An improved apparatus for drawing with the microscope. xi,

270-272

-- (3). The structure of the eye of the lobster. xiii, 325-343, pls. xvi, xvii.

— (4). On the brain of the cockroach, Blatta orientalis. xix, 340–356, pls. xv, xvi.

NICHOLS, R. (1). Plan for finding the focal length of objectives. iii, 75-77.

Nicothoë, Claus (1).

Nirmus, Giglioli (2).

NITSCHE, H. (1). On some interesting points concerning the mode of reproduction of the Bryozoa. xi,

155-162. Noctiluca, Huxley (6), Webb (1), Busch (1), J. Müller (1), Brightwell (4), Allman (9).

- spore formation, xi, 305, 414.

Nodosaria, Brady (3) xxi, 63.

NORMAN, A. M. (1). Notes on some rare British Polyzoa, with descriptions of new species. viii, 212– 222, pls. v-vii.

NORMAN, G. (1). List of Diatomaceæ occurring in the neighbourhood of Hull. (Transactions) viii, 59-71, and 156-168.

 — (2). On some undescribed species of Diatomaceæ. (Transactions) ix, 5-9, pl. ii.

- (3). On cleaning glass tubes.

vi, 49.

NORMANDY, A. (1). Composition of the Boghead coal. ii (o. s.), 200. Nostochacew, Wood (1), Archer (18).

Notochord; iodine reaction, xviii, 196. Nubecularia, Brady (3) ix, 266.

Nucleoli; movement of, Kidd (1).

Nucleus; cleavage, &c., Priestley (1), xviii, 197; see under Cell, Karyokinesis, Ovum.

Nucula, gills, Mitsukuri (1).

NUNNELY, T. (1). On the form, density, and structure of the crystalline lens. vi (o. s.), 136-153, pl. vii.

— (2). On the structure of the retina. vi (o. s.), 217-241, pls. x, xi.

Nutrition, Beale (14).

Nyctiphanes; photospheria, Vallentin

Nymphæaceæ; stellate bodies, Ogilvie (1).

0.

Octactiniæ-

- Hartea, gen. n., E. P. Wright (1).

- 2 gen. n., Kent (2).

phosphorescence, Panceri (1).
colouring matter, Moseley (9).

- Tubipora, &c., Moseley (13), Hickson (3).

— Corallium, Moseley (13).

Syringopora, Hickson (3).
polymorphism, viii, 98.

Oecistes; 2 sp. n., Davis (1). Oedogonium, vi, 149–152.

OERSTED, A. S. (1). Observations made in the course of the winter of 1863-1864 which have led to the discovery of the hitherto unknown organs of fructification in the Agaricini (transl.). viii, 18-26.

OGILVIE, G. (1). On the stellate bodies of Nymphwacew. vi (o.s.), 59-61.

Oidium, xii, 158, Blanchet (1).

OKEDEN, F. (1). On the deep Diatomaceous deposits of the mud of Milford Haven and other localities. iii (o. s.), 26-30.

 (2). On a mode of washing and concentrating Diatomaceous earths and clays. iii (o. s.), 158-160.

— (3). On an improved finder for the microscope. iii (o. s.), 166– 168. OKEDEN, F .-

- (4). On the Diatomacew of South Wales. (Transactions) vi, 87-94.

Olfactory organ; vertebrate, Marshall (2).

histology, Klein (18).

- see also Jacobson's organ.

Oligochæta; perivisceral corpuscles, E. R. Lankester (11).

- spermatophors, E. R. Lankester (10, 13).

- blood-corpuscles, E. R. Lankester

(35), Blomfield (2).

- abnormality, C. Robertson (2).

- Chætogaster, E. R. Lankester (7). - Pachydermon, E. R. Lankester (10).
- anatomy of various genn., Benham (1), Beddard (1, 2).

- Criodrilus, Oerley (1), Benham (1). Ctenodrilus, anatomy and fission,

Scharff (2). see also Lumbricus.

Ollulanus in lungs, Stirling (2).

O'MEARA, E. (1). On some new and rare Diatomaceæ from the West Coast of Ireland. vii, 113-118.

- - (2). On new forms of Diatomaceæ, from dredgings off the Arran Islands, County Galway. vii, 245-247, pl. vii; and ix, 150, 151, pl. xii.

- — (3). On a new species of Diatomaceæ, being a reply to Mr. Kitton's remarks. viii, 73-79.

- (4). On some new species of the genus Amphiprora. xi, 21-23, pl. iii.

- (5). Recent researches on the Diatomaceæ. xii, 240-246.

- (6). On some peculiar forms of Navicula from the Sulu Archipelago. xii, 283-287, pl. xiii.

- (7). On Diatomaceæ from Spitzbergen. xiv, 254-261, pl. viii. O'Meara; Report on the Irish Diato-

maceæ (review). xvi, 330-332. Omentum; histology, Klein (4, 12).

Onchopora, iii (o. s.), 320.

Oogenesis, see Ovum. Ooœcia, see Polyzoa.

Opalina, E. R. Lankester (10). Ophideres; proboscis, Darwin (2).

Ophiotheca; gen. n., Currey (1, 5). Ophiuroida; apical system, P. H. Carpenter (6, 10).

Ophrydium; cellulose, Halliburton (2).

Ophryodendron, T. S. Wright (1), Hincks (6).

Orbitolites, Brady (3) xxi, 47.

Orbulina; relation to Globigerina, xv, 68 - 70.

Orchis mascula; embryogeny, Cobbold (1).

ORD, W. M. (1). A note of some circumstances affecting the value of glycerine in microscopy. xii, 41-43.

On "molecular coales--(2).cence," and on the influence exercised by colloids upon the forms of inorganic matter. xii, 219-239, pls. xv, xvi.

ÖRLEY, L. (1). Morphological and biological observations on Criodrilus lacuum. xxvii, 551-560, pl. xxxviii, figs. 1-8.

Ornithomyia, Giglioli (2).

Ornithorhyncus; tongue, Poulton (2). ovary, Poulton (3).

Orthonectida, Giard (1).

Orthopteraecdysis, West (5).

- circulation in wings, Moseley (4).

 nerve histology, Newton (4). development, Patten (1).

OSBORN, H. F. (1). Observations upon the fœtal membranes of the Opossum and other Marsupials. xxiii, 473-484, pl. xxxiii.

- see SCOTT, W. B (1).

OSBORNE, S. G. (1). On Closterium lunula. ii (o. s.), 234-240.

Economy of Closterium iii (o. s.), 54-58. - (2). lunula.

- (3). Vegetable cell-structure and its formation, as seen in the early stages of the growth of the (Transactions) v, wheat-plant. 104-122, pls. iii-v; cf. v (o. s.) 87, 88.

Oscarella, see Halisarca.

Oscillariæ; propagation, Itzigsohn (2). - structure, locomotion, &c., d'Alquen (2), Mitchell (3), G. D. Kingsley (1), Collingwood (1).

Osmosis, vi (o. s.), 189. Osmunda; apex of root, Bower (7). Osphradium, E. R. Lankester (56). Ossification of cartilage-bone, Baur (1). Ostracoda, general, Rupert Jones (1).

Ostrea; development, Horst (1). - of Marennes, green colour, E. R. Lankester (62).

OUDEMANS, J. A. (1). Contributions to the knowledge of the hairs of "Collomia coccinea" (transl.). ii (o. s.), 43.

OUDEMANS, A. C. (1). The circulatory and nephridial apparatus of the Nemertea. xxv supplement, 1-80, pl. i-iii.

Ovary; Mammalian, Foulis (1), Poulton (3).

Vertebrata, Balfour (8).

Ovum: fertilisation and maturation, van Beneden (5), Balfour (6, 8), J. T. Cunningham (4), Thomson (1), Whitman (1).

OWEN, S. R. T. (1). On the surfacefauna of mid-ocean. (Transactions) xiv, 115-120.

Oxytricha, T. S. Wright (2).

P.

Pacchionian bodies, Bastian (1).

PACKARD, A. S. (1). On the embryology of Limulus polyphemus.

xi, 263-267.

- (2). The embryology of Chrysopa, and its bearings on the classification of the Neuroptera. xii, 138-142.

Pacinian corpuscles, Schäfer (2), Huxley (4), Harris (1, 2).

Paget; Lectures on Surgical Pathology (review). ii (o. s.), 197-199.

Palmellaceæ; New Zealand, Lindsay (3); Hicks (7, 8).

PALMER, J. L. (1). Colour of the sea. viii, 178, 179.

Palmicellaria; gen. n., Alder (2). Palmoglea, Archer (7, 11), Hicks (7, 8).

Palu, ix, 79.

Paludina; development, E. R. Lankester (27, 33).

- muscle, Leydig (2).

Pamphagus; gen. n., Bailey (1). Panceria, gen. n., Andres (1).

PANCERI, P. (1). The luminous organs and light of the Pennatulæ. 248-254.

(2). The luminous organs and the light of the Pholades. 254-260.

- (3). The luminous organs and light of Pyrosoma (transl.). xiii, 45-51.

- (4). On the light emanating from the nerve-cells of Phyllirhoe bucephala. xiii, 109-116.

Pancreas; histology, Klein (23), Gibbes (4), Turner (1).

Pandanus; stem, Dyer (2).

Pandorina, Henfrey (4), Currey (7). Pangenesis, Sorby (9).

Paramœcium; chlorophyll in, Sallitt (1).

trichocysts, Allman (3).

Parazoa, Sollas (2).

PARKER, T. J. (1). An account of Reichenbach's researches on the early development of the freshwater Crayfish. xviii, 84-94, pl. vi.

-(2).On the histology of Hydra

fusca. xx, 219-224.

PARKER, W. K. (1). On the Miliolitidæ (Agathistègues, d'Orbigny) of the East Indian Seas. (Transactions) vi, 53-59, pl. v.

PARKES, E. A. (1). On microscopical reagents. i (o. s.), 139-141.

Parthenogenesis; Daphnidæ, Zenker (1).

Acari, Beck (13).

PASTEUR, L. (1). On the origin of ferments (transl.). viii (o. s.), 255-259.

- (2). New experiments relating to what is termed spontaneous generation (transl.). i, 118-123.

(3). Researches on the mode of nutrition of the Mucedineæ (transl.). i, 213-215.

(4). New contributions to the theory of fermentations (transl.). xiii, 351-356.

Patella; nephridia, J. T. Cunningham (2).

Patellaria, Currey (8).

PATERSON, A. M. (1). On the fate of the muscle-plate, and the development of the spinal nerves and limb plexuses in Birds and Mammals. xxviii, 109-129, pls. vii, viii.

Pathology; general, Hepworth (4), Inman (6), Munroe (2), Hogg (4).

- myelitis, Hamilton (2)

of sheep-pox, Klein (7).

of suppuration, xv, 174, 175.

See also Bacteria.

Patten; Eyes of Molluscs and Arthro-

pods (review). xxvii, 285-292.

PATTEN, W. (1). The development of Phryganids, with a preliminary note on the development of Blatta germanica. xxiv, 548-602, pl. XXXVI, A, B, C.

Paul; Manual of Technical Analysis, a Guide for the Testing and Valua-tion of the various Natural and Artificial Substances Employed in the Arts and Domestic Economy, founded upon the Handbuch of Dr. P. A. Bolley (review). (o. s.), 112.

PAVESI, P. (1). On the circulation of the blood in Pyrosoma, especially as observed in the embryo. xii, 275-283, pl. xii.

Pavonina, Brady (3) xix, 282.

PAYNE, J. F. (1). On students' micro-

scopes. xii, 56-62.

PECK, R. H. (1). The minute structure of the gills of Lamellibranch Mollusca. xvii, 43-66, pls. iv-vii.

Pecten; eye, Hickson (1).

Pectinaria, J. T. Cunningham (8). Pectunculus; eyes, Carrière (1).

Pedalion, Hudson (1), E. R. Lankester (17).

Pedicellaria, Busk (8), Herapath (4), Stewart (2).

Pedicellina; embryo, Hincks (7).

life-history, Harmer (2).

Pelosina, gen. n., Brady (3) xix, 30. PELSENEER, P. (1). Observations on the nervous system of Apus. xxv, 433-444, pl. xxx.

- (2). The cephalic appendages of the Gymnosomatous Pteropoda, and especially of Clione. 491-509, pl. xxxv.

Penicillium, Henfrey (2), Slack (4), Huxley (14), Brefeld (1).

Penium, Archer (8, 13).

Pennatulida; luminosity, Panceri (1). Pentastomum; development, Leuckart

Perameles: tongue, Poulton (1). (1),Perichæta, anatomy, Benham Part I.

– nephridia, Beddard (2).

Peridinea (Protozoa), Allman (2). Peridinium (Alga), in Red Sea, Carter

(1).

Peripatus-- novæ-zealandiæ; development, Sheldon (2); anatomy, Sheldon (3).

 from Demerara, development, Sclater (1).

- systematic monograph, Sedgwick (6).

- capensis; anatomy, Balfour (13, 20), Sheldon (3); development, Balfour (13, 20), Sedgwick (5).

Periplaneta, see Blatta.

Peritoneum of Rana, Klein (3).

- lymphatics, xvii, 298, xviii, 100-102. Peronia; gen. n., Kitton (3). Peronospora, xiv, 176, 177; W. G.

Smith (1).

Petromyzon; development, Shipley (1), W. B. Scott (2).

spermatozoa, xv, 394, 395.

Peziza, Sorby (1); xii, 160. PFEUFER, C., see HENLE (1).

PFLÜGER, E. (1). On extravasations of blood, and the production of aneurisms caused by parasites. viii (o. s.), 272.

- (2). On a new reagent for the exhibition of the axis cylinders in

nerves. viii (o. s.), 273. Phacus; chlorophyll in, Sallitt (1). Phagocytes, Mecznikow (4, 5). Phalangista; ovary, Poulton (3). Phallusia, mantle, Schacht (1).

Phascum; reproduction, J. B. Hicks

Philodina; figured, &c., Huxley (1). Phipson, T. L.; The Utilisation of Life, being Minute Practical Studies on Insects, Crustacea, Mollusca, Worms, Polypes, Infusoria, and Sponges (review). iv, 194-197.

Pholades; luminosity, Panceri (2). Phoronis; development, Caldwell (2), E. B. Wilson (1), Cobbold (2).

Phosphorescence, Panceri (1-4), Vallentin (1), Moseley (9), Kölliker (10).

Photosphæria of Schizopoda, Vallentin (1).

Phragmidium, Currey (5, 8).

Phreorhyktes, vi, 37. Phryganidæ; development, Patten (1). Phycomyces, van Tieghem (1).

Phyllirhoë; luminosity, Panceri (4). Phyllopoda-

- Apus, E. R. Lankester (50), Pelseneer (1).

- Nauplius eye and parthenogenesis, Zenker (1).

Physemaria, E. R. Lankester (40).

Phytophthora, H. M. Ward (7). Pieris; scales, Wonfor (1).

Pigment; pathological, in tongue, Eulenberg (1).
in heart, Thudichum (1).

Pilidium type, Balfour (17). Pilobolus, van Tieghem (1).

Pinaciophora, Archer (25) xvi, 367.

Pineal eye of Lacertilia, W. B. Spencer (3).

Pinnularia, Gregory (6), Kitton (3).

PIPER, S. (1). On a portable slide cabinet and a form of slide for illumination. opaque (Transactions) xv, 16-18.

- (2). On a reversible compressorium with revolving disk. (Trans-

actions) xvi, 114, 115.

Pisces; skeleton, Huxley (11). - see Teleostei, Elasmobranchii, &c.

Piscicola, A. G. Bourne (6).

Pithophora, xvii, 293-297.

Pityriasis, Gudden (1), Hogg (4). Placenta; Canis, Ayres (1).

- evolution, Osborne (1).

Placopsilina, Brady (3) xix, 50 and xxi, 51.

Plagiogramma; gen. n., Greville (5). Plagiophrys, Archer (16), and (25) xvii,

Plagiostomi; blood-corpuscles, Gulliver

Plakopus, Archer (25) xvii, 349.

Planaria; terrestrial, list of, Moseley (11).

Planorbis; development, E. R. Lankester (42); xx, 376-377; generative organs, Sanders (3).

Planorbulina, Brady (3) xix, 283.

Planula theory, E. R. Lankester (34), Balfour (16).

Plasmolysis, Bower (5).

Platoum, Archer (25) xvii, 199.

Platyhelminthes; and Annelida, nephridia, Beddard (2); see Cestoda, Trematoda.

Plebia, Currey (8).

Pleurobranchus; external pore of vascular system, A. G. Bourne (7).

Pleurophrys, Archer (15) x, 17 and x, 121.

Pleurophrys, Archer (25) xvii, 204. Pleurosigma, viii (o. s.), 104, 105; J. C. Hall (1), Hendry (8), Barkas (5), Hunt (3), Mouchet (2), Hall

PLOWRIGHT, C. B. (1). On the life-

(1), Walker-Arnott (5), Donkin (3). Plica; pineal eye, W. B. Spencer (3).

history of certain British heteroccismal Uredines (the Ranunculi Aecidia and Puccinia scheeleriana). xxv, 151-172.

PLUMER, J. J. (1). A few words on the choice of a microscope. iv,

153-167.

Pneumodermon; cephalic appendages, Pelseneer (2).

Pocillopora, Fowler (1) Parts III and IV, Moseley (13).

Podophrya, reproduction, Cienkowski (1).

Polar bodies, see Ovum.

Polariscope; for lantern, iv, 42-45, Hendry (4).

Polar rings, Clepsine, Whitman (1).

Polia; vascular and nephridial systems, Oudemans (1).

Poliopogon, colour, Mosely (9).

Pollen-bodies of Angiosperms, Elfving (1).

POLLOCK, G. F. (1). Observations on granulated "blood-discs." (Transactions) viii, 4-7.

Polychæta; anatomical points, J. T. Cunningham (8).

Haplobranchus, A. G. Bourne (4). Syllis, gizzard, Haswell (1).

- Lopadorhynchus, development, G. C. Bourne (3).

- blood-corpuscles, E. R. Lankester (35), Blomfield (2).

Polyctenes, Giglioli (2). Polycystina; habitats, Stokes (2); Wallich (7), J. Müller (1).

Polygastrica, Samuelson (1).

Polymorphina, Brady (3) xxi, 64. Polyommatus; scales, Wonfor (1).

Polyphagus, xvii, 175-181.

Polysiphonia, frond, iv (o. s.), 87, 88. Polystigma, W. B. Grove (1).

Polystomella, Brady (3) xxi, 66.

Polyzoa-

 avicularia and vibracula, Busk (4), Hincks (8).

- British, Alder (2).

- budding, Haddon (2).

- for many genn. spp. nn., described and figured, see ZOOPHYTOLOGY.

- mounting, Morris (1).

- nervous system, F. Müller (1), Hincks (7, 8).

– oöecia, Hincks (4).

- preparation of skeletons, G. Bird (1); A. M. Norman (1).

- reproduction, Nitsche (1), Hincks (5, 7), Smitt (1), Huxley (9).

– relations to Lamellibranchiata, E. R. Lankester (59), Allman (6),

 Victorella, Kent (1). — Clavopora, Busk (9).

 Loxosoma, E. R. Lankester (24), Vogt (1); xviii, 199; Harmer (1). Polyzoa-

- affinities and subdivisions, Vogt (1); xviii, 199; Harmer (1).

- Flustrella, development, Redfern

(3).

— Terebriporidæ, vi, 157.

Pompholyxophrys, Archer (15) ix, 386 and x, 105; Archer (25), xvi, 375. Pontia; scales, Wonfor (1).

Pontobdella, A. G. Bourne (6).

POOLE, W. H. (1). A double staining with hæmatoxylin and aniline. xv, 375-377.

Porifera-

- affinities, xii, 409.

— motile phenomena, Lieberkühn (2).

various, E. P. Wright (2).
Tethyopsis, Stewart (1).

colour of Spongilla, Sorby (6).
colouring matters, Moseley (9).

- Calcarea, development, xviii, 457, 458.

 morphology and position, Balfour (11), Dendy (1).

- development of Halisarca, Sollas (2).

phylogeny, Sollas (2).

- development, Spongilla, Lieberkühn (1).

 Grantia, anatomy, Bowerbank (1).
 Porrigo and its fungus, Gudden (1), Hogg (4).

Potato disease; fungus of, H. M. Ward

(7).

POUCHET, A., & VERRIER. Experiments on the migrations of Entozoa (transl.). ii, 171-175; cf. ii, 270-274.

POUCHET, G. (1). The origin of the red blood-corpuscles. xx, 331-350.

— — (2). On the laminar tissue of Amphioxus. xx, 421-430, pl. xxix.

- POUCHET, F. (1). Atmospheric micrography. Observations on the corpuscles suspended in the atmosphere (transl.). viii (o. s.), 130–134.
- (2). Atmospheric micrography. On the means by which all the corpuscles normally invisible, contained in a determinate volume of air, may be collected into an infinitely small space (transl.). viii, (o. s.), 188–191.

(3) Researches on the corpuscles introduced by the atmosphere into the respiratory organs of animals (transl.). viii (o. s.),

259-264.

POULTON, E. B. (1). The tongue of Perameles nasuta, with some suggestion as to the origin of taste bulbs. xxiii, 69-86, pl. i.

- — (2). The tongue of Ornithorhyneus paradoxus; the origin of taste bulbs, and the parts upon which they occur. xxiii, 453-472, pl. xxxii.

 (3). The structures connected with the ovarian ovum of Marsupialia and Monotremata. xxiv,

118–128, pl. v.

POWELL, T. (1). A simple objectfinder for students' microscopes. v, 149-151.

POWER, D'A. (1). On the endothelium of the body cavity and bloodvessels of the common Earthworm, as demonstrated by silver staining. xviii, 158-161, pl. x, figs. 7-9.

 (2). Calberla's new embedding mixture. xviii, 208-210.

Prasiola, Hicks (3).

Prescott; Tobacco and its Adulterations (review). vii (o. s.), 251-253.

Prévost; Microscopic Observations on the Structure of Muscular Fibre (review). i (o. s.), 135, 136.

Priapulus; skin and nervous system, Scharff (1).

PRICE, H. (1). On a polystomatous condition of the hydranths of Cordylophora lacustris. xvi, 23-26.

PRIESTLEY, J. (1). Recent researches on the nuclei of animal and vegetable cells, and especially of ovaxvi, 131-152, pls. xi, xii.

Primitive streak, Sedgwick (4), Balfour (12, 19), Whitman (2), Johnson (2), Coldwell (2)

(2), Caldwell (2).

PRINGSHEIM, N. (1). On the impregnation and germination of Algae (transl.). iv (o. s.), 63-72, and 124-135, pl. iii; cf. vi (o. s.), 173-175.

— (2). On the chronispores or chronizoospores of Hydrodictyon, and on some analogous reproductive bodies (transl.). ii, 54-59; and ii, 104-112, pls. ii, iii.

 (3). Researches on chlorophyll (transl.). xxii, 76-135, pls. viii,

ix.

Pringsheim; Untersuchungen über den Bau und die Bildung der Pflanzenzelle (review). iv (o. s.),

Pritchard; A History of Infusoria, including the Desmidiaceæ and Diatomaceæ, 4th edition (review). i, 54–56.

- A History of Infusorial Animalcules, Living and Fossil (review).

i (o. s.), 229, 230.

PRITCHARD, U. (1). Methods of preparing the cochlea for microscopical investigation. xii, 380-384.

- (2). The termination of the nerves in the vestibule and semicircular canals of Mammals. xvi, 398-404, pl. xxviii.

Proboscidea, see Noctiluca.

Procalistes; gen. n., E. R. Lankester, (58).

PROCTOR. B. S. (1). Note on a simple mounting for any microscopic objects. iii, 74, 75.

(2). Some remarks upon light. iii. 151-168.

Pronephros; Bdellostoma, Weldon (2).

- chick, Balfour (10), Sedgwick (2). - so-called of Teleosteans and Ganoids, Balfour (18).

Protamœba, Häckel (1) ix, 219.

Protista, Häckel (1).

Protomyxa, Häckel (1) ix, 34. Protophyta contrasted with Protozoa v. Siebold (1).

Protoplasm; continuity in plant-cells, Elsberg (1), Gardiner (2, 3), Bower (5).

- characteristics, &c., Duffin (1), E. R. Lankester (9), Beale (18).

- physiology of movement, Engelmann (1), Binz (1).

- protrusion in Dipsacus, Darwin (4, 5).

- Strasburger on, Vines (2).

Protozoa contrasted with Protophyta, v. Siebold (1).

- movements under light, Cohn (5).

- see Reticularia, Ciliata, Radiolaria, Acinetaria, Heliozoa, Monera, Mycetozoa, Archerina, Noctiluca, Chlamydomyxa.

Prussic acid; detection, Ralph (3). Psammosphæra, Brady (3) xix, 27. Pseudochlamys, Archer (25) xvii, 107. Psileschara; gen. n., i, 79.

Psoriasis, Hogg (4).

Psorospermiæ, Leydig (1); viii (o. s.), 272; vi, 96, viii, 35.

Psylla, Dobson (1).

Pteris; reproduction, Farlow (1), Abbott (1).

Pterobranchia, see Rhabdopleura. Pteropoda, larva, Moseley (10).

cephalic appendages, Pelseneer (2). Puccinia, Plowright (1).

Pulmonary air-cells; desquamation,

Inman (3).

Pulmonata; generative organs, Sanders (3).

Pulvinulina, Brady (3) xxi, 66.

Purpura; development, W. B. Carpenter (1), Hudson (1).

Pycnogonida; larvæ in Hydractiniæ, T. S. Wright (4).

Pyramimonas, Bütschli (1).

Pyrosoma; circulation, Pavesi (1). - luminosity, Panceri (3).

Pythium, xvi, 333-335, H. M. Ward

Pyxidicola, Archer (25) xvii, 110.

Q.

Quadrate; homologies, Dollo (1), G. Baur (1).

Quadricellaria, Alder (2). Quadrula, Archer (25) xvii, 112.

Quasillina, Dendy (1).

QUATREFAGES, A. de (1). On the development of the spermatozooids in Torrea vitrea (transl.). iv (o. s.), 76 - 78.

Quatrefages; Histoire Naturelle des Annelés marins et d'eau douce, Annélides et Gephyriens (review). vii, 35-48.

- Observations Relatives à un ouvrage de M. Claparède (review). 306 - 308.

- The Metamorphoses of Man and the Lower Animals (review). v, 36-43; ef. v, 151-154.

QUEKETT, J. (1). On the structure of the raphides of Cactus ennea-(Transactions) i, 20-26, gonus. pl. iii, figs. 1-6.

- (2). On the presence of a fungus and of masses of crystalline matter in the interior of a living oak tree. (Transactions) i, 72-75, pl. ix, figs. 7-10.

QUEKETT, J .-

- (3). On the minute structure of a peculiar combustible mineral, from the Coal Measures of Torbanehill, near Bathgate, Linlithgowshire, known in commerce as Boghead Cannel Coal. (Transactions) ii, 34-66, pls. iii-v.

- (4). Observations on the structure of the white filamentous substance surrounding the so-called Mealy Bug (Coccus vitis) of the Vine. (Transactions) vi, 1-4, pl. i.

 (5). Presidential address, 1861. (Transactions) ix, 31-38.

Quekett; Lectures on Histology, delivered at the Royal College of Surgeons of England, 1850-51 (review). i (o. s.), 40-46, 122-126.

- Lectures on Histology, delivered at the Royal College of Surgeons of England, 1851-52 (review). iii (o. s.), 75-84.

Quercus; fungus in, Quekett (2). Quinine and quinidine in urine, Herapath (1).

R.

Radiolaria, naked freshwater, Focke

- reproduction, L. Cienkowski (1).

general, Wallich (7).

- Thalassicollidæ, Macdonald (1), J. Müller (1).

 Polycystinæ, J. Müller (1). Radula, Gray (1), Hogg (6).

RAINEY, G. (1). On the capillaries of the liver. i (o. s.), 231-233.

- (2). A method of employing artificial light for the illumination of transparent objects, by which it is so deprived of glare and colour as to be equal in its illuminating power to the best daylight. (Transactions) ii, 23, 24.

(3). Some observations on the illumination of transparent objects. ii (o. s.), 7-13, 65-71.

- (4). On the illumination of transparent objects. ii (o. s.), 285-288.

- - (5). On the structure of the cutaneous follicles of the Toad, with some experiments and observations upon the nature and alleged venomous properties of RAINEY, G .-

their secretion. iii (o. s.), 257-

263, pl. xi.

(6). Precise directions for the making of artificial calculi, with some observations on molecular coalescence. (Transactions) vi, 41-50, pl. iv, figs. 1-9.

(7). On the structure and mode of formation of the dental tissues, according to the principle of "molecular coalescence."

(o. s.), 212-225, pl. xii.

(8). On the structure and mode of formation of starch granules, according to the principle of " molecular coalescence.' (o. s.), 1-10, pl. i, figs. 1-9.

- (9). Some further experiments and observations on the mode of formation and coalescence of carbonate of lime globules, and the development of shell tissues. i,

23-32, pl. iv.

Rainey; On the Mode of Formation of Shells of Animals, of Bone, and of several other Structures, by a process of Molecular Coalescence, demonstrable in certain Artificially-formed Products (review). vii (o. s.), 109, 110.

Raja; development of ovary, Balfour

(8).

RALFS, J. (1). Notes on the siliceous cell of Diatomaceæ. vi (o. s.), 14-17.

RALPH, T. S. (1). On a new method of mounting objects. (Trans-

actions) vi, 34-39.

- (2). Method of dry-mounting entomological and other objects. iii, 301.

- — (3). Observations and experiments with the microscope on the effects of prussicacid on the animal economy. vi, 225-235.

Ramulina, Brady (3) xix, 272.

Rana; abnormalities, A. G. Bourne (5).

— chromatophores, Virchow (3). cutaneous respiration, Harley (1).

- development, W. B. Spencer (2).

- embryological circulation, Whitney (1, 2).

- nerves of heart, Beale (17).

 nerves of intestine, Klein (5). - nerves of skin, Ciaccio (3).

- nerve-terminations in embryo, Macallum (1).

Rana-

- neurenteric canal, Durham (1). - olfactory membrane, xi, 300.

- peritoneum, Klein (3).

skin, xi, 298.

- spermatozoa, Blomfield (1), Pt. II.

- tongue, Beale (16).

RANSOM, W. H. (1). On the structure and growth of the ovarian ovum in Gasterosteus leiurus. vii, 1–4, pl. i.

RANVIER, L. (1). On the cellular elements of tendons and of loose connective tissue (transl.). x, 367-

380, pl. xx.

- (2). Researches on the connective tissue and vessels of the nerves (transl.). xiii, 36-45, pl.

- (3). On the terminations of nerves in the epidermis. xx, 456-

458, pl. xxxvi.

Raphides, E. Lankester (5), Gulliver (1, 2, 3, 4); v, 48, 222; in Cactus, Quekett (1).

Raphidiophrys, Archer (15) ix, 255 and x, 103; Archer (25), xvi, 368. Rat; spermatogenesis, Herbert H.

Brown (1).

READE, J. B. (1). On a new hemispherical condenser for the microscope, and its use in illustrating an important principle in microscopic illumination. (Transactions) ix, 59-65.

- (2). On a double hemispherical condenser for the microscope.

(Transactions) xv, 3-6.

REDFERN, P. (1). Mode of isolating Naviculæ and other test-objects.

i (o.s.), 235, 236.

- (2). On the nature of the Torbanehill, and other varieties of coal. iii (o. s.), 106-127, pls. vii-

- (3). Flustrella hispida and its development. vi (o. s.), 96-102,

pl. iv.

-(4). On a simple method of applying the compound microscope to the upper or lateral surfaces of aquaria. vi (o. s.), 156-159.

Refractive index, Harting (2).

Regeneration, of Comatula, A. M. Marshall (5).

Molluscan shell, Rainey (9).

Reinicke; Beiträge zur neuern Mikroskopie (review). ii, 293-297.

REMAK, R. (1). On the embryological basis of the cell-theory (transl.). ii, 277-284.

Reophax, Brady (3) xix, 51 and xxi,

49.

Reptilia; development, Balfour (9, 12); xviii, 454; Weldon (1), Mitsakuri (3).

- spermatozoon, Gibbes (1). Respiration; anal, Hartog (2, 3). - cutaneous, in Rana, Harley (1).

Reticularia-

- spp. nn., H. B. Brady (2).

- "Challenger," H. B. Brady (3).

- Faujasina, structure, W. C. Williamson (2).

reproduction, Schultze (3).

- Miliotidiæ, W. K. Parker (1).

- various, Archer (15, 16), Gagliardi

- Haliphysema, E. R. Lankester (40).

- Shepheardella, Siddall (1).

- Lieberkühnia, Siddall (1). Retina; structure and function, Müller (1), Böll (2, 3), Nunneley (2), Schultze (6).

Rhabdammina, Brady (3) xix, 37 and

xxi, 48. Rhabdonema, Walker-Arnott (2), Tuf-

fen West (1). Rhabdopleura; affinities, E. R. Lankester (21), Harmer (1).

anatomy, Allman (6), Sars (1), E. R. Lankester (59).

Rhizammina; gen. n., Brady (3) xix,

Rhizopoda of Challenger, Brady (3).

reproduction, Schultze (3).

- in general, Archer (25). see the various suborders.

Rhizosolenia, Brightwell (5), Schultze

Rhodopsammia, Fowler (1) Part I. Rhombozoa, see Dicyemidæ.

Rhopalura, Giard (1).

Rhynchodemus, Moseley (11). Rhynchoflagellata, see Noctiluca Rhynchota-

- Coccus, Quekett (4), Beck (2, 5). - epizoic, from China, Giglioli (2).

colours of Aphids, Sorby (5).

 lerp of Psyllidæ, Dobson (1). RICCHETTI. See MOLESCHOTT (1).

RICHARDSON, B. W. (1). Composition of a blue transparent injecting fluid for anatomical and pathological preparations. viii (o. s.), 271, 272.

RICHARDSON, B. W .--

- (2). Stops recommended for oblique illumination with the achromatic condenser. vi, 10-12; and vi, 86, 87.

 (3). On xanthine and some of its crystalline compounds. xiii,

168, 169, pl. vi.

- (4). Mode of staining animal tissues of a permanent purple-grey colour. xiv, 281, 282.

RICHARDSON, J. G. (1). Corpuscular blood-elements in the urine in Bright's disease. x, 191-193.

- (2). On the identity of the white corpuscles of the blood with the salivary, pus, and mucous corpuscles. ix, 245-250.

RIDDELL, J. L. (1). Notice of a binocular microscope. i (o. s.), 236,

237.

- (2). On a new method of illuminating opaque objects for the high powers of the microscope; and on a new achromatic conden-

ser. i (o. s.), 237, 238. — (3). Professor Riddell's binocular microscope. i (o. s.), 304,

305.

- (4). On the binocular micro-

scope. ii (o. s.), 18-24.

Match photographs, or **-** (5). camera lucida drawings of microscopic objects for the stereoscope, made by means of the ordinary monocular microscope. ii (o. s.), 290, 291.

Ridleia; gen. n., Dendy (1).

RIMMINGTON, F. M. (1). On fungous destruction of lozenges in a dry atmosphere. (Transactions) x, 103,

Rio de Sangu, v (o. s.), 236, 237. ROBERTS, W. (1). On peculiar appearances exhibited by blood-corpuscles under the influence of solutions of magenta and tannin. iii, 170-179.

- (2), The doctrine of contagium vivum and its application to medi-

cine. xvii, 307-329.

ROBERTS, W. C. (1) & H. J. SLACK.
On fungoid growths in aqueous solutions of silica, and their artificial fossilization. (Transactions) xvi, 105-108, pl. xii.

ROBERTSON, C. (1). Note on an undescribed species of Acarus, found in the Pigeon. vi, 201-203.

ROBERTSON. C .--

— (2). Note on a double Earthworm, Lumbricus terrestris. vii, 157, 158.

- (3). On a new nozzle and pipe for injecting-syringes. viii, 52, 53.

ROBERTSON, D. (1). Notes on Amphidotus cordatus. xi, 25-27.

ROBERTSON, W. (1). On micrometers applied to microscopes. iv (o. s.), 153-157.

- (2). Note on a proposed form of condenser. viii, 106, 107.

ROBINSON, J. R. (1). On the measurement of the aperture of objectives. iii (o. s.), 163-166.

Rodentia; hæmoglobin of blood, Hal-

liburton (3).

Rolleston; Forms of Animal Life (review), x, 283-287.

ROLLESTON, G. (1). LESTON, G. (1). Note on the blood-corpuscles of the two-toed Sloth, Choloepus didactylus. vii, 127-130.

- (2). On the development of the enamel in the teeth of Mammals as illustrated by the various stages of growth demonstrable in the evolution of the fourth molar of a young Elephant (Elephas indicus), and of the incisor teeth in the fætal Calf (Bos taurus). xii, 109-

111, pls. vi, vii.

ROMANES, G. J. (1). Medusæ and
Hydroid Polyps living in freshwater. xxi, 162, 163.

ROOD, O. N. (1). On the practical application of photography to the microscope. ii, 261-269.

ROPER, F. C. S. (1). Some observations on the Diatomaceæ of the Thames. (Transactions) ii, 67-80, pl. vi.

(2). Three new British species of Diatomaceæ. ii (o. s.), 283,

284.

- (3). Notes on some new species and varieties of British Marine Diatomaceæ. vi (o. s.), 17-25, pl. iii; cf. vii (o. s.), 261.

- (4). On the genus Biddulphia and its affinities. (Transactions)

vii, 1–24, pls. i, ii.

- (5). On Triceratium arcticum. (Transactions) viii, 55-58.

- (6). On the genus Licmophora. (Transactions) xi, 53-62.

- RORIE, J. (1). On the anatomy of the nervous system in the Lumbricus terrestris. iii, 106-109, pl. viii, figs. 1-4.
- ROSE, C. B. (1). On the discovery of parasitic borings in fossil fish-scales. (Transactions) iii, 7-9, pl. i.
- Rossmassler; Mikroskopische Blicke in den inneren Bau und das Leben der Gewächse, &c. (review). (o. s.), 286, 287.

Rotifera; classification, Hudson (2), Leydig (3), cf. viii, 170, 171.

- general relationships, Huxley (1), Leydig (3).
- in Synapta, E. R. Lankester (6).
- Callidina, Giglioli (1).

- development, Weisse (1).
 Discopus, E. R. Lankester (6).
 Pedalion, Hudson (1).
 Melicerta, W. C. Williamson (3), Gosse (1).
- Lacinularia, Huxley (1).
- Oecistes, Davis (1).
- ROYSTON-PIGOTT, G. W. (1). certain imperfections and tests of object-glasses. x, 10-17.
- (2). High-power definition and its difficulties, and the visibility of Diatomaceous beading. x, 168-179, pl. x.
- (3). On an aplanatic searcher, and its effects in improving highpower definition in the microscope. x, 393-396; cf. xi, 166-179, pls. viii, ix; and xi, 190-192.
- (4). Researches on the errors of microscopical vision, and on new methods of correcting them. 1–17, pl. i.
- — (5). Note on immersion objectglasses for the microscope. 111-114
- (6). On the present condition of English object-glasses as regards defining power. xii, 260-268.
- (7). On the differences between the nominal and solar focal length of English object-glasses. xii, 268-272.
- (8). On a method of finding the refractive index of glass by means of the microscope and white light. xii, 273-275.
- Rutherford; Outlines of Practical Histology (review). xvi, 94.

- RUTHERFORD, W. (1). Notes of a course of practical histology for medical students. xii, 1-21; cf. xiii, 77, 78.
- RYLANDS, T. G. (1). On the optical powers of the microscope. vii (o. s.), 27–32.
- (2). On the markings of Diatomaceæ. viii (o. s.), 25-28.

S.

- Sagenella; gen. n., Brady (3) xix, 41. Sagitta, anatomy, &c. Busk (6), Keferstein (1); iii, 192, 193.
- development, Gegenbaur (2).
- Sagrina, Brady (3) xix, 274 and xxi, 64.
- Salivary glands; histology, Klein (18, 23).
- SALLITT, J. A. (1). On the chlorophyll corpuscles of some Infusoria. xxiv, 165-169, pls. xiii, xiv.
- Salmon disease, Huxley (16). Salmo; development, Klein (10).
- Salmonidæ; physiology, M'Intosh (3). Salpingœca, Bütschli (1).
- SALTER, J. A. (1). On certain appearances occurring in dentine, dependent on its mode of calcification.
- i (o. s.), \$52-262, pl. v. SAMUELSON, J. (1). The stomachs of the Polygastrica. iv, 165-167.
- -(2).Glaucoma scintillans. v, 18, 19.
- **-** (3). The Infusoria. v. 104-106.
- (4). Atmospheric micrography. i, 60-62.
- Samuelson; Humble Creatures. The Earth-worm and the Common House Fly (review). vii (o. s.), 57 - 59.
- The Honey-bee, its Natural History, Habits, Anatomy, and Microscopical Beauty (review). i, 50-53.
- SANDERS, A. (1). Anatomy of Helix
- aspersa. iv, 146, 147.

 (2). Zoosperms in the ovaria of Pulmogasteropoda. iv, 294, 295.
- (3). On the anatomy of the generative organs in certain Pulmogasteropoda. (Transactions) xiii, 89-96, pl. vii.

SANDERSON, J. B. (1). The origin and distribution of Microzymes (Bacteria) in water, and the circumstances which determine their existence in the tissues and liquids of the living body. xi, 323-352.

- See STRICKER (4), and KLEIN

(4).

SANGSTER, A. (1). Observations on the muscular coat of sweat-glands. xvii, 232-235, pl. xvii.

SANKEY, H. R. O. (1). On a new solution for staining sections of hardened animal tissues. xvi, 95,

 (2). A new process for examining the structure of the brain, with a review of some points in the histology of the cerebellum xvi, 182-190, pl. xiv.

Santonine, Davies (3).

Saprolegnia, Archer (12), H. M. Ward (4).

- on salmon, Huxley (16).

- zoospores, Hartog (4).

Sarcina in human blood, xii, 162-166. - in human urine, Welcker (3).

— in lungs, Henle (1).

Sarcodina, Archer (25) xvii, 337. Sarcolemma, Beale (12).

SARS, G. O. (1). On Rhabdopleura mirabilis. xiv, 23-44, pl. i.

Saxifraga; water-glands in leaf, Gardiner (1).

Scatophaga; egg, West (4).

SCHACHT, H. (1). On the microscopical and chemical examination of the mantle of certain Ascidians (transl.). i (o. s.), 34-39; 106-111.

-(2).Die Spermatozoiden in Pflanzenreich (transl.). v, 27-31.

Schacht; Das Mikroskop und seine Anwendung, &c. (review). i (o. s.), 46-51; (review of translation), ii (o. s.), 45-47; (review of 2nd edition), iii (o. s.), 219-227.

- Der Baum. Studien über Bau und Leben der hoheren Gewächse (re-

view). ii (o. s.), 128.

- Die Pflanzenzelle, der innere Bau und das Leben der Gewächse, &c. (review). i (o. s.), 214-218.

SCHÄFER, E. A. (1). Description of an apparatus for maintaining a constant temperature under the microscope. xiv, 394-398.

SCHAFER, E. A .-

- (2). The structure of the Pacinian corpuscles considered with reference to the homologies of the several parts composing them. xv, 135-141, pls. viii, ix.

- (3). Notes on the structure and development of osseous tissue. xviii, 132-144, pls. vii, viii.

- (4). Some teachings of development. xx, 202-218.

Schäfer; A Course of Practical His-

tology (review). xvii, 188, 189. SCHARFF, R. (1). On the skin and nervous system of Priapulus and Halicryptus. xxv, 193-213, pl. xiv.

- (2). On Ctenodrilus parvulus, nov. spec. xxvii, 591-603, pl. xli.

- (3). On the intra-ovarian egg of some osseous fishes. 53-74, pl. v.

SCHIMPER, A. F. W. (1). Researches upon the development of starchgrains. xxi, 291-306, pl. xix.

Schizocladium; gen. n., Allman (7).

Schizogonium, Hicks (3).

Schizophyta; pleomorphism, E. R. Lankester (63); see Bacteria, &c. Schizopoda, photospheria, Vallentin

SCHLOSSBERGER, J. (1). On the crystals contained in the Mal-On the pighian vessels of Caterpillars (transl.). vi, 33-35.

SCHMITZ, F. (1). The formation of auxospores in Cocconemia cistula (transl.). xiii, 145-152.

Schneider; On the Nervous System of the Nematoda (review). iii, 197-200.

SCHULZE, F. E. (1). Description of a live-box for the observation of living tadpoles and other animals (transl). vii, 261, 262.

SCHULTZE, M. (1). On the identity of a colouring matter present in several animals with the chlorophyll of plants (transl.). i (o. s.), 278, 279.

- (2). On the male reproductive organs of Campanularia geniculata (transl.). iii (o. s.), 59-66.

- (3). Abstract of "Observations on the reproduction of the Rhizopoda " (transl.). v, 220-222.

SCHULTZE, M .-

— (4). Phenomena of internal movements in Diatomaces of the North Sea, belonging to the genera Coscinodiscus, Denticella, and Rhizosolenia. vii, 13-21, pl. ii.

— (5). On the structure of the valve in Diatomaceæ, as compared with certain siliceous pellicles produced artificially by the decomposition in moist air of fluo-silicic acid gas (fluoride of silicum) (transl.). iii, 120–134, pl. viii, figs. 1–11.

(6). On the structure and physiology of the retina (transl.).

vii, 21-34, pls. iii, iv.

Schultze, M.; Ueber den Organismus der Polythalamien (Foraminiferen), nebst Bemerkungen über die Rhizopoden in Allgemeinen (review). iii (o. s.), 143-152.

obituary, xv, 175-178.

SCHWENDENER, S. (1). On the nature of the gonidia of Lichens (transl.). xiii, 235-251, pls. ix, x.

Sciadium, Currey (7).

SCLATER, W. L. (1). On the early stages of the development of a South American species of Peripatus. xxviii, 343-363, pl. xxiv.

Scorpio; comparison with Limulus, E. R. Lankester (51, 55, 57, 61).

- eyes, E. R. Lankester (55).

mouth and pharynx, Huxley (12).
 skeleto-trophic tissues and coxal glands, E. R. Lankester (57).

Scorzonera, laticiferous vessels, D. H. Scott (1).

SCOTT, D. H. (1). The development of articulated laticiferous vessels. xxii, 136-153, pl. x.

 (2). On the laticiferous tissue of Manihot glaziovii. xxiv, 194-

204, pl. xvii.

-- (3). Note on the laticiferous tissue of Hevea spruceana. xxiv, 205-207.

SCOTT, W. B. (1), & H. F. OSBORN.
On some points in the early development of the common Newt.
xix, 449-475, pls. xx, xxi.

 — (2). Preliminary account of the development of the Lampreys.

xxi, 146-153.

Scrupocellaria, Alder (2), A. M. Norman (1).

Scutigera; sense-organ, Heathcote (1). Scyllium; cranial nerves, &c., Marshall (3, 4).

- development of ovary, Balfour (8).

Sea; colouring of, Palmer (1), R. Brown (1), Collingwood (1), Carter (1).

Sections, methods, &c., M. Foster (1), Hawksley (1); x, 294; Moseley (2); xiv, 182-184, C. H. G. Bird (1), Moseley (8), Kidd (3), Power (2), Moseley (12), A. G. Bourne (2), Sollas (1), xxiv, 648-654.

geological, Slade (1).

SEDGWICK, A. (1). Development of the kidney in its relation to the Wolffian body in the Chick. xx, 146-166, pls. xvii, xviii.

 — (2). On the development of the structure known as the glomerulus of the head-kidney in the Chick.

xx, 372–374.

— (3). On the early development of the anterior part of the Wolffian duct and body in the Chick, together with some remarks on the excretory system of the Vertebrata. xxi, 432-468, pl. xxvi.

 — (4). On the origin of metameric segmentation, and some other morphological questions.

xxiv, 43-82, pls. ii, iii.

— (5). The development of Peripatus capensis. Part I. xxv, 449–466, pls. xxxi, xxxii. Part II. The segmentation of the ovum and formation of the layers, xxvi, 175–212, pls. xii–xiv. Part III. xxvii, 467–550, pls. xxxiv–xxxvii. Part IV. xxviii, 373–396, pls. xxvi–xxix.

 (6). A monograph on the species and distribution of the genus Peripatus. xxviii, 431-493, pls. xxxivxl.

— see BALFOUR (10).

Segmental duct, see Kidney.

Segmentation, metameric, Sedgwick (4), Caldwell (2), Bateson (4).

Sepia; chitin of cartilage, Halliburton (1).

Sepiola, viii, 42.

Seps; pineal eye, W. B. Spencer (3).

Septicæmia, Dowdeswell (3), Roberts (2).

Seriatopora, Fowler (1) Parts III and IV, Moseley (13).

- SHADBOLT, G. (1). Hints on the subject of collecting objects for microscopical examination. i (o.s.), 17-22.
- (2). On the photographic delineation of microscopic objects by artificial illumination. i (o. s.), 165-170.
- (3). A short description of some new forms of Diatomaceæ from Port Natal. (Transactions) ii, 13-18, pl. i.
- (4). A defence of the proposed new genus "Actinophænia." ii (0. s.), 201–203.
- (5). Presidential address, 1857.
 (Transactions) v, 133-145.
- — (6). Presidential address, 1858. (Transactions) vi, 65-77.
- Sharpey, W., on perforating fibres, xviii, 142.
- Shea; A Manual of Animal Physiology, for the use of Non-medical Students (review). iii, 290-294.
- Sheep-pox, Klein (7); xvi, 412, 413; xiv, 399.
- epidermis in, Klein (13).
- SHELDON, L. (1). Note on the ciliated pit of Ascidians, and its relation to the nerve-ganglion and so-called hypophysial gland, and an account of the anatomy of Cynthia rustica (?). xxviii. 131-148. pls. ix. x.
- (?). xxviii, 131-148, pls. ix, x.

 (2). On the development of Peripatus novæ-zealandiæ. xxviii, 205-237, pls. xii-xvi.
- (3). Notes on the anatomy of Peripatus capensis and Peripatus novæ-zealandiæ. xxviii, 495-499.
- — see **JOHNSON** (3).
- Shell-regeneration in Mollusca, Rainey (9).
- Shell-gland, E. R. Lankester (24).
- Shepheardella; gen. n., Siddall (1).
- SHEPPARD, J. B. (1). On an example of the production of a colour possessing remarkable qualities by the action of Monads (or some other microscopic organism) upon organised substances. (Transactions) xv, 64-71.
- SHIPLEY, A. E. (1). On some points in the development of Petromyzon fluviatilis. xxvii, 325-370, pls. xxvi-xxix.

- SIDDALL, J. D. (1). On Shepheardella, an undescribed type of marine Rhizopoda, with a few observations on Lieberkühnia. xx, 130-145.
- SIEBOLD, C. T. v. (1). On unicellular plants and animals (transl.). i (o. s.), 111-121, 195-206.
- (2). On the transformation of Cysticereus pisiformis into Tænia serrata (transl.). ii (o. s.), 255– 263.
- v. Siebold; On a True Parthenogenesis on Moths and Bees, a Contribution to the History of Reproduction in Animals (review). v (o. s.), 223-229.
- Silica; organic, Bailey (7), Leipner (1).
- SIMONDS, J. B. (1). On the occurrence of a membranous cell or cyst upon the olfactory nerve of a horse containing a large crystal of oxalate of lime. (Transactions) i, 26, 27, pl. iv, fig. 1.
- Siphonophora, x, 299; xv, 79.
- Sipunculus, colouring matter, E. R. Lankester (19).
- SLACK, H. J. (1). Microscopical notes. i, 132, 133.
 - (2). Notes on the vinegar plant. (Transactions) xiii, 11-15.
- (3). Description of a diaphragm eye-piece for the microscope. (Transactions) xv, 1, 2.
- (4). On a microscopic ferment found in red French wine. (Transactions) xvi, 35-39.
- see W. C. ROBERTS (1).
- Slack; Marvels of Pond Life, or a Year's Microscopic Recreations (review). i, 310-312.
- SLADE, J. (1). Sections of coal. xi, 284, 285.
- SLADEN, W. P. (1). On the homologies of the primary larval plates in the test of brachiate Echinoderms. xxiv, 24-42, pl. i.
- SMITH, E. (1). Microscopic illumination. viii, 143-145.
- SMITH, H. L. (1). Notes on Diatomaceæ found near Gambia, O. (Transactions) viii, 33-35.
- (2). Archebiosis and Heterogenesis. xiii, 357-366.
- SMITH J. (1). On a section and a mounting instrument. (Transactions) viii, 1-3, cf. i, 132.

SMITH, J.—
— (2). The object cabinet. viii (o. s.), 201–203.

(3). A new polarising stage. viii (0. s.), 203, 204.

- (4). The collecting bottle. viii (o. s.), 204.

(5). On a dissecting microscope. (Transactions) ix, 10-14.

- (6). On a method of dry mount-

ing. (Transactions) xiv, 28.

— (7). On a form of leaf-holder for the microscope, and a revolving slide-holder with selenite stage. (Transactions) xiv, 100-102.

SMITH, W. (1). On the stellate bodies occurring in the cells of freshwater Algæ. (Transactions) i, 68-72, pl. ix, figs. 1–6.

- (2). On the determination of species in the Diatomaceæ.

(o. s.), 130-135.

- (3). Notes of a microscopical examination of "measled" other pork. v, 4-7, pl. ii.

SMITH, W. G. (1). The resting spores of Peronospora infestans. xv, 360-363, pls. xix, xx; cf. xvi, 103.

SMITH, W. R. (1). The ammoniacal decomposition of urine. 371-377, pl. xxx, figs. 1, 2.

Smith, W., A Synopsis of the British Diatomaceæ (review). i (o. s), 225-229; (review of vol. ii) v (o. s.), 160, 161.

SMITT, F. A. (1). Remarks on Dr. Nitsche's researches on Bryozoa.

xii, 246-248.

Smitt; On the Development and Fat Corpuscles of the Marine Polyzoa (review). vi, 99, 100.

Snow crystals, Glaisher (1, 2), J. Spencer (1),

SOLLAS, J. (1). An improvement in the method of using the freezing microtome. xxiv, 163, 164.

- (2). On the development of Halisarca lobularis. xxiv, 603-621, pl. xxxvii.

SOLLITT, J. D. (1). On the aperture of object-glasses. iii (o. s.), 85, 86; cf. 239-241.

- (2). New achromatic condenser.

iii (o. s.), 87-89.

- (3). On the measurement of the striæ of diatoms. viii (o. s.), 48-51.

Somerville, Mary; Molecular and Microscopical Science (review). ix, 409, 410.

SORBY, H. C. (1). On the colouring matters of blue decayed wood. ix, 43, 44.

- (2). On some technical applications of the spectrum microscope. ix, 358-383.

- (3). On some compounds derived from the colouring matter of blood. x, 400-402.

- (4). On the colour of leaves at different seasons of the year. xi, 215-234.

- (5). On the colouring matter of some Aphides. xi, 353-361.

- (6). On the chromatological relations of Spongilla fluviatilis. xv, 47-52.

 (7). On the colouring matter of Bonellia viridis. xv, 166-172.

- (8). On the evolution of Hæmoglobin. xvi, 76-85.

- (9). Relation between the limit of the powers of the microscope and the ultimate molecules of matter. xvi, 225-234.

Sorosphæra; gen. n., Brady (3) xix, 28.

SPENCER, J. (1). On the similarity of form observed in snow crystals as compared with those of camphor under certain conditions of crystallization. iv, 201-203, pl. xii.

SPENCER, J. B. (1). Magnetic stage. iii, 173, 174.

SPENCER, W. B. (1). The urinary organs of the Amphipoda. xxv, 183-191, pl. xiii.

- (2). Some notes on the early development of Rana temporaria. xxv supplement, 123-137, pl. x.

 (3). On the presence and structure of the pineal eye in Lacertilia. xxvii, 165-238, pls. xiv-xx.

- see MARSHALL, A. M. (4). Spengel's organ, E. R. Lankester (56). Spermatogenesis, Blomfield (4), Herb. H. Brown (1); vi, 89; viii, 27.

Spermatophors in Oligochæta, E. R. Lankester (10, 13).

Spermatozoa in Torrea vitrea, Quatrefages (1).

of Helix and Rana, Blomfield (1) Part II.

of Lumbricus, Blomfield (1) Part I.

Spermatozoa-

- of Triton, Dowdeswell (4).

of Vertebrata, Gibbes (1, 3).
under reagents, Kölliker (6, 7),

— under reagents, Kölliker (6, 7),

Moleschott (1).

Spherophides Gulliver (4)

Sphæraphides, Gulliver (4). Sphærastrum, Archer (25) xvi, 356. Sphæria, Currey (3, 8).

Sphæridia (Echinoidea), Ayers (1). Sphærozoum, J. Müller (1), Macdonald (1).

Sphenotrochus, Fowler (1) Part IV. Spinal nerves; development, Paterson (1).

Spiralaria; gen. n., i, 15.

Spiral vessels, Currey (2). Spirifer, vii, 148.

Spirillina, Brady (3) xix, 277.

Spirotænia; 2 sp. n., Archer (5, 11, 14).

Spleen; structure, Klein (8), Huxley (5).

Spondylus; eye, Hickson (2).

Spongilla; chlorophyll of, Sorby (6), E. R. Lankester (25, 53).

- anatomy, &c., Lieberkühn (1, 2).

Spumella, Bütschli (1). Stack; A Popular History of British Mosses (review). iii (o. s.), 156.

Stains, Abbey (1), Beale (15); x, 293, 294; Moseley (1); xii, 160, 161; xiii, 427; W. H. Jackson (1), Baber (1), B. W. Richardson (4); xiv, 285-287; Poole (1), Sankey (1), Harris (3), Hankin (1), W. B. Lewis (1).

Stanhoscope, Barkas (4).

Starch; adulteration of tobacco, ix, 76, 77.

granule, Busk (2); iv (o. s.), 85;
 Schimper (1), Rainey (8), Allman (1), Crüger (1).

— in blood of epileptic, Stratford (1). Starvation; histology of, D. D. Cunningham (1).

Statoblasts, Hincks (7).

Staurastrum; 2 sp. n., Archer (1); Archer (5).

Steganosporium, Currey (3).

Stein; Die Infusionstiere auf ihre Entwickelungs-Geschichte untersucht (review). ii (o. s.), 272– 276.

Stenogramma, E. P. Wright (3). Stentor; colouring matters, E. R. Lankester (19), Sallitt (1).

Stephanaria, Fowler (1) Part IV. Stephanophyllia, Fowler (1) Part IV. Stephanops, Tatem (1).

Stephanosphæra, Archer (9), Currey (6).

Stephanotrochus; supposed calicoblasts, Fowler (1) Part IV.

STEWART, C. (1). On a new Sponge, Tethyopsis columnifer. x, 281, 282, pl. xviii.

— — (2). On the minute structure of certain hard parts of the genus Cidaris. xi, 51-55, pl. iv.

STIRLING, W. (1). Action of fresh cholera-injections upon animals. xiv, 282, 283.

 (2). On the changes produced in the lungs by the embryos of Ollulanus tricuspis. xvii, 145– 151, pl. xi.

STODDART, W. W. (1). On microgeology. ii, 147-152.

STODDER, C. (1). Report on slides of Diatomaceæ. (Transactions) ix, 25-28.

— (2). Nobert's test-plate and modern microscopes. viii, 131– 138.

STOKES, T. G. (1). Hints on the mounting of Diatomaceæ. ii, 229. — — (2). Polycystina off the Ork-

neys. ii, 307.

- (3). Mr. Goddard's mountingtable. iv, 296; cf. v, 66.

 — (4). On cleaning diatoms. vii, 222, 223.

— (5). Some remarks on Dr. Donkin's recent paper on Diatomaceæ. ix, 401, 402.

Stomach, gland-cells, xi, 200.

Strasburger; Ueber den Bau und Wachsthum der Zellhäute (review by H. M. Ward). xxii, 401-416.

STRATFORD, S. J. (1). On the presence of starch in the blood of an epileptic patient. iii (o. s.), 168-171.

Strebla, Giglioli (2).

Striated muscle, see Muscle.

Stricker; Manual of Histology (review). xiii, 187-193; (review of 3rd vol.); xv, 57, 58.

3rd vol.); xv, 57, 58.

STRICKER, S. (1). On the present state of our knowledge of inflammation (transl.). x, 242-251.

 (2). On cell division in inflamed tissues (transl.). x, 251, 252.

— (3). On inflammation and suppuration (transl.). x, 257-264.

STRICKER, S .-

— (4), & J. BURDON SANDERSON. On a new method of studying the capillary circulation in Mammals. x, 362-367.

Strigula on tea-plant, Berkeley (4). Stylochus, Moseley (10).

SUFFOLK, W. T. (1). Blood-corpuscles. i, 220.

— — (2). Arachnoidiscus. v, 286. SULLIVANT, W. S. (1), & T. G. WORM-LEY. On Nobert's test-plate and the striæ of diatoms. i, 112–117. Suprarenal bodies; development in

Mammalia, Mitsukuri (2).

Vertebrata, Weldon (2, 3).

Surirella; sp. n., ix, 162; Greville (3). Suspensor; homologies, Vines (3). Sweat-glands; histology, Sangster (1).

Syllis; gizzard, Haswell (1).

Sympathetic system, histology, vii, 154. Synapta; development, Wyville Thomson (2); Herapath (3), E. R. Lankester (6).

Syngnathus; osteology, &c., McMurrich (1).

T.

Tactile corpuscles, Huxley (4). Tænia mediocanellata, Welch (1).

serrata, v. Siebold (2).
see also Cysticercus.

Talitrus; urinary organs, W. B. Spencer (1).

Talpa; development and ovum, Heape (1, 2, 3).

Taraxacum, laticiferous vessels, D. H. Scott (1).

Taste-bulbs; origin of, Poulton (1, 2), Tuckerman (1).

TATEM, T. G. (1). New species of microscopical animals. vii, 251-253, pl. x, figs. 1-3.

— (2). On a new species of microscopic animals. (Transactions) xvi, 31-33, pl. vi.

Tatusia; teeth, C. S. Tomes (3).

Taylor; Principles and Practice of Medical Jurisprudence (review). xi, 69-77.

TAYLOR, R. (1). Diatom-finder. viii (0. s.), 62.

Teeth; causes of decay, xiv, 283, 284.

— development in Tatusia, &c., C. S.
Tomes (3).

Teeth-

development and structure, Huxley
(3) (7), J. Tomes (1), C. S. Tomes
(2, 4), Rolleston (2), Rainey (7).
hinged, of Esox, C. S. Tomes (5).

— Nasmyth's membrane, C. S. Tomes (2).

— pulp, viii, 94, 95, pl. ii, figs. 1-3.

- structure, Salter (1).

- shedding, &c., J. Tomes (1).

Teleostei; development, van Beneden (7), Klein (10), J. T. Cunningham (5).

— ovarian ovum, Scharff (3), Ransom (1).

— olfactory organ, A. M. Marshall (2).
— orifices in head, Houghton (5).

- physiol. experiment, McIntoh (3).

teeth, Esox, C. S. Tomes (5).
Syngnathus, osteology and development, McMurrich (1).

- Kupffer's vesicle, J. T. Cunningham (3).

- labyrinthic apparatus, Zograff (1).

tail and jaws, Huxley (11).
origin of hypoblast, Brook (1).

— so-called pro-nephros, Balfour (18). Temnocephala, Haswell (2).

Tendons, Ranvier (1), Bruce (1); xii, 179.

Tennysonia; gen. n., vii, 242. Terebriporidæ, vi, 157.

Tetanus, pathology, v, 56.

Tethyopsis, Stewart (1).

Tetrachastrum; gen. n., Archer (1).

Tetrapedia, Archer (17).

Tetrastemma; vascular and nephridial systems, Oudemans (1).

Textularia, Brady (3) xxi, 53.
Thalassicolla, J. Müller (1), Macdonald (1).

Thallophyta; in hot springs, Edwards (6).

- reproduction, ix, 162; Dyer (5); xvii, 175-185.

 see Algæ, Fungi, Bacteria, Lichens, Schizophyta, Fucaceæ, &c.

Thamnidium, van Tieghem (1).

Thaumantias; sp. n., Cobbold (3); T. S. Wright (3).

THIN, G. (1). On the structure of hyaline cartilage. xvi, 1-22, pls. i, ii.

 (2). On the formation of bloodvessels, as observed in the omentum of young rabbits. xvi, 241-251, pl. xv, figs. 1-5. THIN, G .-

— (3). On the structure of muscular fibre. xvi, 251-259, pl. xv, figs. 6-14.

THOMAS, A. P. (1). The life-history of the liver-fluke (Fasciola hepatica). xxiii, 99-133, pls. ii, iii.

THOMAS, MRS. H. (1). Observations on Cosmarium margaritiferum and other Desmideæ. (Transactions) iii, 33-37, pl. v.

THOMAS, R. (1). On the crystallization of the sulphates of iron, cobalt, and nickel. (Transactions) xv, 19, 20.

Thompson; Lettsomian Lectures on Pulmonary Consumption (review). iii (o. s.), 227-229.

THOMSON, A. (1). Recent researches on Oogenesis. xxvi, 591-606. THOMSON, C. W. (1). On the em-

THOMSON, C. W. (1). On the embryology of Asteracanthion violaceus. i, 99-108, pl. vii.

 — (2). On the development of Synapta inhærens, O. F. Müller (sp.). ii, 131-146, pl. v, vi.

THUDICHUM, J. L. W. (1). On a case of green pigment-degeneration of the heart. iv (0. s.), 111-116, pl. ix, figs. 1-5.

Thurammina; gen. n., Brady (3) xix,

Thymus; concentric bodies, xviii, 195. Thyroid gland; of Canis, Baber (2). Thysanozoon; larva, Moseley (10). Thysanura, Lubbock (1).

TIEGHEM, P. van (1), & Le MONNIER.

Researches on the Mucorini
(transl.). xiv, 49-76, pls. iii, iv.
Tigridia; reproduction, Duncan (1).
Todea; apex of root, Bower (7).

TOMES, C. S. (1). An account of a Trichopterous larva. vii, 248-251, pl. ix.

— (2). On the nature of the cuticula dentis (Nasmyth's membrane). xii, 321-326, pl. xvii.

— (3). On the existence of an enamel organ in an Armadillo. xiv, 44–48, pl. ii.

— (4). On the development of teeth. xvi, 40-50, pls. iv, v.

- (5). On the hinged teeth of the common Pike. xviii, 1-6, pl. i.

TOMES, J. (1). On certain conditions of the dental tissues. iv (o. s.), 97-104, pl. vi, and 213-220, pl. xv.

TOMKINS, J. N. (1). A new magnetic stage. v (o. s.), 237, 238.

— (2). On a new diatom-finder.

— — (2). On a new diatom-finder. (Transactions) vii, 57, 58.

— (3). On a travelling microscope. (Transactions) xv, 20-22.

Tongue; Hyla, Beale (16).

Marsupialia, Poulton (1).
Mephitis, Tuckerman (1).

Torquatella; gen. n., E. R. Lankester (22).

Torrea; spermatozoa, de Quatrefages (1).

Torula, Huxley (14), Bennett (2).

— pink variety, Klein (27). Tow-net, Owen (1).

Toxonidea, Barkas (5), Donkin (2). Tracheæ; origin of, Sedgwick (4).

Tracheæ; origin of, Sedgwick (4).
Tragopogon, laticiferous vessels, D. H.
Scott (1).

Transactions of the Pathological Society of London (review). ii (o. s.), 195-197; (review of vol. vi) iv (o. s.), 293-298.

Trematoda; calcareous corpuscles, Claparède (1).

- in Carcinus, M'Intosh (1).

- Gyrodactylus, Wagener (1), Cobbold (5).

in haddock, Maddox (7).
in elephant, Cobbold (6).

— Nematobothrium, v. Beneden (2).

liver-fluke, A. P. Thomas (1).
Temnocephala, Haswell (2).

Trepomonas, Bütschli (1).

Triarthra, Slack (1).

Triceratium, Brightwell (6), Wallich (2), Roper (2, 5).

- synopsis of species, Brightwell (1, 3).

Trichia; spiral vessels, Currey (2, 5). Trichina, Leuckart (3), Virchow (6), T. R. Lewis (3).

Trichocysts; Infusoria, Allman (3).
Mollusca, Bergh (1), T. S. Wright (5).

Turbellaria, Moseley (11).
Myxine, Blomfield (3).

Trichodesmium erythræum, Dareste (1), Carter (1), Collingwood (1). Trichodina, vi, 159.

Trichydra, T. S. Wright (4).

Tricuspidaria; calcareous corpuscles, Cobbold (4).

Trigaster; gen. n., Benham (1) Part

Trigla, development, J. T. Cunningham (5).

Trionyx; early development, Mitsukuri (3).

Tritaxia, Brady (3) xxi, 55.

Triticum; cell-formation and early stages, Osborne (3). Triton; development, W. B. Scott (1)

Johnson (2, 3).

- egg-formation, Iwakawa (1).

- spermatozoon, Gibbes (6), Dowdeswell (4).

Trochammina, Brady (3) xix, 54 and xxi, 52

Trocheta, A. G. Bourne (6).

Trochosphere theory, E. Ray Lankester (34), Balfour (17).

- see Mollusca, development.

Troglodytes, Archer (25) xvii, 331. Trophonia; cardiac body, J. T. Cunningham (8). Truncatulina, Brady (3) xxi, 65.

Trypanosoma, see Undulina.

Tubifex; spermatophors, E. R. Lankester (13).

Tubipora, Moseley (13), Hickson (3). Tubularia; development, Mummery

(1).

TUCKER, E. (1). Mode of growth of parasitic fungi. ii (o. s.), 204. TUCKERMAN, F. (1). The tongue

and gustatory organs of Mephitis mephitica. xxviii, 149-167, pl. xi.

TULASNE, L. B. (1). On the germination of the spores of the Uredineæ (transl.). ii (o. s.), 110, 111.

TULK, J. A. (1). On cleaning and preparing diatoms. (Transactions) xi, 4-8.

Turacin, viii, 102. Turbellaria-

pelagic, Moseley (10).

- terrestrial, Moseley (11).

- chlorophyll, E. R. Lankester (39). - relation to Dinophilus, Weldon (4).

Turbinaria, Fowler (1) Part III. TURNER, W. (1). On the employment of transparent injections in the examination of the minute structure of the human pancreas. viii (o. s.), 147-150, pl. x, figs. 1-4.

- (2). Further observations on the structure of nerve-fibre. viii (o. s.), 150-152.

see LISTER (4).

YRREL, J. (1). The finder. i (o. s.),

 (2). Feet and wings of insects. ii (o. s.), 230, 231.

TYSON, J. (1). Note on the distribution of nerves to the vessels of the connective tissue in the hilus of the pig's kidney, and on the ganglia found in connection with these nerves. x, 41-46.

Tyson; The Cell Doctrine, its History and Present State (review). x,

188, 189.

U.

Umbelliferæ; venation, Gorham (5). Umbilical cord; histology, Koester (1).

Undulina, E. R. Lankester (16); xxii,

Unger; Botanical Letters to a Friend (review). ii (o. s.), 123-126.

Uredineæ; spore-germination, Tulasne (1); Plowright (1); see also Fungi, &c.

Urine; ammoniacal decomposition, W. R. Smith (1).

- microscopic examination, Beale (2); xii, 171, 172.

Urobenus; gen. n., Benham (1) Part

Urochorda, see Ascidiacea and Appendicularidæ.

Uroglena, Bütschli (1).

Uromyces, Plowright (1). Uvella, Bütschli (1).

Uvigerina, Brady (3) xix, 273 and xxi,

v.

Vaginicola, Slack (1), Mitchell (4), C. J. Müller (1).

- chlorophyll in, Sallitt (1). Vaginulina, Brady (3) xxi, 63.

Valencinia; vascular and nephridial systems, Oudemans (1).

VALLENTIN, R. (1), & J. T. CUN-NINGHAM. The photospheria of Nyctiphanes norvegica. 319-341, pl. xxiii.

Vallisneria, cyclosis, Hunt (1). Vampyrella, Archer (25) xvii, 347.

Vanlair and Masius; Microcythæmia; a Morbid Condition of the Blood hitherto undescribed (review). xii, 296-300.

Varanus; pineal eye, W. B. Spencer

Varenne, de; Sur l'origine des spermatozoides chez les Hydraires (review by A. G. Bourne). xxiii, 617-622.

"Vascular glands," Huxley (5); ii (o. s.), 81.

Velella, colouring matters, E. R. Lankester (19).

Veliger, see Mollusca, development.

VELLA, L., see ERCOLANI (1).

VERRIER, — see A. POUCHET (1).

Vertebrata-

blood-corpuscles, Dowdeswell (2).

- morphology and early development, Balfour (5), E. R. Lankester (28).

- olfactory organ, A. M. Marshall (2).

- ovary, Balfour (8).

- spermatozoa, Gibbes (1, 3).

— ancestry, Hubrecht (5, 7), Sedgwick (4), Beard (1), Bateson (4), J. T. Cunningham (3, 7).

- and Capitellidæ, xix, 115; Beard (1).

nephros, &c., Balfour (10), Sedgwick (3); see also Kidney, Pronephros, Suprarenal bodies.

cranial nerves and segmentation,
 A. M. Marshall (2, 3, 4), Beard
 (1); see also Visceral clefts.

 theory of embryonic formation, Whitman (2).

- and Ascidiacea, x, 59.

— malar, quadrate, &c., Dollo (1), G. Baur (3).

- see Mammalia, &c.

Vibracula, Busk (4).

Vibriones, Ayres (2). Victorella, Kent (1).

Victoria regia; leaf, Lawson (3). Vinegar plant, Henfrey (2), Slack (2).

VINES, S. H. (1). Some recent views as to the composition of the fibrovascular bundles of plants. xvi, 388-398, pl. xxvii.

— (2). An account of Professor Strasburger's observations on protoplasm. xvii, 124–132, pl. ix.

- (3). On the homologies of the suspensor. xviii, 58-67, pl. v.

- (4). Recent researches into the nature of Lichens. xviii, 144-157.

 (5). The reproduction of Lichens, and the sexuality of the Ascomycetes. xviii, 438-445, pl. xx. VIRCHOW, R. (1). On a substance presenting the chemical reaction of cellulose, found in the brain and spinal cord of man (transl.). ii (o. s.), 101-108.

- (2). On the irritability of ciliated cells (transl.). ii (o. s.),

108~110.

- (3). On chromatophores in the Frog (transl.). ii (0. s.), 254, 255.

— (4). On the cellulose (in animals) question (transl). iii (o. s.), 284-289.

— (5). On the course of the amyloid degeneration (transl.). iv (o. s.), 135-142.

(transl.). Note on Trichina spiralis (transl.). i, 44-47.

Visceral clefts, Marshall (2); origin, Sedgwick (4); McMurrich (1), Huxley (11), Beard (1).

Vivisection; methods, Caton (1), Stric-

ker (4).

VOGT, C. (1). Loxosoma (transl.). xvii, 354-376, pl. xxii.

Volvox; structure and development, Busk (1); Williamson (1), Cohn (2), Hicks (1, 4, 5). Vortex; chlorophyll, M. Schultze (1).

Vortex; chlorophyll, M. Schultze (1) Vorticella; chlorophyll, Sallitt (1).

- contractile vacuole, Griffiths (1).
- stem, Mecznikow (1).

Vorticlava, T. S. Wright (4).

W.

WAGENER, G. R. (1). On Gyrodactylus elegans, Nordmann (transl.). i, 196-212.

WALDSTEIN, L. (1). A contribution to the biology of Bacteria. xx, 190-201.

WALKER-ARNOTT, G. A. (1). Note on Camplyodiscus Hodgsonii. (Transactions) vi, 85-87.

— (2). On Rhabdonema and a new allied genus. vi (o. s.), 87-93.

- (3). On Arachnoidiscus. vi (o. s.), 159-165.

— (4). On the structure of Amphora, a genus of Diatomaceæ, and the diagnosis of its species. vi (o. s.), 184-186.

— (5). Notes on Arachnoidiscus, Pleurosigma, Amphiprora, Eunotia, and Amphora. vi (o. s.), 195–206 WALKER-ARNOTT, G. A .--

- (6). What are Marine Diatoms? vii (o. s.), 170-178.

(7). Bermuda Tripoli. v
 (0. s.), 254.

— — (8). On Cyclotella. viii (o. s.), 244–248.

WALLICH, G. C. (1). On microscopic objects collected in India, &c. (Transactions) vi, 81-85.

— (2). On Triceratium and some new allied forms. vi (o. s.), 242-

253, pls. xii, xiii.

 (3). On apparatus for dredging at moderate depths in the deep sea, and for capturing floating objects from shipboard. vii (o. s.), 1-4.

— (4). On the siliceous organisms found in the digestive cavities of the Salpæ, and their relation to the flint nodules of the chalk formation. (Transactions) viii, 36-55, pl. ii.

-- (5). On the development and structure of the diatom valve. (Transactions) viii, 129-145.

— (6). Registration of objects. viii (o. s.), 136, 137.

— (7). On the structure and affinities of the Polycystina. (Transactions) xiii, 75-84.

- (8). Coccoliths and Coccospheres.

ix, 77, 78.

Wallich; Notes on the Presence of Animal Life at Vast Depths in the Sea, with Observations on the Nature of the Sea-bed as bearing on Submarine Telegraphs (review). i, 56-58.

Wallich; On an Undescribed Form of Amæba (review). iii, 194-197.

WARD, H. M. (1). On the embryo-sac and development of Gymnadenia conopsea. xx, 1-18, pls. i-iii.

 — (2). On the morphology of Hemileia vastatrix, the fungus of the coffee disease of Ceylon. xxii, 1-11, pls. i-iii.

— (3). Researches on the morphology and life-history of a tropical pyrenomycetous fungus. xxii, 347-354, pls. xxviii, xxix.

— (4). Observations on Saprolegniæ. xxiii, 271-294, pl. xxii.
— (5). Observations on the genus

- (5). Observations on the genus Pythium. xxiii, 485-515, pls. xxxiy-xxxvi. WARD, H. M.-

- (6). On the sexuality of the

Fungi, xxiv, 262-310.

(7). Illustrations of the structure and life-history of Phytophthora infestans, the fungus causing the potato disease. xxvii, 413-425, pls. xxxi, xxxii.

Ward; Microscope Teachings: Descriptions of Various Objects of Especial Interest and Beauty, adapted for Microscopic Observations, &c. (re-

view). iv, 140, 141.

WARINGTON, R. (1). On a new form of microscope. iv (o. s.), 90-96.

— (2). A description of some useful additions to his portable microscope, and modifications in the mode of using the same. (Transactions) vii, 58-61.

WATNEY, H. (1). The minute anatomy of the alimentary canal. xvii,

213-220, pl. xv.

WEBB, W. (1). On the Noctiluca miliaris. iii (o. s.), 102-106, pl. vi, figs. 6-10.

— (2). On striated muscular fibres in the skin of the human lip. v
 (o. s.), 89, pl. vii, fig. 16.

- (3). Notes of the microscopical examination of a loose cartilage from the knee-joint. vii (o. s.), 11-13.

WEDDEL, H. A. (1). On the cystolites or calcareous concretions in the Urticaceæ and other plants(transl.). iv (o. s.), 80-83.

Wedl; Rudiments of Pathological Histology, translated and edited by G. Busk (review). iv (o. s.),

225-227.

Weismann; Observations sur les Cellules Sexuelles des Hydroides (review by A. G. Bourne). xxiii, 617– 622.

WEISSE, J. F. (1). On the development of the eggs of Floscularia ornata (transl.). iv, 279-281.

WELCH, F. H. (1). Observations on the anatomy of Tænia mediocanellata. xv, 1-23, pls. i, ii.

WELCKER, H. (1). On the measurement of the vertical thickness of microscopic objects, and on the determination of the chemical properties from their refractive power (transl.). vii (o. s.), 240-247.

WELCKER, H .-

- (2). On the distinguishing of elevations and depressions under the microscope (transl.). viii (0.s.), 52-55.
- (3). On sarcina, and especially on its occurrence in the urine of man (transl.). viii (o. s.), 163– 167.
- WELDON, W. F. R. (1). Note on the early development of Lacerta muralis. xxiii, 134-144, pls. ivvi.
- (2). On the head-kidney of Bdellostoma, with a suggestion as to the origin of the suprarenal bodies. xxiv, 171-181, pl. xv.
- (3). On the suprarenal bodies of Vertebrata. xxv, 137-150, pls. xi, xii.
- (4). On Dinophilus gigas. xxvii, 109-121, pl. x.
- Welwitschia; development, Bower (2, 3, 8).
- WENHAM, F. H. (1). On the application of binocular vision to the microscope. (Transactions) ii, 1–13.
- (2). Binocular microscope. ii, (o. s.), 132-134.
- (3). On measuring the aperture of object-glasses, and remarks on their adjustment. ii (o. s.), 134– 139.
- (4). On the theory of the illumination of objects under the microscope, with relation to the aperture of the object-glass and properties of light, with practical methods for special differences of texture and colour. ii (o. s.), 145–158.
- (5). On the aperture of objectglasses. ii (0. s.), 209-218.
- (6). Some remarks on obtaining photographs of microscopic objects, and on the coincidence of the chemical and visual foci of the object-glasses. (Transactions) iii, 1-7.
- (7). Illumination of microscopic objects. iii (0, s.), 86, 87.
- -- (8). Aperture of object-glasses. iii (o. s.), 160-163.
- (9). Metallic impressions of microscopic objects. iii (o. s.), 244-246.

WENHAM, F. H .--

- (10). Observations on the circulation of the sap in the leaf cells of Anacharis alsinastrum. iii (o. s.), 277-283.
- (11). Aperture of object-glasses in relation to objects in Canada balsam. iii (o. s.), 302–304.
 (12). On the formation and
- (12). On the formation and development of the vegetable cell.
 (Transactions) iv, 1-10, pl. i; cf.
 (Transactions) iv, 60-66.
- (13). On a method of illuminating opaque objects under the highest powers of the microscope.
 (Transactions) iv, 55-60.
- (14). Notes and observations on the sap-circulation of plants. iv (o. s.), 44-50.
- (15). Aperture of object-glasses. iv (o.s.), 85-87; cf. iv (o.s.), 239, 240.
- (16). Cilia in unicellular plants. iv (o. s.), 157-160.
- (17). Mr. Warington's portable aquarium microscope. vii (o. s.), 199, 200.
- (18). Substitute for the rackand-pinion movement of microscopes. vii (o. s.), 201.
- (19). On an improved binocular microscope. (Transactions) viii, 154-156.
- (20). Remarks on the binocular microscope. i, 109-111; and i, 136, 137.
- (21). On a new combined binocular and single microscope. (Transactions) ix, 15-19.
- (22). Micro-stereographs. iii, 77, 78.
- (23). Sunlight illumination of diatoms. iii, 299, 300.
- (24). Notes on the fracture of polished glass surfaces. (Transactions) xiii, 105-107.
- (25). Light reflected from transparent surfaces. vi, 167, 168.
- - (26). On a binocular microscope for high powers. (Transactions) xiv, 103-106.
- West; Half-hours with the Microscope, being a Popular Guide to the Use of the Microscope as a means of Amusement and Instruction (review). vii (o. s.), 195-198.

WEST, T. (1). On the structure of Rhabdonema and other Diatomaceæ with compound frustules. vi (o. s.), 186-188.

- (2). On some conditions of the cell-wall in the petals of flowers, with remarks on some so-called external secondary deposits.

(o. s.), 22-26, pl. i.

- (3). Remarks on some Diatomaceæ, new or imperfectly described, and a new Desmid. (Transactions) viii, 147-153, pl. vii.

- (4). On the structure of the egg in Scatophaga. (Transactions) xiv, 67, 68, pl. vii, figs. 1-7.

- (5). Description of the skin cast by an Ephemeron, in its "pseudimago" condition. (Transactions) xiv, 69, 70, pl. vii, figs. 8-11.
- WESTERN, J. (1). The circulation in aqueous plants. iv (o. s.), 84.

WESTON, J. (1). On the Actinophrys sol. iv (o. s.), 116-123, pl. ix, figs. 3-7.

- WHEATSTONE, C. (1). On the binocular microscope, and on stereoscopic pictures of microscopic (Transactions) i, 99objects. 102.
- WHITE, T. C. (1). On colouring Animalcules. ii (o. s.), 282.
- WHITMAN, C. O. (1). The embryology of Clepsine. xviii, 215-315, pls. xii-xv.
- A rare form of the blasto--(2). derm of the Chick. xxiii, 376-398, pls. xxiv, xxv.

— (3). The Leeches of Japan. xxvi, 317-416, pls. xvii-xxi.

Whitman; Methods of Research in Microscopical Anatomy and Embryology (review). xxvi, 507.

WHITNEY, W. U. (1). On the circulation in the Tadpole. (Transac-

tions) x, 1-9, pl. i.

On the changes which accompany the metamorphosis of the Tadpole, in reference especially to the respiratory and sanguiniferous systems. (Transactions) xv, 43-54, pls. iii, iv.

Whooping-cough; fungi, xi, 197.

WILLEMOES-SUHM, R. v. (1). On a Crustacean larva, at one time supposed to be the larva of Limulus. xxiii, 145-150, pl. vii.

WILLIAMS, J. (1). Some account of the Martin microscope, purchased for the Society at the sale of the late Professor Quekett's effects. (Transactions) x, 31-41.

A few words more on (2). Benjamin Martin. (Transactions) xi, 1-4.

Williamson; On the Recent Foraminifera of Great Britain (review). vii (o. s.), 104–107.

WILLIAMSON, W. C. (1). Further elucidations of the structure of Volvox globator. (Transactions) i, 45, 46, pl. vi.

- (2). On the minute structure of a species of Faujasina. (Trans-

actions) i, 87-92, pl. x.

 (3). On the anatomy of Melicerta ringens. i (o. s.), 3-8, pl. i, figs. 14-34; i (o. s.), 65-71, pl. ii, fig. 28.

(4),On some histological features in the shells of the Crustacea.

viii (o. s), 35-47, pl. iii.

WILSON, E. B. (1). The origin and significance of the metamorphosis of Actinotrocha. xxi, 202-218, pls. xiv, xv.

WILSON, H. (1). Note on Vorticella. v (o. s.), 17.

WITTROCK, V. B. (1). The freshwater Alge of Götland and Öland, with an enumeration of the species, and remarks (transl.). xiii, 117-139.

Wood; Common Objects of the Micro

scope (review). i, 314.

WOOD, H. C. (1). Notes on some Algæ from a Californian hot spring. viii, 250-254.

WOODWARD, J. J. (1). On microphotography with high powers. vi, 164–167.

-(2).

On monochromatic illumination. vii, 253–255, pl. x, fig. 1.

(3). Remarks on the new nineteen-band test-plate of Nobert. viii, 225-232.

- (4). Report on certain points connected with the histology of minute blood-vessels. x, 380-393.

WONFOR, T. W. (1). On certain butterfly scales characteristic of sex, viii, 80-83, pl. i; and ix, 19-22, pl. v.

WORMLEY, T. G. See SULLIVANT (1).

WRIGHT, E. G. (1). Finder. i (o. s.), 301, 302.

WRIGHT, E. P. (1). On a new genus of Alcyonidæ. v, 213-217, pl. ix.

 — (2). Notes on Sponges. 1. On Hyalonema mirabilis. 2. On Aphrocallistes bocagei, sp. nov. 3. On a new genus and species of deepsea Sponge. x, 1-9, pls. i-iii.

— (3). Note on Stenogramma interrupta. xvi, 67–69.

WRIGHT, T. G. (1). Structure of Closterium. iii (o. s.), 171, 172.

— (2). New mode of illumination.

iii (o. s.), 236, 237.

WRIGHT, T. S. (1). On Ophryodendron abietinum. i, 98, 99, pl. vi.

 (2). Observations on British Protozoa. ii, 217–221, pls. viii, ix.

— — (3). On the reproduction of Thaumantias inconspicua. ii, 221, 222; cf. ii, 308.

- (4). Observations on British Zoophytes. iii, 45-52, pl. iv-vi.

- (5). On the urticating filaments of the Eolidæ. iii, 52-55.

WYMAN, J. (1). Experiments on the formation of Infusoria in boiled solutions of organic matter, enclosed in hermetically-sealed vessels, and supplied with pure air. iii, 109-119.

Wythes; Curiosities of the Microscope (review). i (o. s.), 138.

- The Microscopist, or a Complete Manual on the Use of the Microscope (review). i (o. s.), 51-53. Wyville-Thomsonia, Wright (2).

X.

Xanthine, B. W. Richardson (3). Xenodochus, Currey (5). Y.

Yeast, see Torula. Yoldia, gills, Mitsukuri (1).

 \mathbf{Z} .

ZENKER, W. (1). Physiological remarks on the Daphnidæ (transl.). i (o. s.), 273-278.

- — (2). Contributions to the natural history of the Infusoria (transl.). vii, 263-270.

Ziphius, E. R. Lankester (5).

ZOGRAFF, N. (1). On the construction and purpose of the so-called labyrinthine apparatus of the Labyrinthic Fishes. xxviii, 501-512, pl. xli.

Zoochlorella, E. R. Lankester (53). Zoological Record, 1867 (review). ix, 80, 81.

ZOOPHYTOLOGY (New Hydrozoa and Polyzoa):

iii (o. s.), 253-256, 2 plates.
— 320-322, 2 plates.

iv (o. s.), 93-96, 2 plates.

— — 176–179, 2 plates.

— 308-311, 4 plates.

v (o. s.), 24, 25, 2 plates. — 172–176, 3 plates.

— — 242-250.

vi (o. s.), 124-130, 2 plates.

— — 260–263. vii (o. s.), 65–67, 2 plates.

— 143-154.

viii (o. s.), 123–125, 2 plates.

— 143–145, 2 plates.

— 213, 214, 2 plates.
— 275–285, 2 plates.

— — 275–285, 2 plates i, 77–80, 2 plates.

- 153-156, 2 plates.

vii, 241-243, 1 plate. Zooteirea, T. S. Wright (2).

Zooteirea, T. S. Wright (2). Zootoca; pineal eye, W. B. Spencer (3). Zygodesmus, Currey (5).

INDEX


TO THE

TRANSACTIONS

OF THE

MICROSCOPICAL SOCIETY

1844-1852.



INDEX.

A.

Acarina, Ixodes, Busk (1).

Agaricus, abnormality, Lankester (1).

Air-bladder, blood-vessels and function,
J. Quekett (3).

Algæ, in human intestine, Farre (3); reproduction, &c., Shadbolt (7). Allantois, blood-vessels and respiratory

character, Dalrymple (1).

Amathusia, scales, De la Rue (1).

Anguinaria, Busk (5). Anthomyia, larva, Farre (2).

Anthomyia, larva, Farre (2). Arachnoidiscus, Shadbolt (3).

В.

Blood-vessels; air-bladder, J. Quekett (3); branchiæ, Pisces, J. Quekett (9); allantois, &c., Dalrymple (1); Reptilian lens, J. Quekett (10).

Bone, structure in the Vertebrate classes, J. Quekett (7).

BOWERBANK, J. S. (1). On a new variety of vascular tissue found in a fossil wood from the London Clay. i, 16-18, pl. ii, figs. 1-5.

— — (2). On the Keratose or horny sponges of commerce. i, 32-39, pl. iii.

 (3). On three species of Sponge containing some new forms of organisation. i, 63-76, pls. vi, vii

(figs. 1-6).

- — (4). On the structure of the shells of Molluscs and conchiferous animals. i, 123-154, pls. xiv-

xviii.
 (5). On ciliary action in the Spongiadeæ. iii, 137-142, pl. xix.

BOYS, T. (1). On a method of mounting objects in Canada balsam. ii, 44, 45.

Branchiæ; Crustacea, J. Quekett (6); Pisces, J. Quekett (9).

Bubo, feather, J. Quekett (5).

BUSK, G. (1). Observations on the young of a species of Ixodes from Brazil. i, 88-91, pls. ix, x.

- (2). Some observations on the natural history of the Echino-

coccus. ii, 10-19, pl. i.

(3). Observations on the structure and nature of the Filaria medinensis or Guinea-worm. ii, 65-76, pls. x, xi.

- — (4). Observations on the Shepherd's Purse Coralline of Ellis (Notamia bursaria, Fleming). ii,

110-121, 179, pl. xxv.

- (5). Observations on the Anguinaria spatulata. ii, 123-126,

180, pl. xxvi.

 (6). Observations on some part of the anatomy of two species of naked-eye Medusæ. iii, 14-21, pl. v.

 (7). Observations on certain points in the anatomy of a species of Thaumantias. iii, 22-31, pl. vi.

C.

Campanularia, Hassall (3).

CARPENTER, W. B. (1). On the structure of the animal basis of the common egg-shell, and of the membrane surrounding the albumen. i, 109, 110.

Cerastium, mechanism of seed-capsule,

E. J. Quekett (2).

Cestoda; Echinococcus, Busk (2). Chameleo, blood-vessels of lung, J. Quekett (3).

Chara, anatomy and development, Varley (1).

Chick; blood-vessels of allantois and vitelline membrane, Dalrymple (1); structure of shell, &c., Carpenter (1).

Chiroptera, hair, J. Quekett (2). Cilia of Mytilus, J. Quekett (4).

CLARK, A. (1). Observations on the anatomy of the skin of a species of Muræna. ii, 141-150, pl. xxiii.

Cnicus, hygrometry of seed-down, E. J. Quekett (2).

Columba, feather, J. Quekett (5). Coppinia, Hassall (3).

COPPIN, J., see HASSALL, A. H. (3). Cover-glass cutter, Shadbolt (1). Crustacea, branchiæ, J. Quekett (6).

D.

DALRYMPLE, J. (1). On the vascular arrangement of the capillary vessels of the allantoid and vitelline membranes in the incubated egg. i, 12-15, pl. i, figs. 1, 2.

DEANE, H. (1). On the occurrence of fossil Xanthidia and Polythalamia in chalk. ii, 77-79, pl. ix.

- (2). On a mode of isolating the siliceous shells of Infusorial animals found in Ichaboe guano. ii,
- On a new medium for mounting fresh or moist animal or vegetable structures. iii, 149-153.
- DE LA RUE, W. (1). On the markings on the scales of the Amathusia Horsfieldii. iii, 36-40, pls. viii,

Diatomaceæ; in stomachs of oysters, Reade (2); separation from guano, Deane (2).

Dictyochalix, Bowerbank (3).

Diptera; larva of Anthomyia, Farre (2).

Duseideia, see Dysidea.

Dysidea, anatomy, &c., Bowerbank (3).

E.

Echinococcus, Busk (2). Elastic tissue, J. Quekett (11). Empusa muscæ, Varley (2). Erodium, hygrometric tissue, E. J. Quekett (2).

F.

FARRE, A. (1). On certain phenomena observed in the genus Nitella, as illustrative of the peculiar structure recently discovered by Mr. Bowerbank in a fossil wood from the London Clay. i, 19-22, pl. ii, figs. 6-11; cf. i, 18.

- (2). On the minute anatomy of the larva of Anthomyia canicularis, Meigen. i, 51-57, pl. v.

- (3). On the minute structure of certain substances, expelled from the human intestine, having the appearance of shreds of lymph, but consisting entirely of filaments of a Confervoid type, probably belonging to the genus Oscillatoria. i, 92-98, pl. xi.

- (4). An account of a dissection of a human embryo of about the fourth week of gestation, with some observations on the early development of the human heart. iii, 65-73, pl. xiii (one half).

Feather-structure, J. Quekett (5).

Filaria medinensis, Busk (3).

Flint, formation, White (1). Foraminifera, see Reticularia.

Fungi, as cause of decay in fruit, Hassall (1); abnormality and mon-strosity, Lankester (1); Empusa, Varley (2).

G.

Geranium, hygrometric tissue, E. J. Quekett (2).

GOSSE, P. H. (1). On the architectural instincts of Melicerta ringens, an animal of the class Rotifera. iii, 58-63, pl. xii, figs. 1-4.

- (2). On the anatomy of Notommata aurita, an animal of the class Rotifera. iii, 93-104, pls. xii (figs. A, B), xv.

- — (3). On the Notommata parasita (Ehrenb.), a Rotiferous animal inhabiting the spheres of Volvox globator. iii, 143-146, pl. xx.

Grantia, ciliary action, Bowerbank (5). Guano, composition, E. J. Quekett (6), Deane (2).

H.

Hair, human, identification, J. Quekett (8).

Halichondria, anatomy, &c., Bowerbank (3).

HANDFORD, G. C. (1). On a white mirror for the microscope. iii, 147, 148.

HASSALL, A. H. (1). An explanation of the cause of the rapid decay of many fruits, more especially of those of the Apple and Peach tribes (in four parts). i, 111-122.

— (2). Remarks on a peculiar form of spiral vessel. i, 155, 156,

pl. xix, figs. 1-3.

— (3), & J. COPPIN. Descriptions of three species of marine Zoophytes. iii, 160-164, pl. xxi.

Heart; human, development, Farre (4).

Helix, growth of shell, Bowerbank (4). Homo; fœtus, Farre (4).

Hydrozoa; anatomy, Busk (6, 7); 3 sp. n., Hassall (3).

Hygroscopic tissues of plants, E. J. Quekett (2).

I.

Ixodes, from Brazil, Busk (1).

J.

JACKSON, G. (1). On micrometers. ii, 134-140.

K.

KING, J. (1). A new application of polarized light in examining every description of objects. ii, 81, 82.

L.

LANKESTER, E. (1). On some abnormal forms of Fungi, with remarks on their morphology. ii, 33-36. pl. ii. fig. 5.

33-36, pl. ii, fig. 5.

LEGG, M. S. (1). On the application of polarized light in microscopic investigations. ii, 83-88, pl. xii; and Addendum, ii, 122.

LEGG, M. S .--

— (2). On an improvement in the stage of the microscope. ii, 127–129, pl. xxvii.
Lens, blood-vessels, J. Quekett (10).
Lepidoptera, scales, De la Rue (1).
Lepidosiren, air-bladder, J. Quekett (3).
Limnias, Gosse (1).

M.

Melicerta, Gosse (1). Micrometer, Jackson (1).

Microscope; lever for stage, A. White
(1); polarization, King (1), Legg
(1); stage, Legg (2); oblique
illumination, Shadbolt (4), Nachet
(1); condenser, Wenham (1),
Shadbolt (5, 6); mirror, Handford
(1).

Mollusca, growth of shell, Bowerbank (4); ligament of Lamellibranchiata, E. J. Quekett (5); cilia, J. Quekett (4).

Muræna, epithelium and derivatives, Clark (1). Mytilus, cilia, J. Quekett (4).

N.

NACHET, M. (1). Note on Nachet's prism. iii, 82.
Nail, development, Rainey (1).
Nematoda; Strongylus, anatomy, J.
Quekett (1); Filaria, Busk (3).
Nitella, circulation, &c., Farre (1).
Notamia, Busk (4).
Notommata, Gosse (2); in Volvox,
Williams (1), Gosse (3).

Ρ.

Pisces; blood-vessels of air-bladder, J. Quekett (3); of branchiæ, J. Quekett (9); scales, J. Quekett (12).

Polystomella, structure of shell and animal, Williamson (1).

Polyzoa; Notamia, Busk (4); Anguinaria, Busk (5).

Porifera; anatomy of Euspongia, Bowerbank (2), of 3 spp. nn., Bowerbank (3); ciliary action, Bowerbank (5). Q.

QUEKETT, E. J. (1). On the developof the vascular tissue of plants. i, 1-11.

On the structure of some - (2). tissues possessing hygrometric

properties. i, 23-31.

— (3). On the nature of vessels possessing longitudinal as well as spiral fibres, found in certain plants. i, 157-159.

(4). On an instance of mon-

strosity in a moss. i, 160-164, pl.

xix, figs. 5, 6.

- (5). On the structure of the ligament connecting the valves of conchiferous Molluscs. ii, 1-6.

- (6). Remarks relating to the examination of guano by the

microscope. ii, 29-32.

QUEKETT, J. (1). On the anatomy of four species of Entozoa belonging to the genus Strongylus, from the Delphinus phocæna, or common Porpoise. i, 44-49, pl. iv.

 (2). Observations on the structure of Bat's hair. i, 58-62, pl.

vii.

- — (3). On a peculiar arrangement of blood-vessels in the airbladder of Fishes, with some remarks on the evidence which they afford of the true function of that organ. i, 99-108, pls. xii, xiii.

- (4). On some phenomena connected with the movement of the cilia in the common mussel (Mytilus edulis). ii, 7-9.

- (5). On certain peculiarities in the structure of the feathers of the Owl tribe. ii, 25-28, pl. ii,

figs. 1-4.

- (6). On the structure of the flabella of some of the higher forms of Crustacea, with some remarks on their probable use in the function of respiration. ii, 37-

43, pls. iii, iv.

- (7). On the intimate structure of bone, as composing the skeleton in the four great classes of animals, viz. Mammals, Birds, Reptiles, and Fishes, with some remarks on the great value of the knowledge of such structure in determining the affinities of the minute fragments of organic reQUEKETT, J .-

mains. ii, 46-58: - and, Additional observations on the intimate structure of bone. ii, 59-64, pls. v-viii.

- (8). On the value of the microscope in the determination of minute structures of a doubtful nature, as exemplified in the identification of human skin attached many centuries ago to the doors of churches. ii, 151-158, pl. xxiv.

(9). Observations on the nature of capillaries, and on the mode of arrangement of those in the gills

of Fishes. iii, 1-8, pl. i.

- (10). Observations on the vascularity of the capsule of the Crystalline Lens, especially that of certain Reptilia. iii, 9-13, pls. ii-

- (11). On a peculiar form of elastic tissue, found in the ligamentum nuchæ of the Giraffe. iii,

45-48, pl. x, figs. 3-8.

- (12). On the scales of the vivi-parous Blenny (Zoarcus viviparus). iii, 136, pl. xi, fig. 8.

R.

RAINEY, G. (1). On the structure and formation of the nails of the fingers and toes. ii, 105-109, pl. xxii.

READE, J. B. (1). The process of charring vegetable tissue, as applied to the examination of the stomata in the epidermis of garden rhubarb. i, 40-43, pl. i, fig. 3.

- (2). On animals of the chalk, still found in a living state in the stomachs of oysters. ii, 20-24.

Regeneration, Molluscan shell, Bowerbank (4).

Reptilia; blood-vessels of lung. J. Quekett (3), of lens, J. Quekett (10); scales, Spencer (1).

Reticularia, in stomach of Reade (2); in chalk, Reade (2), Deane (1); Polystomella, Williamson (1); zoological position, Williamson (1); shells of various genera, Williamson (2).

Rheum, stomata of epidermis, Reade

(1).

Rotifera, Gosse (1, 2, 3), Williams (1).

Sertularia, Hassall (3).

SHADBOLT, G. (1). The "disk-cutter," a new instrument for cutting circular disks of thin glass for mounting microscopical objects. Also the description of a collecting stick for procuring Infusoria, &c. iii, 32-35.

A description of a new **—** (2). form of hair from a species of Tarantula. iii, 41–44, pl. x, figs.

1, 2,

- (3). On the structure of the siliceous loricæ of the genus Arachnoidiscus. iii, 49-54, pl. xi, figs. 1-5.

- (4). A short description of M. Nachet's prisms for the oblique illumination of transparent objects on the stage of the microscope, with formulæ for their construction and observations on their use. iii, 74-78:—also, Further observations, &c. iii, 79-81.
- (5). The annular condenser for the microscope, a new instrument, contrived and described by Geo. Shadbolt. iii, 132-134, pl. xiv, figs. 1*-3*.
- (6). Observations upon oblique illumination, with a description of the author's sphæro-annular condenser. iii, 154-159.
- (7). On the sporangia of some of the filamentous freshwater Alga. iii, 165-170, pl. xxii.

Shell, Aves, structure, Carpenter (1).

- Mollusca, growth, Bowerbank (4).

Skin of Danes, &c., from church doors, J. Quekett (8).

SORBY, H. C. (1). On the occurrence of non-gymnospermous exogenous wood in the Lias, near Bristol. iii, 91, 92, pl. xvi.

SPENCER, J. B. (1). On the femoral plates or scales of the Zootoca vivipara. iii, 135, 136, pl. xi, figs.

Spongia (Euspongia), anatomy, Bowerbank (2).

Stomata, structure, Reade (1).

Strongylus, 4 spp. in porpoise, J. Quekett (1).

T.

Tænia echinococcus, Busk (2). Tarantula, hair, Shadbolt (2). Thaumantias, Busk (6, 7). Tortula, monstrosity, E. J. Quekett (4).Turris, Busk (6).

v.

VARLEY, C. (1). On Chara vulgaris.

ii, 93-104, pls. xiv-xxi.

(2). Microscopical observations on a malady affecting the common house-fly. iii, 55-57, pl. xiii (one half).

Vascular tissue, formation, E. J. Quekett (1); of fossil wood, Bowerbank (1); Farre (1); Hassall (2); E. J. Quekett (3).

Vitelline membrane, blood-vessels, Dalrymple (1).

w.

WARINGTON, R. (1). On a new medium for mounting organic substances as permanent objects for microscopic inspection. ii, 131-133.

WENHAM, F. H. (1). On the illumination of transparent microscopic objects on a new principle. 83-90, pl. xiv, figs. 1-6.

WHITE, A. (1). On a lever movement to the stage of the microscope. i, 165, 166, pl. xx, figs. 1-3. WHITE, H. H. (1). On fossil Xanthi-

dia. i, 77-86, pl. viii.

- (2). On a new species of fossil Xanthidium. i, 87, pl. xx, fig. 4. WILKINSON, S. J. (1). Observations

on Xanthidium, both fossil and

recent. ii, 89-92, pl. xiii.
WILLIAMS, J. (1). On the occurrence
of parasitic Rotifera in Volvox

globator. iii, 129-131. WILLIAMSON, W. C. (1). On the structure of the shell and soft animal of Polystomella crispa, with some remarks on the zoological position of the Foraminifera. ii, 159-178, pl. xxviii.

WILLIAMSON, W. C .-

— (2). On the minute structure of the calcareous shells of some recent species of Foraminifera. iii, 105-128, pls. xvii, xviii.

Wood; fossil, Bowerbank (1), Farre (1), Sorby (1).

X.

Xanthidium, H. H. White (1, 2), Deane

\mathbf{z} .

Zoarcus, scales, J. Quekett (12). Zootoca, femoral plates, Spencer (1).

INDEX

TO THE

PROCEEDINGS

OF THE

DUBLIN MICROSCOPICAL CLUB

1865—1880.

The Proceedings of the Club are reported at the following places in the Quarterly Journal of Microscopical Science:

v, 165–171.	x, 85–93.	xv, 100–106
233-240.	201–205.	201-206
vi, 58-73.	302-308.	329-334
120-130.	xi, 92~104.	409-417
180-194.	208–214.	xvi, 104–110
266-276.	311-322.	235-240
vii. 79–90.	xii, 84-96.	336-344
170-179.	193–202.	414-418
230-237.	310–314.	xvii, 102–106.
295-299.	419-423.	190-196
viii, 64–72.	xiii, 99-103.	300-306
118–124.	211–213.	461-466
188-191.	310-321.	xviii, 103–108
286-297.	434-438.	212-214
		345-350
ix, 94-98.	xiv, 105–108.	xix, 120–124
194-202.	211–216.	438-448
318-324.	316–322.	xx, 111–118
420-426.	421-426.	378–380

INDEX.

A.

Abies, xvi, 415, 417; xvii, 300, 304. Acanthocystis, vii, 178; ix, 199; xi, 208; xii, 195. Achlya, vii, 179; xi, 212. Acineta, vi, 182; xiii, 212. Actinocyclus, viii, 190; x, 302. Actinophrys, viii, 69; ix, 421; x, 306. Actinosphærium [?]; xi, 101; xii, 94. Algæ, movement, xii, 92. — Azores, xiv, 107. fossil calcareous, xix, 442. - gen. indet., xx, 115, 380. Amia, scale, xviii, 106. Amœba quadrilineata, ix, 97. - villosa, vi, 125, 190; x, 305; xv, Amphiprora, viii, 292; ix, 96. Amphitetras, ix, 420; xv, 204 Amphitrema, vii, 174; xvi, 340. Amphizonella, xii, 38, 195; [?] xiii, 102; xvii, 464. Anisonema, xii, 196. Anorthite Dolerite, xiv, 424. Anthelia, xx, 111. Anthoceros, xiv, 106. Anthophysa, vi, 182. Aphanomyces, v, 237. Apiocystis, xiii, 435. Aporea, ix, 420; xi, 208. Appendicularia, ix, 323. Aptogonum, x, 90. Arachnoidiscus, v, 167. Arcella, vi, 185; viii, 68. Arcyria, xvii, 465. Arthrodesmus, v, 170, 274; x, 90; xiii, 99. - abnormal, xvi, 236. Ascetta, xvi, 235. Astasiæa, v, 235. Astrodisculus, xiii, 320; [?] xiv, 317. Aulacodiscus, xviii, 104. Australian caoutchouc, diatoms, xiii, Azolla, xiv, 213; xx, 115.

В.

Bacteria-- "headed," xvi, 237, 239. in algæ, xvi, 105. — in urine, v, 165. movement, xi, 312. " Baked" slate, xv, 103. Ballia, xv, 416. Basalt, xv, 411; new mineral in, xviii, 347. Batrachospermum, ix, 94. Bebryce, ix, 319. Berkleyia, xx, 112 Biddulphia, xix, 120. Bignonia, xiii, 312. Bladder, calcareous deposits on, v, 167. Blodgettia, xvi, 342, 414; xx, 111. Botrydina, v, 238. Botrydium, xi, 100. Botryococcus, x, 88. Botrytis, xviii, 191. Bryopsis, xix, 121. Bulbenia, xi, 95. Bulbochæte, vi, 121; x, 85, 89; xiv, Bulgaria, xii, 310. Butomus, xv, 204.

C.

Cactus, xiv, 211.
Callicella, xi, 319.
Callithamnion, xx, 379.
Carex, xiii, 436.
Centrostephanus, gill, xvii, 302.
Ceratium, x, 201.
Chætonotus, xiv, 106.
Chantransia, ix, 94.
Chert, xvii, 190.
Chlamydomonas, xii, 86.
Chlamydomyxa, x, 303; xi, 94; xii, 195.
Chlorochytrium, xvii, 194; xviii, 103.
Choreolax, xvi, 336.

Chytridium, vii, 89, 231; viii, 119; [?] viii, 289; viii, 295; ix, 199; xv, 412.
Cladocera, Connemara, xii, 194; Mullingar, xii, 313; xii, 423.
Clathrulina, viii, 71, 189; xi, 322; xii, 195.
Closterium, vi, 70, 181, 272; vii, 172;

Chroolepus, v, 168; vi, 63, 276.

Closterium, vi, 70, 181, 272; vii, 172; viii, 118, 287, 292, 294; ix, 194, 425; xiii, 213, 319; xiv, 213; xv, 409, 412; xvi, 338, 415; xviii, 214; xix, 120, 121.

Cocconeis, v, 236; ix, 425; x, 308. Cælastrum, viii, 65; ix, 96; xiii, 316. Cælosphærium, ix, 197; movement, xi, 311; xix, 440; xx, 378.

311; xix, 440; xx, 378.
Cœnogonium, xiii, 312.
Cœnomorpha, x, 305.
Colletonema, xvi, 417.
Colochæte, ix, 424.
Colpocephalum, xiv, 213.
Connemara gatherings, xii, 194, 195.
Conochilus, vii, 179.

Conomitrium, xi, 96.
Coorongite, diatoms of, xiii, 211.
Coscinodiscus, x, 302, 308; xv, 330; xvi, 343; xvii, 461, 463; xix, 122.
Cosmarium, vi, 70, 121, 128, 192, 275; vii, 170; viii, 293; ix, 98, 425; x, 92, 205, 308; xi, 96; xii, 421; xiii, 99, 101, 315, 435; xiv, 213;

x, 92, 205, 308; xi, 96; xii, 421; xiii, 99, 101, 315, 435; xiv, 213; xvi, 109, 338, 344, 416, 417; xvii, 102, 104, 194, 301, 304, 305; xix, 123, 124, 441, 447; xx, 380.

Cosmocladium, vii, 298; viii, 68, 120;

xii, 195; xiv, 212. Craspedodiscus, xvii, 106, 465; xviii, 350.

Crustacea, calcification, xv, 205. Cylindrocapsa, xii, 419; xiv, 425. Cylindrocystis, vi, 60; xii, 422; xiv, 423; xix, 123. Cynhella, x, 88.

Cymbella, x, 88. Cymopolia, xix, 442. Cystophrys, viii 295

Cystophrys, viii, 295; ix, 421; x, 305.

D.

Dasydites, xiv, 106.
"Deathwatch," vi, 120.
Dehitella, x, 90.
Desmideæ; Glengariff, ix, 422.
— Connemara, xvii, 192.
— (? gen. n.), xvi, 238.
— hybrid conjugation, xv, 414.
— Toole's Rocks, xiii, 99.

Desmidium, vii, 296; ix, 198; xiv, 105.

Devitrified glass, v, 234. Diaphoropodon, ix, 321; xii, 87, 194. Diatomaceæ, Dresden, v, 169.

Arctic, xviii, 214, 349.

- Azores, xiv, 107.

- Ballybetagh, xvi, 416.

Bermuda, xiv, 216.China, vi, 126.

- Clare, xi, 213.

- coorongite, xiii, 211.

- Drumlough, Co. Down, xi, 320.

- dynamite earth, xvii, 305.

Seaforde, vi, 273.

- specific determination, v, 170; viii, 122; ix, 195; xii, 199.

- Vancouver's Island, xv, 409.

— various, on one stipes, xiii, 313.

Diatomella, xiv, 106. Dictyosphærium, vi, 127; vii, 230, 299;

viii, 65, 68; xii, 422; xv, 415. Didymoeladon, xii, 199, 201.

Didymohelix, viii, 294. Difflugia, vi, 186, 266; vii, 177; viii, 69, 122; xii, 195; xviii, 212.

Dimorphococcus, xii, 195, 197. Dinobryon, vi, 123; viii, 287, 292.

Diorite, xix, 439. Diplophrys, viii, 123; ix, 323; xvi,

340.
Dipterous larva, case, vii, 83, 175.
Docidium, vii, 297; xii, 193; xix, 438.
Donkinia, x, 85; xi, 100; xvii, 195.
Draparnaldia, xiii, 438.
Drepanomonas, xii, 95.

E.

Echinoderm spines, &c., structure, xiv, 317, 319, 321, 422, 425; xv, 100, 103, 105, 202, 205, 329, 332, 410, 413, 415; xvi, 107, 337, 342; xvii, 104, 106, 192, 195, 303, 463; xviii, 104, 106, 212, 213, 346, 348, 349; xix, 121, 122, 439, 440; xx, 112, 113, 115, 379.

Echinoidea, determination, vi, 266. Echinoidea, xii, 196. Ectocarpus, xvii, 465. Eozoon from Galway, v, 171. Epichloe, xviii, 107. Epithelioma, vii, 232. Epithemia, x, 305. Erythroxylon, xvii, 462.

Euastrum, vii, 297; viii, 66; xi, 93; xiii, 101, 315, 434; xviii, 108.

Euglena, xi, 98, 99. Euglypha, vi, 185; xii, 88; xvi, 107, 236; xvii, 196; xviii, 104. Euodea, ix, 200.

F.

Flagellata, viii, 119; gen. indet., xviii, 213.
Fontinalis, colouring matter, v, 239.
Foraminifera; in flint, xv, 103.
Fragillaria, ix, 194.

G.

Ganorhynchus, bone-structure, xiv, 211. Geoglossum, xviii, 212. Gephyria, vi, 185. Gomphonema, ix, 95; xi, 92. Gonatozygon, ix, 198. Gonium, v, 165, 234; vii, 88. Granite, Leinster, xv, 102. Griffithsia, xviii, 107, 213. Gromia, ix, 322; xii, 310. Gyropus, ix, 420.

H.

Haimea [?], v, 236. Hair, commercial, viii, 68; xii, 422; xv, 100; nodose, xx, 116. human, diseased, vi, 126. Hartea, v, 236. Hedera, vi, 62. Helicomyces, xvii, 194. Helicopsyche, vi, 180. Heliopelta, xvii, 300. Helminthosporium, xix, 447. Heterophrys, ix, 318, 320; xii, 195; xv, 202, 331; xvii, 105. Heterotoma, vi, 129. Himantidium, xi, 93. Hormospora, vii, 172; xi, 98; xiii, 320. Hullite, xviii, 347; xix, 438. Hyalonema, ix, 97. Hybrid conjugation of Desmidiæ, xv, 414. Hydrocoleum, vii, 86. Hydrodictyon, xii, 91. Hydrogastrum, xi, 100.

Hypnum; spores, ix, 322; xi, 94. Hypopterygium, xviii, 103.

I.

Isinglass, spurious, xviii, 103. Ixodes, xv, 104.

K.

Kalispongia, xvi, 340. Keratoisis, ix, 197.

L.

Lafœa, xviii, 349.
Laticiferous vessels, onion, xiii, 437.
Lava, Vesuvian, xv, 330, 411.
Leptocystinema, vi, 63.
Lichmophora, xi, 214; xiii, 318.
Limestone transformation, xvi, 336; xx, 114.
Limnoria in telegraph cable, xv, 332.
Lunularia, xiv, 215.
Lycopodium, epidermis, xiii, 434.
Lynceus, xiii, 320; see also Cladocera.

M.

Magosphæra, xi, 316. Mallomonas, viii, 122. Mastogloia, xiii, 319. Melosira, xii, 314. Merismopædia, xi, 214. Mesocarpus, vi, 65. Mesotænium, xiii, 319; xix, 123. Micrasterias, vi, 275; vii, 296; viii, 190, 286, 291, 294, 296; ix, 98, 196, 423; xi, 95; xii, 86; xiii, 212; xiv, 213; xvi, 109; xviii, 348; xx, 115. Micrococcus, xiv, 319, 321. Microgromia, xvi, 105; xvii, 194, 465. Micrometry, vii, 234. Mischococcus, v, 237. Monas, viii, 119; xi, 209. Monostroma, xiii, 99. Morphia salicylate, xvii, 465. Mougeotia, vi, 65, 270. Musca, foot, xv, 409. Muscari, monstrous, xvii, 463. Myreosteon, x, 306; xi, 93. Myxastrum, xvii, 462.

N.

Navicula, vii, 82; x, 302, 308; xi, 92; xii, 86, 93; xiii, 101, 311; xiv, 213; xv, 100, 102, 201, 410, 414, 416; xvi, 104, 235; xviii, 346.

Nematophycus, xiii, 312.

Neomeris, xix, 439.

Nephrocytium, vi, 70.

Nitzschia, ix, 318; x, 90, 302.

Nymphæa, xvi, 109, 235, 238.

Nothoclœna, v, 169.

0.

Octaviana, xix, 439.
Oedogonium, vi, 63, 67, 129; vii, 79; viii, 295; x, 203; xi, 93; xii, 313, 422; xv, 102, 413.
Olivine, xv, 411.
Olpidium, xvii, 463.
Oocystis, xi, 212; xvii, 104, 194.
Opal, xvii, 302.
Opercularia, v, 166.
Orthosira, xi, 321.
Ourameba, xv, 203.

P.

Pachymatisma, ix, 318. Palmoglea, x, 202. Pamphagus, xi, 101; xii, 195. Pandanus, xii, 88; xv, 333. Pelobius; [?] xi, 101; xii, 94. Peneus, calcification, xv, 205. Penicillium, abnormality, xvi, 106. Penium, asteridia, vi, 58; viii, 68; ix, 194, 423; xii, 86; xvi, 235. Peridinium, xi, 211. Phacus, xi, 99; xii, 92. Phalansterium, xi, 209; xii, 90, 95. Philodina, xi, 210. Pinguicula, viii, 121. Pinnularia, vii, 85, 88; xi, 100; xiv, 320; xv, 105. Pinus, xv, 413; xvi, 104, 108, 414; xix, 441. Placospongia, ix, 322. Plagiophrys, xvi, 343. Platycerium, xiv, 318. Pleurococcus on flies, xiii, 316. Pleurophrys, xiii, 437. Pleurosigma, ix, 424; x, 89; xii, 198. Pleurotænium, ix, 195; xi, 211; xii, 86. Plumularia, xviii, 106. Podisoma, xii, 89.

Podophrya, xviii, 105.
Podosphæra, viii, 66.
Polyactis, xiv, 425.
Polyehætus, viii, 72; ix, 95.
Polyehætus, xii, 76.
Polyphemus, xii, 194.
Polysiphonia, xv, 329; xvii, 305; xviii, 345, 350; xix, 123.
Polytrypa, xix, 442.
Pompholyxophrys, xii, 195.
Porphyry, xiv, 317.
Primula, pollen, viii, 67.
Protococcus, xii, 87.
Prototaxites, xi, 319.
Puccinia, xv, 410; xvi, 343.

Q.

Quadrula, xvi, 337. Quartzite, xix, 447. Quartzrock, Shankill, xvi, 415. Quillaria saponaria; crystals in bark, v, 166. Quinine chlorate, crystals, vii, 84.

R.

Raja, electric organ, xvii, 193.
Raphidiophrys, vii, 179; xii, 195; xv, 331.
Rhizopoda, various, vi, 185; vii, 173, 177, 296; Azores, xiv, 107; xv, 202; xvi, 337, 340, 343; xvii, 103.
Rivularia, xviii, 348.

S.

Sagitta, xvii, 462. Salvinia, x, 201. Saprolegnia, vii, 80. Schizonema, xiii, 434. Schizostega, viii, 124. Sciadium, vi, 64. Scotophilus, xv, 104. Scytonema, v, 167, 189; vii, 231; [?] x, 202. Selenastrum, xiii, 316. Sertularella, xviii, 212. Sirosiphon, ix, 200. Slate, indurated, xv, 103. Sorastrum, vii, 84. Speira, xii, 312. Sphærozosma, vi, 274; ix, 198; xi, 92. Sphagnum, xvi, 104. Spirillum, movement, xi, 316.

Spirogyra, rapid growth, vi, 62; x, 89, 92; xiii, 436; containing Oscillatoria, xv, 101. Spirotænia, vi, 191; vii, 233; viii, 68; x, 203; xii, 85, 90. Spirulina, x, 87. Spondylosium, vi, 120; xvii, 191. Sporochisma, xvi, 337. Staurastrum, vi, 66, 124, 189; vii, 230; viii, 67, 289, 296; ix, 97, 196, 200, 422, 424; x, 86, 89, 92; xi, 92, 93, 95; xii, 86, 89, 94, 199, 201, 202, 314; xiii, 101, 311, 437; xiv, 213; xvii, 103, 363; xviii, 105. Stauroneis, viii, 189; ix, 196; xi, 321; xvi, 340; xvii, 102, 104; xviii, 108. Stephanosphæra, v, 165; vii, 88; xi, 93, 100. Stigæoclonium, ix, 96. Stoney, G. J., on an achromatic com-

Striatella, vi, 189; xii, 84.
Strychnia, detection, xvi, 340.
Stysanus, xviii, 347.
Surirella, ix, 196, 420.
Syenite, xix, 440.
Syncrypta, xi, 316.
Synechococcus, vii, 87.
Synedra, xi, 311; xiv, 105; xvi, 106.
Synura, viii, 120; xi, 316.

xi, 212, 213.

bination for use with blue light.

T.

Tabellaria, v, 235.
Taxus, xiv, 321.
Tetrachastrum, ix, 98; xii, 85, 86; xii, 212.
Tetracyclus, xi, 92.
Thysanura, Irish, xiv, 212.
Tomopteris, v, 168.

Toxonidea, ix, 194, 425.
Trachelemonas, v, 239.
Tradescantia, xx, 380.
Traquairia, xii, 311.
Trifolium, abnormal, xv, 101.
Trinacria, xi, 208.
Trinema, viii, 188.
Trochiscia [p], vii, 176.
Tryblyonella, ix, 196; xii, 310; xiv, 106.
Tubipora, ix, 201.

U.

Urocentrum, rotation, ix, 319. Uvella, encysted, xv, 106.

V.

Vacuolaria, xx, 117. Vampyrella, xvi, 109. Vasicola, x, 204. Volcanic dust, xv, 413. Volvox, vi, 65, 194; viii, 120.

W.

Wart, microscopic structure, viii, 188. Welwitschia, xiii, 320. Wrightella, xv, 333.

X.

Xanthidium, vi, 273; ix, 423; xiii, 310; xx, 114, 116. Xanthine sulphate, xvi, 339.


Z.

Zygogonium, vi, 268.









106 275 548

